

Catalogue of Palearctic Dytiscidae (Coleoptera)

created by **Anders N. Nilsson**, University of Umeå, Sweden

published as a chapter in the **Catalogue of Palaeartic Coleoptera**:

Nilsson A.N. 2003: Family Dytiscidae Leach, 1815, pp. 35-78. In: Löbl I. & Smetana A. (eds.): *Catalogue of Palaeartic Coleoptera. Volume 1. Archostemata – Myxophaga – Adephaga*. Stenstrup: Apollo Books, 819 pp.

and

Hájek J. 2017: Family Dytiscidae Leach, 1815, pp. 844-914. In: Löbl I. & Löbl D. (eds.): *Catalogue of Palaeartic Coleoptera. Volume 1. Revised and updated edition. Archostemata – Myxophaga – Adephaga*. Leiden/Boston: Brill, XXXIV + 1443 pp.

updated and modified by **Jiří Hájek** <jiri_hajek@nm.cz>, National Museum Prague, Czech Republic

Update distributed as a PDF file via Internet; version 2020-01-01.

Available from: <http://www.waterbeetles.eu>

[Changes relative to former version marked in yellow. The following abbreviations are used: (CN) conserved name, (HN) homonym, (NO) nomen oblitum, (NP) nomen protectum, (RN) replacement name, (SN) suppressed name, and (UE) unjustified emendation.]

GEOGRAPHICAL SYMBOLS

E Europe

AB	Azerbaijan	LS	Liechtenstein
AL	Albania	LT	Lithuania
AN	Andorra	LU	Luxembourg
AR	Armenia	MA	Malta
AU	Austria	MC	Macedonia
AZ	Azores	MD	Moldavia
BE	Belgium	ME	Montenegro
BH	Bosnia Herzegovina	NL	The Netherlands
BU	Bulgaria	NR	Norway
BY	Belarus	PL	Poland
CR	Croatia	PT	Portugal
CZ	Czech Republic	RO	Romania
DE	Denmark	RU	Russia
EN	Estonia	CT	Russia: Central European Territory
FA	Faeroe Islands	NT	Russia: North European Territory
FI	Finland	ST	Russia: South European Territory
FR	France (incl. Corsica, Monaco)	SB	Serbia
GB	Great Britain (incl. Channel Islands)	SK	Slovakia
GE	Germany	SL	Slovenia
GG	Georgia	SP	Spain (incl. Gibraltar)
GR	Greece (incl. Crete)	SV	Sweden
HU	Hungary	SZ	Switzerland
IC	Iceland	TR	Turkey
IR	Ireland	UK	Ukraine
IT	Italy (incl. Sardinia, Sicily, San Marino)	YU	former Yugoslavia (without precise information)
KZ	Kazakhstan		
LA	Latvia		

N North Africa

AG	Algeria	MO	Morocco (incl. Western Sahara)
CI	Canary Islands	MR	Madeira Archipelago
EG	Egypt	TU	Tunisia
LB	Libya		

A Asia

AE	United Arab Emirates	XIZ	Xizang (Tibet)
AF	Afghanistan	YUN	Yunnan
AP	India: Arunachal Pradesh	ZHE	Zhejiang (Chekiang)
BA	Bahrain	CY	Cyprus
BT	Bhutan	HP	India: Himachal Pradesh
CH	China	IN	Iran
ANH	Anhui (Anhwei)	IQ	Iraq
BEI	Beijing (Peking or Peiping)	IS	Israel
CHQ	Chongqing	JA	Japan
FUJ	Fujian (Fukien)	JO	Jordan
GAN	Gansu (Kansu)	KA	Kashmir
GUA	Guandong (Kwantung)	KI	Kyrgyzstan
GUI	Guizhou (Kweichow)	KU	Kuwait
GUX	Guangxi (Kwangsi)	KZ	Kazakhstan
HAI	Hainan	LE	Lebanon
HEB	Hebei (Hopeh)	MG	Mongolia
HEI	Heilongjiang (Heilungkiang)	NC	North Korea
HEN	Henan (Honana)	NP	Nepal
HKG	Hong Kong	OM	Oman
HUB	Hubei (Hupeh)	PA	Pakistan
HUN	Hunan	QA	Qatar
JIA	Jiangsu (Kiangsu)	RU	Russia
JIL	Jilin (Kirin)	ES	Russia: East Siberia
JIX	Jiangxi (Kiangsi)	FE	Russia: Far East
LIA	Liaoning	WS	Russia: West Siberia
MAC	Macao	SA	Saudi Arabia
NIN	Ningxia (Ningsia)	SC	South Korea
NMO	Nei Mongol (Inner Mongolia)	SD	India: Sikkim, Darjeeling District
QIN	Qinghai (Tsinghai)	SI	Egypt: Sinai
SCH	Sichuan (Szechwan)	SY	Syria
SHA	Shaanxi (Shensi)	TD	Tajikistan
SHG	Shanghai	TM	Turkmenistan
SHN	Shandong (Shantung)	TR	Turkey
SHX	Shanxi (Shansi)	UP	India: Uttarakhand (= Uttaranchal), Uttar Pradesh
TAI	Taiwan (Formosa)	UZ	Uzbekistan
TIA	Tianjin (Tsiensin)	YE	Yemen (incl. Socotra)
XIN	Xinjiang (Sinkiang)		

World Zoogeographical Regions

AFR	Afrotropical Region
AUR	Australian Region
NAR	Nearctic Region
NTR	Neotropical Region
ORR	Oriental Region

family **DYTISCIDAE** Leach, 1815
 subfamily **Agabinae** Thomson, 1867
 tribe Agabini Thomson, 1867

genus Agabus Leach, 1817: 69 type species *Agabus paykullii* Leach, 1817 (= *Dytiscus serricornis* Paykull, 1799)

subgenus Acatodes Thomson, 1859: 13 type species *Dytiscus fuscipennis* Paykull, 1798

- = *Allonychus* Zaitzev, 1905a: 39 [RN] type species *Agabus coxalis* Sharp, 1882
- = *Arctodytes* Thomson, 1874: 541 type species *Dytiscus elongatus* Gyllenhal in C.R. Sahlberg, 1826
- = *Badynectus* Seidlitz, 1872:57 type species *Dytiscus fuscipennis* Paykull, 1798
- = *Heteronychus* Seidlitz, 1887: 81 [HN] type species *Agabus coxalis* Sharp, 1882
- = *Mesogabus* Guéorguiev, 1969: 61 type species *Agabus insignis* Guéorguiev, 1969 (= *Colymbetes alpinus* Motschulsky, 1860)
- = *Scytodytes* Seidlitz, 1887: 81 type species *Dytiscus sturmii* Gyllenhal, 1808

abaensis Štápný & Hájek, 2016: 312 **A:** CH (GAN SCH)

aequabilis Gschwendtner, 1923: 105 (*Gaurodytes*) **A:** CH (SCH XIN) KI UZ

aequalis Sharp, 1882: 501 **A:** CH (GAN JIL SCH) MG RU (ES FE)

amoenus Solsky, 1874: 142 **E:** GG RU (ST) UK **A:** KZ **MG**¹ UZ

angusi Nilsson, 1994b: 172 **A:** CH (HEI) MG RU (ES)

arcticus alpinus Motschulsky, 1860a: 102 (*Colymbetes*) **A:** MG RU (ES WS)

- = *insignis* Guéorguiev, 1969: 62
- = *punctipennis* J.R. Sahlberg, 1880: 56 (*Gaurodytes*)
- = *sibiricus* J.R. Sahlberg, 1880: 56 (*Gaurodytes*)

arcticus arcticus Paykull, 1798: 201 (*Dytiscus*) **E:** FI GB IR NR RU (NT) SV **NAR**

= *reticulatus* Kirby, 1837: 71 (*Colymbetes*)

arcticus ochoticus Poppius, 1908: 54 **A:** RU (FE)

bergi Zaitzev, 1913: 195 **E:** AR GG **A:** TR

browni Kamiya, 1934: 181 **A:** CH (BEI) JA SC

- = *brunneus* Kamiya, 1935: 8 [HN]
- = *orientalis* Kamiya, 1938: 36 [RN]

clypealis Thomson, 1867: 107 (*Gaurodytes*) **E:** BY DE FI GE LA LT PL RU (CT NT) SV UK **A:** RU (ES FE WS)

NAR

= *scholzi* W. Kolbe, 1916: 253

confinis Gyllenhal, 1808: 511 (*Dytiscus*) **E:** FI LA NR RU (NT) SV **A:** MG RU (ES FE WS) **NAR**

- = *longulus* LeConte, 1878: 596 (*Gaurodytes*)
- = *ovoideus* Crotch, 1873: 418 (*Gaurodytes*)

congener Thunberg, 1794: 75 (*Dytiscus*) **E:** AN AR AU BE BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MC NL NR RO RU (CT NT ST) PL SK SV SZ UK **A:** CH (JIL QIN) JA KZ MG RU (ES FE WS) TR

- = *congener* Paykull, 1798: 214 (*Dytiscus*) [HN]
- = *daisetsuzanus* Kamiya, 1938: 34
- = *foveolatus* Mulsant & Godart, 1860: 177
- = *funkii* Seidlitz, 1887: 92
- = *venturii* Bertolini, 1870: 242

conspicuus Sharp, 1873b: 48 **A:** JA RU (FE) SC

- = *deplanatus* Guignot, 1952a: 18
- = *procerus* Régimbart, 1899: 281 (*Platynectes*)

costulatus Motschulsky, 1859a: 541 (*Colymbetes*) **A:** KI KZ MG RU (ES FE WS)

= *tunkunensis* Zimmermann, 1928: 178 (*Gaurodytes*)

coxalis coxalis Sharp, 1882: 535 **A:** KZ MG RU (ES WS)

= *splichali* Reitter, 1899: 196

coxalis ermaki Zaitzev, 1953: 259 (*Gaurodytes*) **E:** RU (NT) **A:** RU (ES FE WS) **NAR**

coxalis schmidti Zaitzev, 1913: 197 **E:** AR GG RU (ST) TR

discolor Harris, 1828: 164 (*Colymbetes*) **E:** FI NR RU (NT) SV **A:** RU (ES FE) **NAR**

= *levanderi* Hellén, 1929: 40

elongatus Gyllenhal in C.R. Sahlberg, 1826: 169 (*Dytiscus*) **E:** FI NR RU (NT) SV **A:** RU (ES WS) **NAR**

= *bryanti* F.S. Carr, 1930: 278

fulvipennis Régimbart, 1899: 277 **A:** CH (HEB HUB JIX SCH SHN SHX TAI)

= *chinensis* Zimmermann, 1919a: 211 (*Gaurodytes*)

fuscipennis Paykull, 1798: 209 (*Dytiscus*) **E:** AU BY CZ DE EN FI GE HU LA LT NR PL RU (CT NT ST) SK SV UK **A:** KZ RU (ES FE WS) **NAR**

= *eversmanni* Ballion, 1855: 237

- = *fossarum* Germar, 1823: 29 (*Dytiscus*)
 = *obscurior* J.R. Sahlberg, 1875: 170 (*Acatodes*)
granulatus Falkenström, 1936a: 95 (*Gaurodytes*) **A:** CH (SCH)
hummeli Falkenström, 1936c: 2 (*Gaurodytes*) **A:** CH (SCH TAI)
inexpectatus Nilsson, 1990a: 157 **A:** RU (ES WS) **NAR**
infuscatus Aubé, 1838b: 330 **E:** FI NR RU (NT) **A:** MG RU (ES FE WS) **NAR**
 = *dubiosus* Poppius, 1905: 20
 = *gelidus* U. Sahlberg, 1906: 15
japonicus continentalis Guéorguiev, 1970: 259 [RN] **A:** CH (FUJ GUX HEB HUB JIA JIX LIA SCH TAI YUN)
MG¹ RU (FE) SC **ORR**
 = *falkenstromi* Zaitzev, 1953: 254 [HN] (*Gaurodytes*)
japonicus ezo Nakane, 1989: 23 **A:** CH (TAI) JA RU (FE)
japonicus japonicus Sharp, 1873b: 50 **A:** JA
japonicus shiroumanus Nakane, 1959: 98 (*Gaurodytes*) **A:** JA
joachimschmidti Brancucci & Hendrich, 2008:52 **A:** CH (XIZ)
kaszabi Guéorguiev, 1972: 37 **A:** MG
kokoosson Feng, 1936: 8 **A:** CH (SHX)
lapponicus Thomson, 1867: 108 (*Gaurodytes*) **E:** FI FR IT NR RU (NT) SP SV SZ **A:** MG RU (ES FE WS) TR
 = *obovatus* J.R. Sahlberg, 1875: 176 (*Gaurodytes*)
 = *obscuripennis* J.R. Sahlberg, 1875: 177 (*Gaurodytes*)
matsumotoi Satô & Nilsson, 1990: 193 **A:** JA RU (FE)
moestus Curtis, 1835: lx (*Colymbetes*) **E:** FI RU (NT) **A:** **MG**¹ RU (ES FE WS) **NAR**
 = *borealis* Sharp, 1882: 513
 = *nigripalpis* J.R. Sahlberg, 1880: 56
mucronatus Falkenström, 1936a: 89 (*Gaurodytes*) **A:** CH (SCH SHA)
pseudoclypealis Scholz, 1933: 74 **E:** BY FI LA PL RU (CT NT ST) **A:** RU (WS)
 = *haraldi* Håkan Lindberg, 1933: 121
puetzi Fery, 2011a: 93 **A:** CH (SCH)
regimbarti Zaitzev, 1906b: 174 **A:** CH (BEI GAN GUI HEB HEI JIX LIA SCH SHA SHN SHX XIZ YUN) NC
rufipennis Gschwendtner, 1933: 163 (*Gaurodytes*) **A:** CH (FUJ)
setulosus J.R. Sahlberg, 1895: 39 (*Gaurodytes*) **E:** FI LA NR RU (CT NT ST) SV UK
sinuaticollis Régimbart, 1899: 278 **A:** AP CH (GAN GUX SCH YUN XIN XIZ) HP NP UP
slovzovi J.R. Sahlberg, 1880: 59 (*Gaurodytes*) **E:** KZ **A:** RU (ES WS)
sturmii Gyllenhal in Schönherr, 1808: 18 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GG IR IT
 LA LT LU ME NL NR PL RO RU (CT NT ST) SK SL SP SV SZ UK **A:** KZ RU (ES WS) TR
 = *fallax* Munster, 1932: 85
 = *goedellii* A. Villa & G.B. Villa, 1833: 33 (*Colymbetes*)
suoduogangi Štátný & Nilsson, 2003: 212 **A:** CH (YUN)
thomsoni J.R. Sahlberg, 1871: 407 (*Gaurodytes*) **E:** FI NR RU (NT) SV **A:** **MG**¹ RU (ES FE WS) **NAR**
 = *coriaceus* J.R. Sahlberg, 1875: 174 (*Gaurodytes*)
tibetanus Zaitzev, 1908a: 425 **A:** CH (QIN)
turcmenus Guignot, 1957b: 93 **A:** KI CH (XIN)
zetterstedti Thomson, 1856: 216 **E:** FI NR RU (NT) SV **A:** RU (ES FE WS) **NAR**
 = *browni* Leech, 1938: 126 [HN]
- subgenus** *Agabus* Leach, 1817: 69 type species *Agabus paykullii* Leach, 1817 (= *Dytiscus serricornis* Paykull, 1799)
 = *Aptor* Semenov, 1899: 512 type species *Agabus kessleri* Hochhuth, 1871 (= *Colymbetes bifarius* Kirby, 1837)
 = *Carrhydrus* Fall, 1922: 35 type species *Carrhydrus crassipes* Fall, 1922
 = *Erigenus* Thomson, 1859: 14 type species *Dytiscus abbreviatus* Fabricius, 1787 (= *Dytiscus undulatus* Schrank, 1776)
 = *Neonecticus* Guignot, 1951b: 84 type species *Agabus disintegratus* Crotch, 1873
annicola J.R. Sahlberg, 1880: 58 (*Gaurodytes*) **A:** RU (ES) **NAR**
 = *triton* Fall, 1922: 17
bifarius Kirby, 1837: 71 (*Colymbetes*) **E:** BY RU (CT NT ST) UK **A:** RU (Siberia) **NAR**
 = *kessleri* Hochhuth, 1871: 238
clavicornis Sharp, 1882: 536 **A:** CH (HEI) MG RU (ES FE) **NAR**
 = *verus* Brown, 1931: 115

- fulvaster* Zaitzev, 1906a: 26 **E:** KZ RU (ST) **A:** KZ MG RU (ES WS)
- jacobsoni* Zaitzev, 1905c: 225 **E:** RU (NT) **A:** RU (FE)
- labiatus* Brahm, 1790: 27 (*Dytiscus*) **E:** AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA
LT MC MD ME NL NR PL PT RU (CT NT ST) SB SK SL SP SV SZ UK **A:** KI KZ RU (ES WS) TR
= *assimilis* Sturm, 1834: 112 (*Colymbetes*)
= *femorialis* Gravenhorst, 1807: 102 (*Dytiscus*)
= *femorialis* Paykull, 1798: 215 (*Dytiscus*)
= *hochhuti* Zaitzev, 1908c: clx
= *impressus* Zoubkoff, 1833: 317 (*Colymbetes*)
= *transcaasicus* Zaitzev, 1927: 28
- lineatus* Gebler, 1848: 75 **E:** KZ MD RU (CT ST) UK **A:** KZ MG RU (ES WS) TR
= *desertorum* Morawitz, 1863: 169
- lotti* Turner, Toledo & Mazzoldi, 2015: 3 **E:** AU CZ HU IT SK
- luteaster* Zaitzev, 1906a: 27 **E:** RU (NT) **A:** RU (ES FE WS)
- mandsuricus* Guignot, 1956a: 139 (*Ilybius*) **A:** CH (HEI) RU (FE)
= *mandsuricus* Guignot, 1956c: 396 (*Ilybius*) [HN]
= *charini* Lafer, 1988: 54 (*Eriglenus*)
- pallens* Poppius, 1905: 22 **E:** RU (NT) **A:** KZ MG RU (ES FE WS) **NAR**
= *hudsonicus* Leech, 1938: 123
= *mongolicus* Guéorguiev, 1968a: 27
= *zaitzewi* Poppius, 1909: 12
- poppiusi* Nilsson, 2003c: 97 **A:** RU (ES)
- serricornis* Paykull, 1799: 49 (*Dytiscus*) **E:** FI NR RU (CT NT) SV **A:** RU (ES WS)
= *clavatus* Latreille, 1804: 166 (*Dytiscus*)
= *minor* J.R. Sahlberg, 1875: 170
= *paykullii* Leach, 1817: 72 [RN]
- uliginosus* Linnaeus, 1760: 216 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IC IT LA LT LU MD
NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK
= *aeratus* Stephens, 1828: 79 (*Colymbetes*)
= *dispar* Bold, 1849: xxiv
= *reichei* Aubé, 1837: 138
= *uliginosus* O.F. Müller, 1776:71 (*Dytiscus*) [HN]
- undulatus* Schrank, 1776: 70 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FR GB GE GG HU IT
LA LT LU NL NR PL RO RU (CT ST) SB SK SL SV SZ UK **A:** IN KI
= *abbreviatus* Fabricius, 1787: 191 (*Dytiscus*)
= *imperfectus* Meier, 1899: 98
= *interruptus* Schilsky, 1888: 183
= *pictus* Meier, 1899: 98
= *ruficeps* Ménériés, 1832: 141 (*Colymbetes*)
- uralensis* Nilsson & Petrov, 2006: 162 **E:** RU (CT) **A:** KZ RU (ES)
- vereschaginae* Angus, 1984: 193 **A:** RU (ES WS)
- zimmermanni* Scholz, 1920: 15 **E:** BU GR RO RU (ST) UK **A:** TR
- subgenus** *Gaurodytes* Thomson, 1859: 14 type species *Dytiscus bipustulatus* Linnaeus, 1767
= *Agabinectes* Guignot, 1932: 525 type species *Dytiscus brunneus* Fabricius, 1798
= *Dichodytes* Thomson, 1886: x type species *Gaurodytes angusticollis* J.R. Sahlberg, 1871 (= *Agabus adpressus* Aubé, 1837)
= *Dichonectes* Guignot, 1945a: 21 type species *Dytiscus biguttatus* Olivier, 1795
= *Gabinectes* Guignot, 1931: 202 type species *Dytiscus brunneus* Fabricius, 1798
= *Metronectes* Sharp, 1882: 491 type species *Agabus aubei* Perris, 1869
= *Necticus* Hope, 1838: 131 [HN] type species *Dytiscus bipustulatus* Linnaeus, 1767
= *Xanthodytes* Seidlitz, 1887: 81 type species *Dytiscus nebulosus* Forster, 1771
- adpressus* Aubé, 1837: 169 **E:** FI NR RU (NT) SV **A:** KZ MG RU (ES WS) **NAR**
= *angusticollis* J.R. Sahlberg, 1871: 408 (*Gaurodytes*)
= *haeffneri* Aubé, 1837: 170
= *sahlbergi* Sharp, 1882: 517
= *solus* Leech, 1949: 248
= *subquadratus* Motschulsky, 1860a: 102 (*Colymbetes*)
- adustus* Guignot, 1954a: 223 **A:** IN KA
- affinis* Paykull, 1798: 211 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL
RO RU (CT NT ST) SK SV SZ UK **A:** JA (Hokkaido) RU (ES FE WS)

- = *branchiatus* Babington, 1832: 329 (*Colymbetes*)
 = *guttulus* Schönherr, 1808: 19 (*Dytiscus*)
africanus Pederzani & Schizzerotto, 1998: 88 **N:** TU
alexandrae Ribera, Hernando & Aguilera, 2001: 256 **N:** MO
alinae Lafer, 1988: 58 (*Gaurodytes*) **A:** RU (FE)
aubei Perris, 1869: 6 **E:** FR (Corsica) IT (Elba)
 = *parallelipennis* Desbrochers des Loges, 1871: 337
basalis Gebler, 1829: 65 (*Colymbetes*) **A:** CH (XIN) KI KZ MG RU (WS) TD UZ
 = *abnormicollis* Ballion, 1871: 329
 = *pallidipennis* Jakovlev, 1897: 40 [HN]
 = *songoricus* Gebler, 1859: 450 [RN] (*Colymbetes*)
biguttatus Olivier, 1795: 26 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ FR GB GE GG GR HU IR IT LS
 LU MC ME NL PL PT RO RU (CT ST) SB SK SL SP SZ UK **N:** AG CI EG LB MO TU **A:** AF CH (SCH XIN)
 CY HP IN IQ IS JO KA KI LE PA RU (WS) SA SI SY TM TR UZ YE
 = *alligator* Normand, 1933: 299
 = *annulatus* Zoubkoff, 1833: 318 (*Colymbetes*)
 = *concii* Franciscolo, 1942: 137
 = *consanguineus* Wollaston, 1864: 81
 = *fontinalis* Stephens, 1828: 66 (*Colymbetes*)
 = *impressus* Guignot, 1932:540 [HN]
 = *indicus* Régimbart, 1899: 272
 = *melas* Aubé, 1837: 168
 = *nigricollis* Zoubkoff, 1833: 317 (*Colymbetes*)
 = *nitidus* Fabricius, 1801: 265 (*Dytiscus*)
 = *nubiensis* Régimbart, 1895: 154
 = *olivieri* Zaitzev, 1908b: 121 [RN]
 = *pauper* Schilsky, 1888: 184
 = *picicornis* Stephens, 1828: 66 (*Colymbetes*)
 = *silesiacus* Letzner, 1844: 170
 = *subaquilus* Gozis, 1912: 60
biguttulus Thomson, 1867: 110 (*Gaurodytes*) **E:** BY EN FI GE LA LT NR PL RU (CT NT) SV UK **A:** KI MG RU
 (ES WS)
 = *boreellus* J.R. Sahlberg, 1871: 409 (*Gaurodytes*)
 = *ovalis* J.R. Sahlberg, 1875: 178 (*Gaurodytes*)
binotatus Aubé, 1837: 161 **E:** FR (Corsica) IT
bipustulatus Linnaeus, 1767: 667 (*Dytiscus*) **E:** AB AL AN AR AU AZ BE BH BU BY CR CZ DE EN FA FI FR
 GB GE GG GR HU IC IR IT LA LS LT LU MC ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ TR
 UK **N:** AG LB MO TU **A:** AF CH (XIN) CY IN IS KA KI KZ LE RU (WS) SY TD TR UZ "Manchuria" **AFR**
 = *abdominalis* Costa, 1847a: 134 (*Colymbetes*)
 = *acuductus* Marsham, 1802: 416 (*Dytiscus*)
 = *alpestris* Heer, 1837: 53
 = *alpicola* Zaitzev, 1927: 24
 = *alticola* Bruneau de Miré & Legros, 1963: 875
 = *bipustulatus* O.F. Müller, 1776:71 (*Dytiscus*) [HN]
 = *callosus* Thomson, 1884: 1031 (*Gaurodytes*)
 = *carbonarius* Fabricius, 1801: 263 [HN] (*Dytiscus*)
 = *dolomitanus* Scholz, 1935: 37
 = *falcozi* Guignot, 1932: 557
 = *immaculatus* Schrank, 1781: 201 (*Dytiscus*)
 = *kiesenwetterii* Seidlitz, 1887: 88
 = *latus* Gebler, 1841: 371 (*Colymbetes*)
 = *luctuosus* Geoffroy in Fourcroy, 1785: 67 (*Dytiscus*)
 = *maurus* Zimmermann, 1919a: 209 (*Gaurodytes*)
 = *peyerinhoffi* Bruneau de Miré & Legros, 1963: 875
 = *picipennis* J.R. Sahlberg, 1903a: 5
 = *pyrenaicus* Fresneda & Hernando, 1989b: 35
 = *regalis* Petri, 1903: 49
 = *remotus* J.R. Sahlberg, 1913: 45
 = *sexualis* Reiche, 1857: ix
 = *snowdonius* Newman in Doubleday & Newman, 1833: 55 (*Colymbetes*)
 = *solieri* Aubé, 1837: 183
blatta Jakovlev, 1897: 39 **A:** CH (QIN XIN) KI **MG**¹
 = *piceus* Jakovlev, 1897: 40

- brandti* Harold, 1880: 148 **A:** CH (BEI GAN HEB JIL LIA QIN SCH YUN) MG RU (FE)
 = *jeholensis* Kamiya, 1935: 8
- brunneus* Fabricius, 1798: 64 (*Dytiscus*) **E:** BE FR GB GE GR IT PT SP SZ **N:** AG LB MO TU **A:** SY
 = *castaneus* Gyllenhal in Schönherr, 1808: 21 (*Dytiscus*)
 = *ferrugineus* Stephens, 1828: 79 (*Colymbetes*)
- caraboides* Sharp, 1882: 494 **E:** BU GG MC UK **A:** IN LE SY TR
 = *merkli* Régimbart, 1884a: 23
 = *merkli* Régimbart, 1884b: xix [HN]
- cephalotes* Reiche, 1861a: 202 **E:** FR (Corsica)
- conspersus* Marsham, 1802: 427 (*Dytiscus*) **E:** AB AL AR BE BU CR DE FR GB GE GG GR HU IR IT MC ME
 NL PL PT RO RU (ST) SP SV UK **N:** AG CI EG LB MO TU **A:** AF CH (QIN XIN XIZ ZHE) CY HP IN IQ JO
 KA KI KU KZ LE PA RU (WS) SI SY TD TM TR UZ
 = *bulgaricus* Csiki, 1943: 214 (*Gaurodytes*)
 = *corsicus* Guignot, 1932: 571
 = *gougeletii* Reiche, 1863: 474
 = *luniger* Kolenati, 1845: 82
 = *nebulosus* Schiødte, 1841: 467 [HN]
 = *perlautus* Gozis, 1912: 53
 = *subnebulosus* Stephens, 1828: 72 (*Colymbetes*)
- debilipes* Régimbart, 1899: 273 **A:** HP KA NP PA SD UP **ORR**
 = *skarduensis* Guignot, 1958: 30
 = *subsericatus* Régimbart, 1899: 274
- dichrous* Sharp, 1878b: 169 **E:** "Caucasus" **A:** AF CH (SCH XIN) KI KZ MG RU (ES) TD "Baluchistan"
 = *dichrous* Sharp, 1890: 38 [HN]
 = *lederii* Seidlitz, 1887: 94
 = *luteolus* Régimbart, 1899: 275
- didymus* Olivier, 1795: 26 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE FR GB GE GR IT LT LU ME NL PL PT SL
 SP SV SZ UK **N:** AG MO TU **A:** IS LE SY TR
 = *chalybaeus* J.R. Sahlberg, 1903b: 12
 = *vitreus* Paykull, 1798: 217 (*Dytiscus*)
- dilatatus* Brullé, 1832: 127 (*Colymbetes*) **E:** AL BU CR GG GR IT MC RU (ST) TR UK **N:** AG EG MO TU **A:** CY
 IN IQ IS KI LE SI SY TR UZ
 = *balkanicus* Hlisnikovský, 1955b: 101
 = *castaneus* Sharp, 1882: 500 [HN]
 = *gory* Aubé, 1837: 162
- faldermanni* Zaitzev, 1927: 22 **E:** AB **A:** IN IS LE SY TR
 = *iranicus* Guéorguiev, 1965b: 257
 = *palaestinus* Zimmermann, 1934: 164 (*Gaurodytes*)
- freudei* Guéorguiev, 1975: 97 **A:** KA NP UP
- friedrichi* Falkenström, 1936a: 91 (*Gaurodytes*) **A:** CH (GAN SCH) KI
- glacialis* Hochhuth, 1846: 218 **E:** AB AR GG RU (ST) **A:** IN TR
 = *armeniacus* Sharp, 1882: 497
 = *inguttatus* Reitter, 1908: 223
- glazunovi* Zaitzev, 1953: 228 (*Gaurodytes*) **A:** AF UZ
- godmanni* Crotch, 1867: 385 **E:** AZ
- guttatus baudii* Seidlitz, 1887: 85 **E:** IT
- guttatus guttatus* Paykull, 1798: 211 (*Dytiscus*) **E:** AN AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT
 LA LS LT LU MC ME NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** HP RU (WS) TR
 = *nigripes* Costa, 1847b: 97 (*Colymbetes*)
 = *picinus* Marsham, 1802: 428 (*Dytiscus*)
 = *septemseriatus* J.R. Sahlberg, 1875: 180 (*Gaurodytes*)
 = *severior* Gozis, 1912: 63
 = *signatus* Grimmer, 1841: 32 (*Colymbetes*)
 = *styriacus* Sharp, 1882: 496
- heydeni* Wehncke, 1872b: 135 **E:** PT SP **N:** MO
 = *parvulus* Fresneda & Hernando, 1989a: 14
- kholini* Nilsson, 1994c: 45 **A:** CH (JIL) MG RU (FE)
- laferi* Nilsson, 1994c: 47 **A:** CH (HEI) MG RU (FE)
- lobonyx* Guignot, 1952a: 17 **A:** CH (GAN QIN SCH) SD
- longissimus* Régimbart, 1899: 275 **A:** BT CH (QIN SCH) SD

- maderensis* Wollaston, 1854: 85 **N**: MR
- melanarius* Aubé, 1837: 180 **E**: AU BE BH BU BY CZ DE EN FI FR GB GE HU IT LA LT LU NL NR PL RO RU
(CT NT) SK SV SZ UK YU
= *frigidus* Schiödte, 1841: 477
= *kotschyi* Letzner, 1849: 95
= *tarsatus* Zetterstedt, 1838: 132 (*Dytiscus*)
= *tatricus* Roubal, 1938: 19
- nebulosus* Forster, 1771: 56 (*Dytiscus*) **E**: AB AL AR AU BE BH BU CR CZ DE EN FR GB GE GG GR HU IR IT
LA LT LU MA MC ME NL NR PL PT RO RU (CT ST) SK SL SP SV SZ TR YU **N**: AG CI EG LB MO MR TU
A: CY IN IS JO LE SY TM TR
= *abdominalis* Ragusa, 1887: 7 [HN]
= *bipunctatus* Fabricius, 1787: 190 [HN] (*Dytiscus*)
= *humeralis* Audinet-Serville, 1821:96 (*Dytiscus*)
= *immaculatus* Gschwendtner, 1927: 92 [HN] (*Gaurodytes*)
= *mixtus* Guignot, 1949a: 6
= *naevius* Gmelin, 1790: 1957 (*Dytiscus*)
= *nigromaculatus* Goeze, 1777: 625 (*Dytiscus*)
= *notatus* Bergsträsser, 1777: 31 (*Dytiscus*)
= *pratensis* Schaufuss, 1882c: 620
= *ragusai* Zaitzev, 1908b: 123 [RN]
= *rugospennis* Guignot, 1932: 568
= *tesselatus* Geoffroy in Fourcroy, 1785: 68 (*Dytiscus*)
- nevadensis* Håkan Lindberg, 1939: 32 **E**: SP
- ommani* Zaitzev, 1908a: 424 **A**: CH (QIN)
- paludosus* Fabricius, 1801: 266 (*Dytiscus*) **E**: AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR
IT LA LT LU ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ UK **A**: RU (WS) TR
= *marginalis* Sharp, 1882: 502
= *pallidipennis* Laporte, 1835: 103 (*Colymbetes*)
= *politus* Marsham, 1802: 419 (*Dytiscus*)
- picotae* Foster & Bilton, 1997: 113 **E**: PT
- ramblae* Millán & Ribera, 2001:109 **E**: SP **N**: LB MO TU
- rufulus* Fairmaire, 1859c: 272 **E**: FR (Corsica) IT (Sardinia, Sicily)
= *margincollis* Fairmaire, 1860: 631
= *rotundatus* Wehncke, 1872b: 136
- safei* Abdul-Karim & Ali, 1986: 277 **A**: IQ
- sikhotealinensis* Lafer, 1988: 56 (*Gaurodytes*) **A**: RU (FE)
- solskii* Jakovlev, 1897: 40 **A**: AF IN KA KI PA TM UZ
- striolatus* Gyllenhal, 1808: 508 (*Dytiscus*) **E**: AU BE BY CR CZ DE EN FI FR GB GE HU IT LA LT NL PL RU
(CT NT ST) SK SV UK
= *costatus* Gerhardt, 1910: 42
= *rectus* Babington, 1840: 53 (*Colymbetes*)
- svenhedini* Falkenström, 1932b: 192 (*Gaurodytes*) **A**: CH (XIN) MG
- taiwanensis* Nilsson & Wewalka, 1994: 993 **A**: CH (TAI)
- tristis* Aubé, 1838b: 356 **E**: RU (NT) **A**: RU (ES FE WS) **NAR**
= *atratus* Mannerheim, 1853: 157
= *crotchi* Zaitzev, 1905b: 212
= *dubius* Mannerheim, 1843: 221
= *kurilensis* Kamiya, 1938: 35
= *piceus* Zaitzev, 1905b: 212 [HN]
= *piceolus* Zaitzev, 1908b: 123 [RN]
- udege* Nilsson, 1994b: 170 **A**: CH (JIL) NC RU (FE)
- unguicularis* Thomson, 1867: 101 (*Eriglenus*) **E**: AU BE BY CZ DE EN FI FR GB GE IR LA LT LU NL PL RU
(CT NT ST) SK SV UK **A**: RU (ES WS)
- winkleri* Gschwendtner, 1923: 104 (*Gaurodytes*) **A**: AF CH (XIN) KA KI KZ TD UZ
= *pamiricus* Guignot, 1955d: 274
- wollastoni* Sharp, 1882: 531 **N**: MR
= *dissimilis* Falkenström, 1938: 13 [HN] (*Gaurodytes*)
= *falkenstromi* J. Balfour-Browne, 1944a: 352 [RN]
- yakutiae* Nilsson & Larson, 1990: 229 **A**: RU (ES FE)

genus *Hydronebrius* Jakovlev, 1897: 37 type species *Agabus cordaticollis* Reitter, 1896

amplicollis Toledo, 1994: 207 **A:** CH (SCH YUN)

cordaticollis Reitter, 1896: 233 (*Agabus*) **A:** KI TD UZ

kashmirensis Vazirani, 1964: 145 (*Amphizoa*) **A:** KA

= *guignoti* Vazirani, 1970b: 346

mattheyi mattheyi Brancucci, 1980a: 171 **A:** PA

mattheyi nepalensis Brancucci, 1980a: 174 **A:** NP

genus *Ilybiosoma* Crotch, 1873: 398 type species *Ilybius regularis* LeConte, 1852

= *Nebriogabus* Guignot, 1936a: 187 type species *Agabus discicollis* Ancey, 1882

= *Ranagabus* J. Balfour-Browne, 1938: 106 type species *Agabus kermanensis* J. Balfour-Browne, 1939

kermanense J. Balfour-Browne, 1938: 107 (*Agabus*) **A:** IN

yeti Brancucci & Hendrich, 2006:132 **A:** CH (XIZ)

genus *Ilybius* Erichson, 1832: 18 type species *Dytiscus fenestratus* Fabricius, 1781

= *Agabidius* Seidlitz, 1887: 97 type species *Ilybius cinctus* Sharp, 1882: 560

= *Asternus* Guignot, 1931: 202 type species *Dytiscus chalconatus* Panzer, 1796

= *Hyobius* Gistel, 1856: 354 type species *Dytiscus fenestratus* Fabricius, 1781

= *Idiolybius* Gozis, 1886: 8 type species *Dytiscus fenestratus* Fabricius, 1781

= *Ilybidius* Guignot, 1948a: 169 type species *Ilybius discedens* Sharp, 1882: 557

= *Ilybius* Gemminger & Harold, 1868: 451 type species *Dytiscus fenestratus* Fabricius, 1781

= *Parasternus* Guignot, 1936a: 186 type species *Agabus subtilis* Erichson, 1837

adygheanus Petrov, Shapovalov & Fery, 2010: 42 **E:** RU (ST)

aenescens Thomson, 1870: 125 **E:** AU BE BY CZ DE EN FI FR GB GE IR IT LA LT LU NL NR PL RU (CT NT)

SK SV SZ UK **A:** KZ RU (WS)

= *kiesenwetteri* Kraatz, 1872: 166

albarracinensis Fery, 1986: 345 (*Agabus*) **E:** FR PT SP

= *maestri* Fresneda & Hernando, 1987: 67 (*Agabus*)

= *maestri* Fresneda & Hernando, 1988: 173 (*Agabus*) [HN]

= *maestroae* Fery & Nilsson, 1993: 91 (*Agabus*) [UE]

angustior Gyllenhal, 1808: 500 (*Dytiscus*) **E:** BY DE EN FI GE LA LT NR PL RU (NT) SV **A:** MG RU (ES FE

WS) **NAR**

anjarum Nilsson, 1999a: 36 **A:** CH (HEI) JA RU (ES FE)

= *anjarum* Nilsson, 2007: 49 [UE]

apicalis Sharp, 1873b: 51 **A:** CH (BEI GAN HEI HUB JIA JIL JIX LIA SCH SHA SHG SHN) JA RU (FE) SC

= *intermediatus* Feng, 1936: 10

ater De Geer, 1774: 401 (*Dytiscus*) **E:** AB AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT

LA LS LT LU NL NR PL RO RU (CT NT ST) SK SL SP SV SZ UK **A:** IN TR RU (ES WS)

= *ater* Panzer, 1796: 38/t.15 [HN] (*Dytiscus*)

= *angularis* LeConte, 1862: 521 (*Colymbetes*)

balkei Fery & Nilsson, 1993: 103 (*Agabus*) **A:** MG RU (ES FE WS)

bedeli Zaitzev, 1908b: 121 [RN] (*Agabus*) **N:** AG TU

= *politus* Reiche, 1861b: 369 [HN] (*Agabus*)

chalconatus Panzer, 1796: 38/t.17 (*Dytiscus*) **E:** AU BE BH BU CR CZ DE EN FI FR GB GE GR HU IR IT LA LT

LU MC MD ME NL PL PT RO RU (ST) SK SL SP SV SZ UK YU **N:** AG MO **A:** IN IS SY TM TR

= *aterrimus* Stephens, 1828: 79 (*Colymbetes*)

= *fuscoaenescens* Régimbart, 1877b: 203 (*Agabus*)

= *fuscoaenescens* Régimbart, 1878a: cxlviii [HN] (*Agabus*)

= *nigroaeneus* Marsham, 1802: 428 (*Dytiscus*)

chishimanus Kôno, 1944: 80 **A:** CH (HEI JIL) MG RU (ES FE)

= *weymarni* J. Balfour-Browne, 1947b: 446

cinctus Sharp, 1878b: 169 **E:** AB GG RU (ST) UK **A:** CH (GAN GUX HEB HEI HUB JIA JIL LIA SCH SHA TIA

XIN YUN) KZ MG RU (ES) UZ

= *angustus* Régimbart, 1899: 289

= *chinensis* Csiki, 1901: 102

= *cinctus* Sharp, 1882: 560 [HN]

= *cinctus* Sharp, 1890: 38 [HN]

crassus Thomson, 1856: 224 **E:** AU BE CZ DE EN FI GE LT NR PL RU (CT NT) SK SV SZ UK **A:** RU (WS)

- dettneri* Fery, 1986: 342 (*Agabus*) **E:** PT SP
discedens Sharp, 1882: 557 **A:** RU (FE) **NAR**
enpalaiatheka Fery & Hendrich, 2011b: 40 **A:** TR
erichsoni Gemminger & Harold, 1868: 454 (*Agabus*) **E:** AB BY DE EN FI GE HU IT LA LT NR PL RU (CT NT)
SV SZ A: IN JA KZ MG RU (ES FE WS) **NAR**
 = *cincticollis* Mäklin, 1881: 22
 = *lutosus* Crotch, 1873: 419 [HN] (*Gaurodytes*)
fenestratus Fabricius, 1781: 294 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IT LA LS LT
 LU ME NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK YU **A:** KI RU (ES WS)
 = *aeneus* Panzer, 1796: 38/t.16 [HN] (*Dytiscus*)
 = *ciliatus* Olivier, 1791: 311 (*Dytiscus*)
 = *prescottii* Mannerheim in Hummel, 1829: 21 (*Colymbetes*)
fuliginosus fuliginosus Fabricius, 1792: 191 (*Dytiscus*) **E:** AB AL AN AR AU BE BH BU BY CR CZ DE EN FI FR
 GB GE GG GR HU IR IT LA LS LT LU MC MD ME NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK
N: MO **A:** IN KI KZ RU (WS) TR
 = *lacustris* Panzer, 1796: 38/t.14 [HN] (*Dytiscus*)
 = *pirinicus* Guéorguiev, 1957: 25
fuliginosus turcestanicus Gschwendtner, 1934: 74 **A:** CH (XIN) KZ
guttiger Gyllenhal, 1808: 499 (*Dytiscus*) **E:** AU BE BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU
 NL NR PL RO RU (CT NT) SL SV SZ UK **A:** RU (WS)
 = *immunis* Stephens, 1828: 81 (*Colymbetes*)
 = *kiesenwetteri* Wehncke, 1872b: 136 [HN]
 = *quadrinotatus* Stephens, 1828: 83 (*Colymbetes*)
hozgargantae Burmeister, 1983: 133 (*Agabus*) **E:** SP **N:** MO
hulae Wewalka, 1984: 137 (*Agabus*) **A:** IS SY TR
jaechi Fery & Nilsson, 1993: 94 (*Agabus*) **E:** GR TR **A:** TR
lagabrunensis Schizzerotto & Fery, 1990: 148 (*Agabus*) **E:** IT
lateralis Gebler, 1832: 40 (*Colymbetes*) **A:** CH (HEI) MG RU (ES FE)
 = *limbatus* Sharp, 1882: 557
lenensis Nilsson, 2000: 31 [RN] **A:** RU (ES WS) "Manchuria"
 = *aenescens* Poppius, 1905: 18 [HN] (*Agabus*)
lenkoranensis Fery & Nilsson, 1993: 95 (*Agabus*) **E:** AB **A:** IN
meridionalis Aubé, 1837: 126 **E:** FR IT PT SP **N:** MO
 = *hispanicus* Sharp, 1873a: 260
minakawai Nilsson & Ribera, 2007: 162 **A:** RU (FE)
montanus Stephens, 1828: 76 (*Colymbetes*) **E:** BE DE FR GB GE IR IT LA LT LU NL PL PT RU (ST) SP **N:** AG
 MO
 = *melanocornis* Zimmermann, 1915: 223 (*Agabus*)
nakanei Nilsson, 1994a: 58 **A:** JA RU (FE)
neglectus Erichson, 1837: 158 (*Agabus*) **E:** AU BE BY CZ DE EN FR GE HU LA LT LU NL PL RU (CT NT ST)
 SK SV SZ UK
obtus Sharp, 1882: 558 **A:** CH (GAN SCH) MG RU (ES)
opacus Aubé, 1837: 173 (*Agabus*) **E:** FI NR RU (NT) SV **A:** MG RU (ES FE WS) **NAR**
 = *gelidus* Fall, 1926: 142 [HN] (*Agabus*)
 = *mimmi* J.R. Sahlberg, 1875: 182 (*Gaurodytes*) [HN]
 = *mimmii* J.R. Sahlberg, 1874: xiv (*Gaurodytes*)
 = *pseudofertus* Wallis, 1926: 90 (*Agabus*)
 = *rufinus* Marseul, 1882: 28 (*Agabus*)
 = *sachalinensis* Kamiya, 1938: 37 (*Agabus*)
 = *sharpi* Jacobson, 1908: 430 [RN] (*Agabus*)
 = *sibericus* Sharp, 1882: 519 [HN] (*Agabus*)
ovalis Gschwendtner, 1934: 74 **A:** RU (ES)
pederzani Fery & Nilsson, 1993: 95 (*Agabus*) **E:** IT
picipes Kirby, 1837: 71 (*Colymbetes*) **E:** FI NR SV **A:** RU (WS) **NAR**
poppiusi Zaitzev, 1907b: 208 **A:** CH (SCH) MG RU (ES)
pseudoneglectus Franciscolo, 1972: 84 (*Agabus*) **E:** AL BU CR GR HU IT ME RO
 = *skiathos* Hinterseher, 1981: 87 (*Agabus*)
quadriguttatus Lacordaire in Boisduval & Lacordaire, 1835: 316 (*Colymbetes*) **E:** AU BE BU BY CR CZ DE EN FI

- FR GB GE GG GR HU IR IT LA LS LT LU NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** IN TR
 = *obscurus* Marsham, 1802: 414 [HN] (*Dytiscus*)
 = *sexdentatus* Schiødte, 1841: 487
- samokovi* Fery & Nilsson, 1993: 91 (*Agabus*) **E:** BU
- satunini* Zaitzev, 1913: 196 (*Agabus*) **E:** GG RU (ST) **A:** RU (WS) TR
- similis* Thomson, 1856: 225 **E:** BY CZ DE EN FI FR GE HU LA LT NR RU (CT NT) PL SV UK
 = *ovatus* Hochhuth, 1871: 237
- subaeneus* Erichson, 1837: 156 **E:** AB AR AU BE BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LT LU MD
 NL NR PL RO RU (CT NT ST) SK SV SZ UK **A:** KI KZ MG RU (ES WS) **NAR**
 = *badenii* Wehncke, 1872c: 164
 = *chalybeatus* Thomson, 1860: 48
 = *lapponicus* Scholz, 1917: 251
 = *suffusus* Crotch, 1873: 411
 = *viridiaeneus* Crotch, 1873: 411
- subtilis* Erichson, 1837: 157 (*Agabus*) **E:** AU BY CZ DE EN FI FR GE HU IT LA LT NR PL RU (CT NT ST) SK
 SV UK **A:** RU (ES WS)
 = *altaicus* Gebler, 1848: 73
- thynias* Fery & Przewoźny, 2011: 60 **E:** TR
- vittiger* Gyllenhal, 1827: 379 (*Dytiscus*) **E:** FI NR RU (NT) SV **A:** RU (WS) **NAR**
- wasastjernae* C.R. Sahlberg, 1824: 167 (*Dyticus*) **E:** AU BY CZ DE FI GB GE **IT**² LA NR PL RU (CT NT) SV UK
A: RU (WS) **NAR**
 = *kenaiensis* Fall, 1926: 141 (*Agabus*)
 = *palustris* Wallis, 1926: 92 (*Agabus*)
- wewalkai* Fery & Nilsson, 1993: 85 (*Agabus*) **A:** TR

genus *Platambus* Thomson, 1859: 14 type species *Dytiscus maculatus* Linnaeus, 1758

- = *Allogabus* Guignot, 1951b:84, type species: *Agabus americanus* Aubé, 1838
Allogabus Guignot, 1952b: 29 [HN] type species: *Agabus americanus* Aubé, 1838
 = *Anagabus* Jakovlev, 1897: 38 type species *Anagabus semenowi* Jakovlev, 1897
 = *Colymbinectes* Falkenström, 1936a: 97 type species *Colymbinectes ater* Falkenström, 1936
 = *Neoplatynectes* Vazirani, 1970b: 305 type species *Platynectes princeps* Régimbart, 1888
 = *Paraplatynectes* Vazirani, 1970b: 305 type species *Platynectes guttula* Régimbart, 1899
 = *Stictogabus* Guignot, 1948a: 167 type species *Agabus angulicollis* Régimbart, 1899
- angulicollis* Régimbart, 1899: 273 (*Agabus*) **A:** CH (BEI GAN HEB NMO SCH SHA SHX XIZ YUN)
- ater* Falkenström, 1936a: 97 (*Colymbinectes*) **A:** CH (CHQ GUI SCH YUN)
- balfourbrowni* Vazirani, 1965: 28 **A:** CH (YUN) NP UP **ORR**
- binliui* Hájek & T. Zhang, 2019: 534 **A:** CH (SCH)**
- biswasi* Vazirani, 1965: 32 **A:** NP UP
- brancuccii* Hendrich & Przewoźny, 2015: 192 **A:** CH (SCH)
- convexus* Okada, 2011: 32 **A:** JA
- dabieshanensis* Nilsson, 2003b: 266 **A:** CH (ANH)
- denticulatus* Nilsson, 2003b: 270 **A:** CH (SCH)
- elongatus* Bian & Ji, 2008: 33 **A:** CH (HAI)
- excoffieri* Régimbart, 1899: 281 **A:** CH (GAN GUI HAI HEB HUN SCH SHA SHN YUN XIZ ZHE) **ORR**
- fimbriatus* Sharp, 1884: 445 **A:** CH (JIL GAN HEB SCH) JA NC RU (FE) SC
 = *kansouis* Feng, 1936: 9
- guttulus* Régimbart, 1899: 283 (*Platynectes*) **A:** CH (SHG)
- heteronychus* Nilsson, 2003b: 271 **A:** CH (GUA)
- ikedai* Nilsson, 1997: 635 (*Agabus*) **A:** JA
- insolitus* Sharp, 1884: 444 (*Agabus*) **A:** JA
- kempi* Vazirani, 1970b: 330 (*Agraphis*) **A:** BT NP SD
- khukri* Brancucci, 1990: 240 **A:** NP
- koreanus* Nilsson, 1997: 636 (*Agabus*) **A:** RU (FE) SC
- korgei* Hendrich & Przewoźny, 2015: 193 **A:** CH (SCH)
- lindbergi* Guéorguiev, 1963: 218 **A:** AF HP PA UP **ORR**
 = *guignoti* Vazirani, 1965: 27

- lineatus* Gschwendtner, 1935a: 62 **A:** AP BT NP PA UP **ORR**
- lunulatus* Fischer von Waldheim, 1829: 26 (*Colymbetes*) **E:** AB AR GG GR RU (ST) TR **N:** EG **A:** IN LE TR
= *sinuatus* Aubé, 1837: 148 (*Agabus*)
- maculatus* Linnaeus, 1758: 412 (*Dytiscus*) **E:** AL AN AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR
HU IT LA LS LT LU MC ME NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** IN RU (WS) TR
= *biocellatus* O.F. Müller, 1776: 72 (*Dytiscus*)
= *cantalicus* Pic, 1912: 57
= *caucasicus* Zaitzev, 1927: 18
= *escalerai* Régimbart, 1900b: 121
= *glacialis* Graells, 1858: 42 [HN] (*Agabus*)
= *graellsii* Gemminger & Harold, 1868: 455 [RN] (*Agabus*)
= *hebraicus* Geoffroy in Fourcroy, 1785: 70 (*Dytiscus*)
= *inornatus* Schilsky, 1888: 183
= *ornatus* Herbst, 1784: 125 (*Dytiscus*)
= *praetextus* Dalla Torre, 1877: 63
= *pulchellus* Heer, 1840: 149 (*Colymbetes*)
- micropunctatus* Nilsson, 2003b: 269 **A:** CH (GUA)
- nepalensis* Guéorguiev, 1968b: 42 (*Stictogabus*) **A:** AP BT NP SD
= *bhutanensis* Wewalka, 1975b: 157
- optatus* Sharp, 1884: 445 (*Agabus*) **A:** CH (FUJ JIX) JA
= *miyamotoi* Nakane, 1959: 95 (*Gaurodytes*)
- pictipennis* Sharp, 1873b: 49 (*Agabus*) **A:** JA RU (FE) "Korea"
- princeps* Régimbart, 1888: 615 (*Platynectes*) **A:** CH (GUA HKG YUN) **ORR**
= *phufahensis* Brancucci, 2004: 82
- punctatipennis* Brancucci, 1984: 153 **A:** CH (FUJ GUA GUI JIX ZHE³)
- regulae* Brancucci, 1991: 345 **A:** CH (YUN) **ORR**³**
- satoi* Brancucci, 1982a: 226 **A:** BT NP
- sawadai* Kamiya, 1932: 6 (*Agabus*) **A:** JA
= *confossus* Guignot, 1954c: 200 (*Agraphis*)
- schaefleini* Brancucci, 1988: 188 **A:** CH (YUN) **ORR**
- schillhammeri* Wewalka & Brancucci, 1995: 99 **A:** CH (GUI HUB HUN SCH SHA)
- semenowi* Jakovlev, 1897: 38 (*Anagabus*) **A:** KI TD
- sogdianus* Jakovlev, 1897: 39 (*Anagabus*) **A:** AF KA KI KZ NP PA TD UZ
= *holzschuhi* Wewalka, 1975b: 155
= *jucundus* Guignot, 1954a: 222 (*Agabus*)
= *ledouxi* Legros, 1977: 14 (*Anagabus*)
= *limbibus* Reitter, 1900: 226 (*Anagabus*)
= *vatelloides* Régimbart, 1899: 270 (*Agabus*)
- striatus* Zeng & Pu, 1992: 482 (*Hydronebrius*) **A:** CH (SCH YUN)
- stygius* Régimbart, 1899: 279 (*Agabus*) **A:** CH (BEI HEB JIL LIA SCH SHN YUN) JA SC
= *jilanzhui* Wewalka & Brancucci, 1995: 98
= *nakanei* Nilsson, 1997: 631 (*Agabus*)
- ussuriensis* Nilsson, 1997: 632 (*Agabus*) **A:** CH (FUJ HEB JIL LIA) NC RU (FE) SC
- wangi* Brancucci, 2006: 67 **A:** CH (HUB YUN)
- wewalkai* Brancucci, 1982b: 120 **A:** KA PA
- wittmeri* Wewalka, 1975b: 158 **A:** BT NP **ORR**
- wulingshanensis* Brancucci, 2005: 1 **A:** CH (HUB HUN)
- yaanensis* Nilsson, 2003b: 272 **A:** CH (SCH)
- yuxiae* Brancucci, 2011: 10 **A:** CH (GUX)

tribe Hydrotrupini Roughley, 2000

- genus *Hydrotrupes* Sharp, 1882: 491** type species *Hydrotrupes palpalis* Sharp, 1882
chinensis Nilsson, 2003a: 280 **A:** CH (ANH GUA⁴)

tribe Platynectini Toussaint & Balke, 2017

- genus *Platynectes* Régimbart, 1879: 454** type species *Agabus decemnotatus* Aubé, 1838

subgenus *Gueorguievtes* Vazirani, 1976: 170 type species *Agabus dissimilis* Sharp, 1873

= *Metaplatynectes* Guéorguiev, 1978: 271 type species *Dytiscus decempunctatus* Fabricius, 1775

babai Satô, 1982: 3 **A**: CH (TAI)

chujoi Satô, 1982: 1 **A**: JA (Ryukyus)

davidorum Hájek, Alarie, Šťastný & Vondráček, 2019: 221 **A**: CH (FUJ ZHE)

deletus Régimbart, 1899: 287 **A**: JA

dissimilis Sharp, 1873b: 50 (*Agabus*) **A**: CH (ANH FUJ GUA GUI HUN JIX SHA SHX ZHE)

gemellatus Šťastný, 2003: 235 **A**: CH (FUJ GUA GUI GUX HKG JIX MAC TAI)

hainanensis Nilsson, 1998: 110 **A**: CH (HAI)

kashmiranus kashmiranus J. Balfour-Browne, 1944a: 352 [RN] **A**: AF BT CH (XIZ) HP KA NP PA SD UP **ORR**

= *lineatus* Kollar & Redtenbacher, 1844: 503 [HN] (*Colymbetes*)

kashmiranus lemerki Šťastný, 2003: 230 **A**: CH (YUN)

major Nilsson, 1998: 114 **A**: CH (YUN) **ORR**

mazzoldii Šťastný, 2003: 240 **A**: CH (YUN) **ORR**

nanlingensis Šťastný, 2003: 236 **A**: CH (FUJ GUA)

rihai Šťastný, 2003: 243 **A**: CH (SHN)

wewalkai Šťastný, 2003: 224 **A**: NP

subfamily **Colymbetinae** Erichson, 1837

tribe Colymbetini Erichson, 1837

genus *Colymbetes* Clairville, 1806: 188 type species *Dytiscus striatus* Linnaeus, 1758

= *Cymatopterus* Dejean, 1833: 54 type species *Dytiscus fuscus* Linnaeus, 1758

dahuricus Aubé, 1837: 99 **A**: CH (JIL) MG RU (ES FE) **NAR**

= *obscuratus* Mannerheim, 1853: 154 (*Cymatopterus*)

= *seminiger* LeConte, 1862: 522

dolabratus Paykull, 1798: 204 (*Dytiscus*) **E**: FI IC NR RU (NT) SV **A**: KZ **MG**¹ RU (ES FE WS) **NAR**

= *drewseni* LeConte, 1862: 523

= *groenlandicus* Aubé, 1838b: 233

= *thomsoni* Sharp, 1882: 628

= *tolli* Zaitzev, 1907b: 209

= *triseriatus* Kirby, 1837: 73

fuscus Linnaeus, 1758: 411 (*Dytiscus*) **E**: AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IR IT KZ

LA LS LT LU MA MC MD ME NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ TR UK YU **N**: AG EG LB

MO TU **A**: AF CH (XIZ) CY IN IS KA KZ LE RU (WS) SI SY TM TR UZ

= *affinis* Stein, 1881: 222

= *semirufus* Zimmermann, 1921b: 89

= *transversestriatus* De Geer, 1774: 399 (*Dytiscus*)

koenigi Zaitzev, 1927: 30 **E**: GG **A**: IN TR

magnus Feng, 1936: 12 **A**: CH (HEI TIA)

mesopotamicus Abdul-Karim & Ali, 1986: 278 **A**: IQ

minus Zaitzev, 1908a: 420 **A**: CH (QIN XIZ)

= *hohxilanus* C.-K. Yang, 1996: 143 (*Rhantus*)

paykulli Erichson, 1837: 149 **E**: BY DE EN FI GE LA LT NL NR PL RU (CT NT ST) SV UK **A**: KZ RU (ES WS)

piceus Klug, 1834: t.33: 6 **N**: EG **A**: IN IQ KU SA SI YE

= *procerus* Sharp, 1882: 631

= *simplex* Walker, 1871: 11

pseudostriatus Nilsson, 2002: 191 **A**: CH (HEI) JA MG RU (ES FE)

schildknechti Dettner, 1983: 39 **E**: FR IT PT SP **N**: AG LB MO TU

semenowi Jakovlev, 1896: 176 (*Cymatopterus*) **E**: AB GG RU (ST) UK **A**: AF CH (XIN XIZ) IN KI KZ TM

= *kokujewi* Jakovlev, 1896: 180 (*Cymatopterus*)

striatus Linnaeus, 1758: 411 (*Dytiscus*) **E**: BE BH BY CR CZ DE EN FI FR GE HU KZ LA LT NR PL RU (CT NT

ST) SK SL SV UK **A**: KZ RU (ES WS)

= *bogemanni* Gyllenhal, 1813: 687 (*Dytiscus*)

substrigatus Sharp, 1882: 630 **A**: SA YE

tschitscherini Jakovlev, 1896: 177 (*Cymatopterus*) **A**: CH (XIN)

vagans Sharp, 1882: 630 **A**: IN KU

genus *Meladema* Laporte, 1835: 98 type species *Meladema coriacea* Laporte, 1835
coriacea Laporte, 1835: 98 **E:** BU FR GR IT MA PT SP **N:** AG CI LB MO TU **A:** TR **AFR**
imbricata Wollaston, 1871: 220 (*Scutopterus*) **N:** CI
lanio Fabricius, 1775: 231 (*Dytiscus*) **N:** MR
 = *lowei* Gray, 1832: 284 (*Colymbetes*)
lepidoptera Bilton & Ribera, 2017: 79 **E:** FR (Corsica) IT

genus *Melanodytes* Seidlitz, 1887: 24 type species *Dytiscus pustulatus* Rossi, 1792
pustulatus Rossi, 1792: 68 (*Dytiscus*) **E:** AL BU CR FR GR IT ME TR

genus *Nartus* Zaitzev, 1907a: 103 type species *Dytiscus grapii* Gyllenhal, 1808
 = *Ilybiomorphus* Porta, 1923: 259 type species *Dytiscus grapii* Gyllenhal, 1808
 = *Rantogiton* Gozis, 1910: 6 type species *Dytiscus grapii* Gyllenhal, 1808
grapii Gyllenhal, 1808: 505 (*Dytiscus*) **E:** AU BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU NL
 NR PL RO RU (CT NT ST) SB SK SL SV SZ TR UK
 = *niger* Lacordaire in Boisduval & Lacordaire, 1835: 314 (*Colymbetes*)

genus *Rhantus* Dejean, 1833: 54 type species *Colymbetes pulverosus* Stephens, 1828 (= *Colymbetes suturalis* W.S. Macleay, 1825)
 = *Anisomera* Brullé, 1835: 200 [HN] type species *Anisomera bistrata* Brullé, 1835
 = *Anisomeria* Brinck, 1943c: 140 [RN] type species *Anisomera bistrata* Brullé, 1835
 = *Senilites* Brinck, 1948: 16 type species *Senilites tristanicola* Brinck, 1948
bistriatus Bergsträsser, 1777: 42 (*Dytiscus*) **E:** AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IT KZ
 LA LT ME NL PL SK RO RU (CT NT ST) SV SZ UK **A:** IN KZ RU (WS) TM
 = *aberratus* Gemminger & Harold, 1868: 448
 = *maculicollis* Dalla Torre, 1877: 62 (*Colymbetes*) [HN]
 = *nigropunctatus* Motschulsky, 1860b: 302
 = *pericaspus* Guignot, 1956a:139
 = *pericaspus* Guignot, 1956c: 398 [HN]
consputus Sturm, 1834: 83 (*Colymbetes*) **E:** AU BH CZ FR GE HU LT PL RO RU (CT ST) SB SK SL **A:** RU (WS)
 = *dressleri* Zimmermann, 1920b: 200
 = *luteicollis* Gebler, 1848: 72
erraticus Sharp, 1884: 446 **A:** JA RU (FE)
exsoletus Forster, 1771: 57 (*Dytiscus*) **E:** AU BE BH BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU MD
 NL NR PL PT RO RU (CT NT ST) SB SK SL SV SZ UK **A:** RU (ES WS) TM
 = *adpersus* Panzer, 1796: 38/t.18 (*Dytiscus*)
 = *collaris* Paykull, 1798: 200 [HN] (*Dytiscus*)
 = *insolatus* Gebler, 1829: 66 (*Colymbetes*)
 = *melanopterus* Zetterstedt, 1828: 211 (*Dytiscus*)
 = *melanotus* Dalla Torre, 1877: 62 (*Colymbetes*)
 = *nigriventris* Newbery & Sharp, 1915 [HN]
 = *oculatus* Herbst, 1784: 125 (*Dytiscus*)
fengi Zhao, Jia & Balke, 2011: 63 **A:** CH (XIZ)
fennicus Huldén, 1982: 125 **E:** BY FI RU (CT NT ST) SV
formosanus Kamiya, 1938: 42 **A:** CH (TAI)
friedrichi Falkenström, 1936b: 227 **A:** CH (SCH)
frontalis Marsham, 1802: 425 (*Dytiscus*) **E:** AB AR AU BE BH BY CR CZ DE EN FI FR GB GE GG HU IR IT KZ
 LA LS LT LU MD NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A:** KZ MG RU (ES WS) TR
 = *flavicollis* Eschscholtz, 1818: 458 (*Dytiscus*)
 = *gyllenhalii* Laporte, 1840: 162 (*Colymbetes*)
 = *punctatus* Hoppe, 1795: 32 [HN] (*Dytiscus*)
 = *roridus* O.F. Müller, 1776: 72 (*Dytiscus*)
 = *semicirculatus* Schneider, 1898: 51
 = *suturalis* Lacordaire in Boisduval & Lacordaire, 1835: 311 [HN]
 = *vermicularis* Fauvel, 1889:82
 = *virgulatus* Illiger, 1806: 225 (*Dytiscus*)
gogonensis Wewalka, 1975b: 160 **A:** BT
hispanicus Sharp, 1882: 622 **E:** FR PT SP **N:** AG EG MO

- includens* Walker, 1871: 11 (*Colymbetes*) **N: EG A: IS JO⁵ SA SI SY YE AFR**
 = *aulicus* Omer-Cooper, 1931: 789
 = *elevatus* Sharp, 1882: 609
 = *pictiventris* Régimbart, 1905: 208
- incognitus* Scholz, 1927: 147 **E: BY DE LA LT PL RU (CT NT) SK UK**
- latitans* Sharp, 1882: 621 **E: AU BE BU BY CR CZ EN FR GE HU IT LA LT MD NL PL RO RU (CT ST) SB SK SL SZ UK A: KZ RU (ES WS)**
- notaticollis* Aubé, 1837: 107 (*Colymbetes*) **E: AU BY CZ DE EN FI FR GE GG IT LA LT MD NR PL RO RU (CT NT) SK SV SZ A: CH (HEI JIL) JA KZ MG RU (ES FE WS)**
 = *infuscatus* Erichson, 1837: 151 (*Colymbetes*)
 = *nigriventris* Motschulsky, 1860a: 101
 = *vibicollis* Hochhuth, 1846: 216 (*Colymbetes*)
- ovalis* Gschwendtner, 1936: 371 **A: BT NP SD**
- pederzani* Toledo & Mazzoldi, 1996: 237 **A: CH (SCH)**
- rufus* Zimmermann, 1922: 20 **A: KI MG¹ RU (WS)**
 = *subparallelus* Scholz, 1927: 146
- sexualis* Zimmermann, 1919a: 219 **A: CH (XIZ) HP NP SD**
- sikkimensis* Régimbart, 1899: 306 **A: BT CH (HEB SCH YUN) HP NP PA SD ORR**
 = *punjabensis* Vazirani, 1970b: 355
- suturalis* W.S. Macleay, 1825: 31 (*Colymbetes*) **E: AB AL AR AU AZ BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MA MC ME NL NR PL PT RO RU (CT ST) SB SK SL SP SV SZ UK N: EG LB MO TU A: AF CH (BEI FUJ GAN GUA GUI GUX HEB HEI HUB JIA JIL LIA MAC NMO QIN SCH SHN SHX TAI XIZ YUN ZHE) CY HP IN IQ IS JA JO⁵ KA KI KU KZ MG NC NP PA RU (ES FE WS) SA SC SD SI TD TM TR UZ AUR ORR**
 = *annamita* Régimbart, 1899: 309
 = *australis* Aubé, 1838b: 236 (*Colymbetes*)
 = *birmanicus* Vazirani, 1970b: 352
 = *bramardi* Guignot, 1942b: 87
 = *chinensis* Falkenström, 1936b: 228
 = *dispar* Régimbart, 1899: 308
 = *flaviventris* Schilsky, 1908:600
 = *hypochlorus* Gozis, 1911: 36
 = *montrouzieri* Lucas in Montrouzier, 1860: 243 (*Colymbetes*)
 = *morneri* Falkenström, 1937: 41
 = *neoguineensis* Guéorguiev & Rocchi, 1993: 149
 = *pulverosus* Stephens, 1828: 69 (*Colymbetes*)
 = *punctatus* Geoffroy in Fourcroy, 1785: 70 [HN] (*Dytiscus*)
 = *regimbarti* Jakovlev, 1896: 182
 = *ruficollis* Schilsky, 1908:600
 = *rufimanus* White, 1846: 6 (*Colymbetes*)
 = *sharpi* Jakovlev, 1896: 183
- suturrellus* Harris, 1828: 164 (*Colymbetes*) **E: AU BE BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU MD NL NR PL RU (CT NT) SK SV UK YU A: RU (ES FE WS) NAR**
 = *semilineatus* Fleischer, 1898: 25
 = *subopacus* Mannerheim, 1853: 157 (*Agabus*)
 = *zimmermanni* Wallis, 1933: 274
- taprobanicus* Sharp, 1890: 346 **A: HP NP PA UP ORR**
- thibetanus* Régimbart, 1899: 307 **A: CH (HUB JIX SCH)**
 = *aequimarginatus* Falkenström, 1936b: 232
 = *laticollis* Régimbart, 1899: 308
- vermiculatus* Motschulsky, 1860a: 101 **A: CH (HEI) MG RU (ES)**
- yessoensis* Sharp, 1891: 6 **A: CH (FUJ HUN JIX LIA) JA SC**

subfamily **Copelatinae** Branden, 1885

tribe Copelatini Branden, 1885

genus Copelatus Erichson, 1832: 18 type species *Dytiscus posticatus* Fabricius, 1801

antoniorum Hájek & Brancucci, 2011: 127 **A: AE OM**

atrosulcatus Régimbart, 1906b: 251 **A: YE AFR**

- = *edax* Guignot, 1955c: 5
bacchusi Wewalka, 1981: 66 **A**: UP
erichsonii Guérin-Méneville, 1847: 51 **N**: EG **AFR**
 = *erichsonii* Guérin-Méneville, 1849: 270 [HN]
 = *formosus* Wollaston, 1868: 34
filiformis Sharp, 1882: 563 **A**: "Himalaya" **ORR**
freudei Guignot, 1955b: 72 **A**: BT NP PA UP **ORR**
 = *gibsoni* Vazirani, 1974: 19
 = *gibsoni* Vazirani, 1975b: 345 [HN]
 = *spangleri* Vazirani, 1974: 19
 = *spangleri* Vazirani, 1975b: 344 [HN]
gestroi Sharp, 1882: 597 (*Aglymbus*) **N**: EG **A**: IS OM SA SI YE **AFR**
ibrahimi Zalat, Saleh, Angus & Kaschef, 2000:15 **N**: EG
indicus Sharp, 1882: 582 **A**: UP **ORR**
japonicus Sharp, 1884: 445 **A**: CH (FUJ HUB SCH TAI YUN) JA SC
 = *chinensis* Régimbart, 1899: 298
 = *collocallosus* Falkenström, 1932b: 192
 = *collocallosus* Falkenström, 1933: 14 [HN]
kammuriensis Tamu & Tsukamoto, 1955: 73 **A**: JA SC
koreanus T. Mori, 1932: 49 **A**: SC
masculus Régimbart, 1899: 295 **A**: CH (TAI) JA (Ryukyus) **ORR**
 = *imasakai* Matsui & Kitayama, 2000: 95
minutissimus J. Balfour-Browne, 1939a: 79 **A**: CH (TAI) JA **ORR**
nakamurai Guéorguiev, 1970: 258 **A**: JA
 = *hasegawai* Satô, 1988: 123
oblitus Sharp, 1882: 582 **A**: CH (HKG MAC TAI) JA UP **ORR**
 = *andamanicus* Régimbart, 1899: 302
 = *karnatakus* Holmen & Vazirani, 1990: 27
 = *ryukyuensis* Satô, 1961a: 8
 = *subfasciatus* Zimmermann, 1919b: 76
 = *tokaraensis* Nakane, 1963: 25
ogasawarensis Kamiya, 1932: 6 **A**: JA
parallelus Zimmermann, 1920a: 226 **A**: JA
pulchellus Klug, 1834: t.33/7 (*Agabus*) **A**: IQ SA SI YE (Socotra) **AFR**
 = *africanus* Sharp, 1882: 583
 = *basalis* Boheman, 1848: 244
 = *discoideus* Sharp, 1882: 582
 = *marginipennis* Laporte, 1835: 102 (*Colymbetes*)
 = *obtusus* Boheman, 1848: 242
 = *strigulosus* Sharp, 1882: 582
rimosus Guignot, 1952a: 27 **A**: CH (YUN)
sociennus J. Balfour-Browne in Guignot, 1952a: 26 **A**: CH (GUX HKG MAC SHG TAI YUN) NP UP **ORR**
 = *bangalorensis* Vazirani, 1970b: 311
takakurai Satô, 1985b: 63 **A**: CH JA
tenebrosus Régimbart, 1880: 210 **A**: BT CH (FUJ MAC TAI YUN) JA NP **AUR ORR**
 = *assamensis* Vazirani, 1970b: 316
 = *ceylonicus* Vazirani, 1969c: 402
 = *hisamatsui* Satô, 1961a: 8
 = *pusillus* Sharp, 1882: 580
teranishii Kamiya, 1938: 27 **A**: JA
 = *multistriolatus* Guignot, 1956f: 490
tomokunii Satô, 1985b: 63 **A**: JA
weymarni J. Balfour-Browne, 1947b: 440 **A**: CH (HEI LIA SHG) JA NC RU (FE) SC
zimmermanni Gschwendtner in Zimmermann, 1934: 143 **A**: CH (ZHE) JA SC (Jeju Island)
- genus *Exocelina* Broun, 1886: 938** type species *Exocelina advena* Broun, 1886 (= *Celina australis* Clark, 1863)
 = *Papuadytes* Balke, 1998: 305 type species *Copelatus rivulus* Balke, 1998 (= *Copelatus damantiensis* Balke, 1998)
shizong Balke & Bergsten, 2003: 90 (*Copelatus*) **A**: CH (YUN)

genus *Lacconectus* Motschulsky, 1855a: 83 type species *Lacconectus fulvescens* Motschulsky, 1855

= *Paralacconectus* Vazirani, 1970b: 304 type species *Lacconectus scholzi* Gschwendtner, 1922

arunachal Brancucci, 2006: 61 **A: AP**

basalis Sharp, 1882: 598 **A: CH (TAI YUN) ORR**

brancuccii Hájek, Zhao & Jia, 2013: 92 **A: CH (HAI)**

formosanus Kamiya, 1938: 29 (*Platynectes*) **A: CH (FUJ JIX TAI) ORR**

hainanensis Hendrich, 1998: 102 **A: CH (HAI)**

holzschuhi Brancucci, 1986: 104 **A: NP SD**

klausnitzeri Brancucci, 2006: 59 **A: AP**

kubani Brancucci, 2003: 98 **A: CH (YUN) ORR**

laccophiloides Zimmermann, 1928: 175 **A: CH (GUA) ORR**

= *kurosawai* Satô, 1979: 39

maoyangensis Brancucci, 2003: 103 **A: CH (HAI)**

menglunensis Brancucci, 2003: 100 **A: CH (YUN)**

meyeri Brancucci, 2003: 101 **A: CH (YUN) ORR**

nepalensis Brancucci, 1989: 108 **A: NP**

nicolasi Brancucci, 1986: 119 **A: AP BT NP SD ORR**

ovalis Gschwendtner, 1936: 369 **A: AP**

pseudonicolasi Brancucci, 2003: 106 **A: CH (YUN) ORR**

sikkimensis Brancucci, 1989: 109 **A: SD**

similis Brancucci, 1986: 109 **A: CH (YUN) ORR**

tonkinoides Brancucci, 1986: 127 **A: CH (GUA YUN) ORR**

genus *Liopterus* Dejean, 1833: 54 type species *Dytiscus oblongus* Illiger, 1801

= *Pelocatus* Zaitzev, 1908b: 121 [RN] type species *Dytiscus oblongus* Illiger, 1801

atriceps Sharp, 1882: 569 (*Copelatus*) **E: FR IT PT SP N: AG MO TU**

haemorrhoidalis Fabricius, 1787: 191 (*Dytiscus*) **E: AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC ME NL PL RO RU (CT NT ST) SB SK SL SP SV SZ UK N: AG A: IN IS TD TM TR**

= *agilis* Fabricius, 1792: 194 (*Dytiscus*)

= *oblongus* Illiger, 1801a: 72 (*Dytiscus*)

= *ruficollis* Schaller, 1783: 313 [HN] (*Dytiscus*)

= *schalleri* Gmelin, 1790: 1952 (*Dytiscus*)

subfamily **Cybistrinae** Sharp, 1880

tribe **Cybistrini** Sharp, 1880

genus *Cybister* Curtis, 1827: 151 [RN] type species *Dytiscus lateralis* Fabricius, 1798

subgenus *Cybister* Curtis, 1827: 151 [RN] type species *Dytiscus lateralis* Fabricius, 1798

= *Alocomerus* Brinck, 1945: 11 type species *Cybister buqueti* Aubé, 1838

= *Cybisteter* Bedel, 1881: 242 type species *Dytiscus lateralis* Fabricius, 1798

= *Gschwendtnerhydrus* Brinck, 1945: 11 type species *Dytiscus tripunctatus* Olivier, 1795

= *Meganectes* Brinck, 1945: 11 type species *Cybister dejeanii* Aubé, 1838

= *Nealocomeris* Brinck, 1945: 11 type species *Dytiscus fimbriolatus* Say, 1825

= *Scaphinectes* Ádám, 1993: 81 [RN] type species *Dytiscus roeselii* Fuessli, 1775 (= *Dytiscus lateralimarginalis* De Geer, 1774)

= *Trochalus* Dejean, 1833: 53 [HN] type species *Dytiscus roeselii* Fuessli, 1775 (= *Dytiscus lateralimarginalis* De Geer, 1774)

= *Trogus* Leach, 1817: 70 [HN] type species *Dytiscus lateralis* Fabricius, 1798

bengalensis Aubé, 1838b: 61 **A: CH (BEI GUA FUJ HAI HEB JIX SCH YUN ZHE) ORR**

cardoni Severin, 1890: cxcii **A: PA ORR**

cephalotes Sharp, 1882: 737 **A: SA YE AFR**

= *kondensis* Gschwendtner, 1927:93

chinensis Motschulsky, 1854: 44 **A: CH (BEI FUJ GUA HAI HEB HEI JIL LIA NIN SCH SHA SHN SHX TAI TIA) JA NC RU (FE) SC**

= *japonicus* Sharp, 1873b: 45

cognatus Sharp, 1882: 744 **A: HP ORR**

confusus Sharp, 1882: 739 **A: PA ORR**

= *zeylanicus* Gmelin, 1790: 1954 (*Dytiscus*)

- crassipes* Sharp, 1882: 735 **A: SA**
- fumatus* Sharp, 1882: 731 **A: CH (SHG) ORR**
- gracilis* Sharp, 1882: 742 **A: SD**
- guerini* Aubé, 1838b: 57 **A: CH (GUA HKG) "Manchuria" ORR**
- laevis* Falkenström, 1936b: 243 **A: CH (SCH)**
- lateralimarginalis lateralimarginalis* De Geer, 1774: 396 (*Dytiscus*) **E: AB AR AU BE BH BU BY CR CZ DE EN FR GB GE GR HU IT KZ LA LT LU MC MD ME NL PL PT RO RU (CT NT ST) SB SK SL SP SV SZ UK N: AG EG LB MO TU A: CY IN IS JO KI KU KZ LE SY**
- = *dispar* Rossi, 1790: 199 [HN] (*Dytiscus*)
- = *dissimilis* Rossi, 1792: 66 (*Dytiscus*)
- = *glaber* Bergsträsser, 1777: 31 [HN] (*Dytiscus*)
- = *herbeti* Peytoureau, 1894: xxxix (*Dytiscus*)
- = *herbeti* Peytoureau, 1895: 11 [HN] (*Dytiscus*)
- = *intricatus* Schaller, 1783: 311 (*Dytiscus*)
- = *jordanis* Reiche & Saulcy, 1855: 637
- = *lepidus* Apetz in Küster, 1852: 34
- = *lusitanicus* Sharp, 1882: 747
- = *pallidus* Ménériés, 1832: 140 [HN] (*Dytiscus*)
- = *politus* Gautier des Cottés, 1866: 179
- = *roeselii* Fuessli, 1775: 18 (*Dytiscus*)
- = *tataricus* Gebler, 1829: 64 (*Dytiscus*)
- = *vetulus* Schrank, 1798: 710 (*Dytiscus*)
- = *virens* O.F. Müller, 1776: 70 (*Dytiscus*)
- = *virescens* Gmelin, 1790: 1958 (*Dytiscus*)
- lateralimarginalis ponticus* Sharp, 1882: 748 **A: IN IQ**
- lateralimarginalis torquatus* Fischer von Waldheim, 1829: 25 (*Dytiscus*) **E: GG RU (ST) A: AF CH (GAN NIN NMO XIN) KA TM TR**
- = *chaudoirii* Hochhuth, 1846: 213
- = *hedini* Zaitzev, 1908a: 419
- = ? *kansou* Feng, 1936: 13
- lewisianus* Sharp, 1873b: 46 **A: CH (ANH BEI HEB HUB JIA JIX LIA SHG ZHE) JA ORR**
- limbatus* Fabricius, 1775: 230 (*Dytiscus*) **A: AF AP CH (TAI XIZ YUN) JA PA UP "Manchuria" ORR**
- = *aciculatus* Herbst, 1784: 123 (*Dytiscus*)
- reichei* Aubé, 1838b: 79 **N: EG AFR**
- rugosus* W.S. Macleay, 1825: 32 (*Dytiscus*) **A: CH (TAI) JA ORR**
- = *indicus* Aubé, 1838b: 62
- rugulosus* Kollar & Redtenbacher, 1844: 502 (*Trochalus*) **A: KA**
- senegalensis* Aubé, 1838b: 72 **E: IT N: AG AFR**
- = *convexiusculus* H.J. Kolbe, 1883: 420
- = *irroratus* H.J. Kolbe, 1883: 420
- = *marginellus* Régimbart, 1895: 212
- = *rufiventris* Régimbart, 1895: 214
- = *seidlitzii* Ragusa, 1887: 43
- tripunctatus africanus* Laporte, 1835: 99 **E: AL BH CR FR GR IT PT SP N: AG CI EG LB MO TU A: IS KU OM SA SI YE AFR**
- = *aegyptiacus* Peyron, 1856: 722
- = *haagi* Wehncke, 1876c: 358 (*Trogus*)
- = *meridionalis* Gené, 1836: 170 (*Trochalus*)
- = *punctipennis* Taschenberg, 1883: 176 (*Trogus*)
- tripunctatus lateralis* Fabricius, 1798: 64 (*Dytiscus*) **E: AB RU (ST) A: AE AF BT CH (GUA FUJ HAI HEB HEI HUB HUN JIA NAC SCH TAI YUN XIZ ZHE) CY HP IN IQ JA KA KI MG NP OM⁶ PA RU (FE) SD SY TD TM TR UP UZ ORR**
- = *asiaticus* Sharp, 1882: 731
- = *gotschii* Hochhuth, 1846: 214
- = *orientalis* Gschwendtner, 1931c: 99
- = *similis* Régimbart, 1899: 352
- = *szechwanensis* Falkenström, 1936b: 238
- ventralis* Sharp, 1882: 742 **A: CH (MAC SCH SHN TAI) UP ORR**
- = *crassus* Sharp, 1882: 743

subgenus *Melanectes* Brinck, 1945: 11 type species *Cybister owas* Laporte, 1835

bimaculatus Aubé, 1838b: 84 **N:** AG **AFR**

= *aequatorius* Zimmermann, 1917: 100

= *regimbarti* Wilke, 1920: 257

brevis Aubé, 1838b: 98 **A:** CH (LIA SCH TAI) JA SC

convexus Sharp, 1882: 718 **A:** CH (YUN) **ORR**

posticus Aubé, 1838b: 87 **A:** HP NP PA UP **ORR**

sugillatus Erichson, 1834: 227 **A:** AF BT CH (BEI FUJ GUA HAI HEB HKG HUB JIX SCH TAI XIZ ZHE) HP JA NP PA SD UP **ORR**

= *bisignatus* Aubé, 1838b: 88

= *notasicus* Aubé, 1838b: 90

= *olivaceus* Boheman, 1858: 21

vulneratus Klug, 1834: t.33/1 **E:** IT SP **N:** AG EG LB MO TU **A:** AE BA IN OM SA SI YE **AFR**

= *binotatus* Klug, 1835: 28

= *bivulnerus* Aubé, 1838b: 91

= *madagascariensis* Aubé, 1838b: 94

subfamily **Dytiscinae** Leach, 1815

tribe Aciliini Thomson, 1867

genus *Acilius* Leach, 1817: 69 type species *Dytiscus sulcatus* Linnaeus, 1758

subgenus *Acilius* Leach, 1817: 69 type species *Dytiscus sulcatus* Linnaeus, 1758

= *Heterolytrus* Ádám, 1993: 81 [RN] type species *Dytiscus sulcatus* Linnaeus, 1758

canaliculatus Nicolai, 1822: 29 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RU (CT NT ST) SB SK SL SV SZ UK **A:** CH (JIL) KZ RU (ES FE WS)

= *caliginosus* Curtis, 1825: 63

= *dispar* Lacordaire in Boisduval & Lacordaire, 1835: 306

= *kotulae* Ulanowski, 1884: 6

= *laevisulcatus* Motschulsky, 1845b: 30

= *subimpressus* Motschulsky, 1845b: 30

= *sulcatoaffinis* Hummel, 1822: 7 (*Dytiscus*)

= *sulcipennis* C.R. Sahlberg, 1824: 157 (*Dytiscus*)

= *xantischius* Gozis, 1911: 20

japonicus Brinck, 1939: 168 **A:** JA

kishii Nakane, 1963: 26 **A:** JA

sinensis Peschet, 1915: 288 **A:** CH (SCH YUN)

= *guerryi* Olsoufieff, 1925: 90

sulcatus Linnaeus, 1758: 412 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LS LT LU ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ UK **N:** AG **A:** IN KI KZ **MG**¹ RU (ES FE WS) TR

= *blancki* Peyerimhoff, 1927: 79

= *brevis* Aubé, 1837: 70

= *fasciatus* De Geer, 1774: 397 (*Dytiscus*)

= *marginalis* Ström, 1768: 327 (*Dytiscus*) [HN]

= *punctatus* Scopoli, 1763: 97 (*Dytiscus*)

= *scopolii* Gmelin, 1790: 1954 (*Dytiscus*)

= *scoticus* Stephens, 1828: 93

= *tomentosus* Motschulsky, 1845b: 30

= *varipes* Stephens, 1828: 93

subgenus *Homoeolytrus* Gobert, 1874: 440 type species *Acilius duvergeri* Gobert, 1874

duvergeri Gobert, 1874: 441 **E:** FR IT PT SP **N:** MO

genus *Graphoderus* Dejean, 1833: 54 type species *Dytiscus cinereus* Linnaeus, 1758

= *Bathydrus* Gozis, 1875: 10 type species *Hydaticus austriacus* Sturm, 1834

= *Derographus* Portevin, 1929: 210 type species *Hydaticus austriacus* Sturm, 1834

= *Graphothorax* Motschulsky, 1853: 9 type species *Dytiscus cinereus* Linnaeus, 1758

= *Prosciastes* Gistel, 1856: 355 type species *Dytiscus cinereus* Linnaeus, 1758

adamsii Clark, 1864: 211 (*Hydaticus*) **A:** CH (BEI HEB HEI HUB JIA JIL LIA SHX ZHE) JA RU (FE) SC

- = *japonicus* Sharp, 1873b: 48 (*Hydaticus*)
austriacus Sturm, 1834: 46 (*Hydaticus*) **E:** AB AR AU BE BH BU BY CR CZ DE FR GE HU IT KZ LA LT MD NL PL RO RU (CT ST) SB SK SL SV SZ UK **A:** IN KI KZ MG RU (ES FE WS) TM TR
bieneri Zimmermann, 1921a: 86 **A:** RU (FE)
bilineatus De Geer, 1774: 400 (*Dytiscus*) **E:** AU BE BH BY CR CZ DE EN FI FR GB GE HU IT LA LT LU NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A:** RU (WS)
cinereus Linnaeus, 1758: 412 (*Dytiscus*) **E:** AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT KZ LA LT LU MC MD NL NR PL RO RU (CT ST) SB SK SL SP SV SZ UK **A:** IN KZ MG RU (WS) TR
 = *intermedius* Westhoff, 1881: 53 (*Hydaticus*)
 = *simulator* Westhoff, 1882: 304 (*Hydaticus*)
 = *taeniatus* Rossi, 1792: 69 (*Dytiscus*)
elatus Sharp, 1882: 695 **A:** CH (HEI JIL NMO QIN) JA MG RU (ES FE)
zonatus verrucifer C.R. Sahlberg, 1824: 159 (*Dytiscus*) **E:** EN FI IT LA NR RU (NT) SV **A:** RU (WS)
 = *bertolinii* Seidlitz, 1887: 107
 = *flavotestaceus* J.R. Sahlberg, 1875: 161
 = *piciventris* Thomson, 1868: 351
 = *rosenbergeri* Seidlitz, 1887: 107
 = *sahlbergii* Seidlitz, 1887: 107
 = *thomsonii* Seidlitz, 1887: 108
zonatus zonatus Hoppe, 1795: 33 (*Dytiscus*) **E:** AR AU BE BU BY CR CZ DE FR GB GE GG HU LA LT LU MD NL PL SK SL RU (CT ST) SB SV SZ UK **A:** TR
 = *interiectus* Westhoff, 1882: 304 (*Hydaticus*)
 = *zonatus* Panzer, 1796: 38/t.13 [HN] (*Dytiscus*)

genus *Rhantaticus* Sharp, 1882: 672 type species *Hydaticus signatipennis* Laporte, 1835 (= *Hydaticus congestus* Klug, 1833)

- congestus* Klug, 1833: 48 (*Hydaticus*) **N:** EG **A:** AP CH (FUJ GUA GUX HAI HUB TAI YUN) HP JA NP UP **AFR AUR ORR**
 = *rochasi* Perroud & Montrouzier, 1864: 81 (*Hydaticus*)
 = *signatipennis* Laporte, 1835: 95 (*Hydaticus*)

genus *Sandracottus* Sharp, 1882: 672 type species *Dytiscus fasciatus* Fabricius, 1775 (= *Hydaticus mixtus* Blanchard, 1843)

- dejeanii* Aubé, 1838b: 165 (*Hydaticus*) **A:** AP HP IN PA UP **ORR**
festivus Illiger, 1801b: 166 (*Dytiscus*) **A:** AP CH (GUA GUX HAI HUN SCH YUN) HP PA **ORR**
mixtus Blanchard, 1843: pl. 4 (*Hydaticus*) **A:** CH (FUJ HUB JIA JIX SCH SHG XIZ ZHE) JA SC **ORR**
 = *crucialis* Régimbart, 1899: 333
 = *fasciatus* Fabricius, 1775: 825 [HN] (*Dytiscus*)
 = *hunteri* Crotch, 1872: 205 [RN] (*Hydaticus*)

tribe Dytiscini Leach, 1815

genus *Dytiscus* Linnaeus, 1758: 411 type species *Dytiscus marginalis* Linnaeus, 1758

- = *Leionotus* Kirby, 1837: 76 type species *Dytiscus conformis* Kunze, 1818 (= *Dytiscus marginalis* Linnaeus, 1758)
 = *Macrodytes* Thomson, 1859: 12 type species *Dytiscus marginalis* Linnaeus, 1758
circumcinctus Ahrens, 1811: 67(=55) **E:** AU BE BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LT MD ME NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A:** KZ **MG**¹ RU (ES FE WS) TR **NAR**
 = *angustatus* Curtis, 1826: 99
 = *angustatus* Stephens, 1828: 88
 = *anxius* Mannerheim, 1843: 218
 = *circumscripatus* Lacordaire in Boisduval & Lacordaire, 1835: 300 [HN]
 = *confusus* Motschulsky, 1860a: 101
 = *dubius* Gyllenhal, 1827: 372 [HN]
 = *flavocinctus* Hummel, 1823: 17
 = *fuscostriatus* Motschulsky, 1859b: 167
 = *ooligbukii* Kirby, 1837: 74
circumflexus Fabricius, 1801: 258 **E:** AB AR AU BE BH BU BY CR CZ DE EN FR GB GE GG GR HU IR IT LA LT LU MA MD NL PL PT RO RU (ST) SB SK SL SP SV UK **N:** AG EG LB MO TU **A:** CY IN IS ?KI ?KZ LE RU (WS) SY TR

- = *dubius* Audinet-Serville, 1821: 90
 = *flavomaculatus* Curtis, 1826: 99
 = *flavoscutellatus* Latreille, 1804: 162
 = *kunstleri* Peytoureau, 1894: xlii
 = *kunstleri* Peytoureau, 1895: 14 [HN]
 = *perplexus* Lacordaire in Boisduval & Lacordaire, 1835: 303
- dauricus dauricus* Gebler, 1832: 39 **A:** CH (HEI JIL XIN) JA MG RU (ES FE) **NAR**
 = *amurensis* J. Balfour-Browne, 1944a: 356 [RN]
 = *confluens* Say, 1830: 27 [HN]
 = *confluens* Say, 1834: 440 [HN]
 = *confluentus* LeConte, 1850: 212 [RN]
 = *diffinis* LeConte, 1850: 212
 = *franklinii* Kirby, 1837: 77
 = *frontalis* Motschulsky, 1860a: 101 [HN]
 = *obscurus* Gschwendtner, 1922: 93
 = *strigifrons* Motschulsky, 1860a: 101
 = *ventralis* Motschulsky, 1855b: 79
 = *vexatus* Sharp, 1882: 643
- dauricus zaitzevi* Nakane, 1990d: 28 **A:** JA
- delictus* Zaitzev, 1906a: 28 (*Macrodytes*) **A:** CH (HEI) RU (FE)
- dimidiatus* Bergsträsser, 1777: 33 **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT
 LA LT LU MC MD ME NL PL RO RU (CT NT ST) SK SL SV SZ UK YU **A:** IN KI SY TR
- distantus* Feng, 1936: 14 **A:** CH "Manchuria"
- lapponicus disjunctus* Camerano, 1880: 120 **E:** IT
- lapponicus lapponicus* Gyllenhal, 1808: 468 **E:** BE BY CZ DE EN FI FR GB GE GG IR LA LT NL NR PL RO RU
 (CT NT) SK SV **A:** KZ RU (ES WS)
 = *borealis* Motschulsky, 1860a: 101
 = *septentrionalis* Gyllenhal, 1827: 373
- latissimus* Linnaeus, 1758: 411 **E:** AU BE BY CR CZ DE EN FI FR GE HU IT LA LT LU NL NR PL RO RU (CT
 NT ST) SK SV SZ UK **A:** KI RU (WS)
 = *amplissimus* O.F. Müller, 1776: 69
 = *anastomozans* Well, 1781: 386
- latro* Sharp, 1882: 644 **A:** CH (HEI) MG RU (ES FE WS)
 = *piceatus* Sharp, 1882: 644
 = *stadleri* Gschwendtner, 1922: 93
- marginalis czerskii* Zaitzev, 1953: 328 **A:** CH (HEB HEI HEN) JA NC RU (ES FE)
- marginalis marginalis* Linnaeus, 1758: 411 **E:** AB AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR
 HU IR IT LA LS LT LU MC ME NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK YU **A:** KI KZ RU (ES
 WS) TR
 = *circumductus* Audinet-Serville, 1821: 90
 = *conformis* Kunze, 1818: 58
 = *semicostatus* Reineck, 1921: 117
 = *semistriatus* Linnaeus, 1758: 412
 = *submarginatus* Stephens, 1828: 90
 = *totomarginalis* De Geer, 1774: 391
- mutinensis* Branden, 1885: 97 **E:** CR GR IT
 = *mutinensis* Pederzani, 1971: 220 [HN]
- persicus* Wehncke, 1876a: 52 **E:** AR GG RU (ST) UK **A:** AF IN TR UZ
- pisanus* Laporte, 1835: 98 **E:** AN CR FR GR IT PT SP **N:** AG MO TU
 = *ibericus* Rosenhauer, 1856: 47
 = *nonsulcatus* Zimmermann, 1919a: 233
- semisulcatus* O.F. Müller, 1776: 70 **E:** AL AU BE BU CR CZ DE EN FR GB GE GG GR IR IT LA LT LU ME NL
 NR PL PT SL SP SV SZ UK **N:** AG MO TU **A:** KZ RU (ES) TR **AUR**
 = *expectatus* Peyerimhoff, 1905: 229
 = *frischii* Bergsträsser, 1777: 43
 = *laevis* Engert, 1911: 19
 = *maurus* Schaufuss, 1882b: 238
 = *maurus* Schaufuss, 1883: clxxiii [HN]
 = *porcatus* Thunberg, 1794: 74
 = *punctatus* Olivier, 1795: 12 [HN]
 = *punctulatus* Fabricius, 1777: 238 [HN]

= *stagnalis* Geoffroy in Fourcroy, 1785: 66

sharpi sharpi Wehncke, 1875a: 500 **A**: CH (HUN SHA) JA

sharpi validus Régimbart, 1899: 311 **A**: JA

sinensis Feng, 1935: 182 **A**: CH (HEI SCH SHA)

thianschanicus Gschwendtner, 1923: 107 (*Macrodytes*) **E**: RU (ST) **A**: AF KA TD TR

tribe Eretini Crotch, 1873

genus Eretes Laporte, 1833: 397 type species *Dytiscus griseus* Fabricius, 1781

= *Eunectes* Erichson, 1832: 17 [HN] type species *Dytiscus sticticus* Linnaeus, 1767

= *Nogrus* Dejean, 1833: 53 type species *Dytiscus griseus* Fabricius, 1781

griseus Fabricius, 1781: 293 (*Dytiscus*) **E**: AB AR AZ BH BU CR CZ FR GG GR HU IT ME PT RO RU (ST) SB SL SP UK **N**: AG EG LB MO TU **A**: AF BT CH (BEI FUJ HAI HEB HEI HUB JIA LIA MAC SCH SHA SHG SHN SHX TAI XIZ YUN ZHE) IN IQ JA **JO**⁵ HP KA KU NP OM PA RU (FE) SC SI SY TR UP YE **AFR AUR ORR**

= *moroderi* Báguena Corella, 1935: 90

= *plicipennis* Motschulsky, 1845b: 29 (*Eunectes*)

= *succinctus* Klug, 1834: t.33/4 (*Eunectes*)

sticticus Linnaeus, 1767: 666 (*Dytiscus*) **E**: BU CR **CZ**⁷ GR HU RU (ST) SK SP **N**: AG CI EG LB MO MR TU **A**: AE AF CY IN IS **JO**⁵ KI KZ QA SA SI TD TM TR YE **AFR NAR NTR**

= *conicollis* Wollaston, 1861b: 97 (*Eunectes*)

= *helvolus* Klug, 1834: t.33/3 (*Eunectes*)

= *occidentalis* Erichson, 1847: 73 (*Eunectes*)

= *punctatus* Zoubkoff, 1837: 66 (*Eunectes*)

= *subcoriaceus* Wollaston, 1861a: 99 (*Eunectes*)

= *subdiaphanus* Wollaston, 1861a: 100 (*Eunectes*)

tribe Hydaticini Sharp, 1882

genus Hydaticus Leach, 1817: 69 type species *Dytiscus transversalis* Pontoppidan, 1763

subgenus Hydaticus Leach, 1817: 69 type species *Dytiscus transversalis* Pontoppidan, 1763

= *Icmaleus* Gistel, 1856: 355 type species *Dytiscus transversalis* Pontoppidan, 1763

aruspex Clark, 1864: 212 **E**: BY CZ DE EN FI FR GE HU LA NR PL RU (CT NT) SV UK **A**: CH (HEI JIL LIA) JA KZ **MG**¹ RU (ES FE WS) **NAR**

= *americanus* Sharp, 1882: 651

= *laevipennis* Thomson, 1867: 88

= *laeviusculus* Poppius, 1906: 58

= *modestus* Sharp, 1882: 650

= *rugosus* Poppius, 1905: 23

continentalis J. Balfour-Browne, 1944a: 355 [RN] **E**: AU BE BH BY CR CZ DE EN FR GE HU IT LA LT PL RU (CT ST) SK SV SZ UK **A**: **MG**¹ RU (WS)

= *stagnalis* Fabricius, 1787: 191 [HN] (*Dytiscus*)

schelkownikovi Zaitzev, 1913: 197 **E**: AB AR GG RU (ST) **A**: IN

= *litoralis* Zaitzev, 1913: 198

seminiger De Geer, 1774: 401 (*Dytiscus*) **E**: AU BE BH BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A**: IN KZ RU (ES WS)

= *cinctus* O.F. Müller, 1776: 669 [HN] (*Dytiscus*)

= *danicus* Gmelin, 1790: 1955 (*Dytiscus*)

= *hybneri* Fabricius, 1787: 190 (*Dytiscus*)

= *parapleurus* Marsham, 1802: 427 (*Dytiscus*)

= *sexpunctatus* Drapiez, 1819a: 48 (*Dytiscus*)

transversalis laevisculptus Zaitzev, 1910b: 223 **A**: IN TR

transversalis transversalis Pontoppidan, 1763: 677 (*Dytiscus*) **E**: AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT KZ LA LT LU MC MD ME NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A**: IS RU (WS)

= *degeneratus* Westhoff, 1882: 305

= *indriensis* Zaitzev, 1915: 277

= *interruptemaculatus* Gerhardt, 1899b: 217

= *punctipennis* Thomson, 1867: 87

= *sahlbergi* Zaitzev, 1905c: 226

- subgenus** *Prodaticus* Sharp, 1882: 647 type species *Prodaticus pictus* Sharp, 1882
 = *Guignotites* Brinck, 1943c: 141 [RN] type species *Dytiscus vittatus* Fabricius, 1775
 = *Hydaticinus* Guignot, 1950a: 104 type species *Hydaticus rectus* Sharp, 1882 (= *Dytiscus xanthomelas* Brullé, 1837)
 = *Isonotus* Guignot, 1936b: 53 [HN] type species *Dytiscus vittatus* Fabricius, 1775
 = *Pleurodytes* Régimbart, 1899: 331 type species *Hydaticus dineutooides* Sharp, 1882
- africanus* Rocchi, 1976: 289 (*Prodaticus*) **A:** OM SA YE **AFR**
- agaboides* Sharp, 1882: 663 **A:** CH (HAI YUN) **ORR**
- arabicus* Guignot, 1951a: 21 **A:** YE
- bengalensis* Régimbart, 1899: 322 **A:** CH (YUN) **ORR**
- bivittatus* Laporte, 1835: 98 **N:** EG **AFR**
 = *sharpi* Peschet, 1917: 45
- bowringii* Clark, 1864: 214 **A:** CH (ANH BEI HEB HUB JIA JIX LIA SCH SHA SHN TAI YUN ZHE) JA NC SC **ORR**
- decorus* Klug, 1834: t.33/5 **N:** EG **A:** SA SI YE **AFR**
- discindens* Walker, 1858: 204 **A:** BT **ORR**
 = *ceylonicus* Guignot, 1935b: 130
 = *orissaensis* Nilsson, 1999b: 20 [RN]
 = *sharpi* Vazirani, 1969a: 264 [HN]
- dorsiger* Aubé, 1838b: 193 **A:** SA YE **AFR**
- dregei* Aubé, 1838b: 172 **A:** SA YE **AFR**
 = *jucundus* Reiche, 1850: 278
 = *nigromarmoratus* Clark, 1864: 220
- fabricii* W.S. Macleay, 1825: 31 [RN] (*Colymbetes*) **A:** CH (XIZ YUN) **AUR ORR**
 = *fabriciusi* Ball, 1932: 19 [RN]
 = *rufulus* Aubé, 1838b: 199
 = *varius* Fabricius, 1801: 267 [HN] (*Dytiscus*)
- flavolineatus* Boheman, 1848: 237 **A:** SA YE **AFR**
- grammicus* Germar, 1827: t.1 (*Dytiscus*) **E:** AB AR AU BH BU CR FR GE GG HU IT MC PL RO RU (ST) SK SL SZ TR UK YU **A:** AF CH (BEI HAI HEB HEI HUB JIA JIL LIA SCH YUN) IN JA KI KZ NC TM UZ
 = *lineolatus* Ménétériés, 1832: 140 (*Dytiscus*)
 = *nigrovittatus* Clark, 1864: 222
- histrion* Clark, 1864: 221 **A:** AE AF HP IN IQ KA OM PA SA TR UP YE **ORR**
 = *rectangulus* Sharp, 1882: 669
- incertus* Régimbart, 1888: 617 **A:** BT CH (YUN) HP NP **ORR**
 = *martensi* Wewalka, 1972a: 115
- leander* Rossi, 1790: 202 (*Dytiscus*) **E:** AB AL FR GR IT ME PT SP **N:** AG EG LB MO TU **A:** CY IN IQ IS JO SI SY TM TR **AFR**
 = *debarrosmachadoi* Franciscolo, 1968: 51
 = *fusciventris* Reiche & Saulcy, 1855: 639
 = *nauzieli* Fairmaire, 1859a: lii
- litigiosus* Régimbart, 1880: 210 **A:** CH (HAI) **ORR**
 = *nubilus* Régimbart, 1899: 318
 = *planatus* Régimbart, 1899: 317
- luczonicus* Aubé, 1838b: 179 **A:** CH (HKG) HP UP **ORR**
- major* Régimbart, 1899: 328 **A:** CH (YUN) **ORR**
- pacificus conspersus* Régimbart, 1899: 315 **A:** CH (SHN TAI) JA SC
 = *sakishimanus* Nakane, 1990c: 29
- pacificus pacificus* Aubé, 1838b: 177 **A:** CH (YUN) **ORR**
 = *banksii* Crotch, 1872: 205 [RN]
 = *latihamatus* Régimbart, 1899: 315
 = *ruficollis* Fabricius, 1787: 189 [HN] (*Dytiscus*)
- pictus* Sharp, 1882: 648 (*Prodaticus*) **A:** AE AF IN IQ KZ OM PA SA SY TD TM UZ
- ponticus* Sharp, 1882: 662 **N:** EG LB **A:** IN IQ KZ PA SA SI SY TD TM TR **ORR**
- rhantoides* Sharp, 1882: 664 **A:** CH (FUJ GUA GUI HAI HEI HUB HKG HUN JIA SCH SHG TAI YUN ZHE) JA **ORR**
 = *fengi* Falkenström, 1936b: 236
- ricinus* Wewalka, 1979: 128 **A:** AF HP NP PA **ORR**

satoi dhofarensis Pederzani, 2003: 18 **A: OM**
satoi satoi Wewalka, 1975c: 91 **A: BT CH (FUJ HEB LIA SCH TAI XIZ) JA SD ORR**
servillianus Aubé, 1838b: 197 **A: AE OM YE AFR**
 = *discoidalis* Hope, 1843: 364
 = *flavomarginatus* Zimmermann, 1920a: 228
thermonectoides Sharp, 1884: 447 **A: CH (JIA YUN ZHE) JA SC**
tibetanus Shaverdo, Wewalka & Li, 2012: 78 **A: CH (XIZ)**
vittatus Fabricius, 1775: 825 (*Dytiscus*) **A: CH (FUJ GUA HAI HKG HUB JIA JIX MAC SCH SHN SHX TAI ZHE) HP JA NP SD UP ORR**
 = *lenzi* Schönfeldt, 1890: 170 (*Graphoderus*)
 = *nepalensis* Satô, 1961b: 60
 = *sesquivittatus* Fairmaire, 1880b: 164

subfamily **Hydroporinae** Aubé, 1836
 tribe Bidessini Sharp, 1882

genus *Allodessus* Guignot, 1953b: 110 type species *Hydroporus bistrigatus* Clark, 1862
megacephalus Gschwendtner, 1931b: 21 (*Bidessus*) **A: CH (FUJ TAI) JA**
 = *maculosus* Gschwendtner, 1931a: 462 (*Bidessus*)
 = *tokunagai* Kamiya, 1932: 5 (*Bidessus*)

genus *Bidessus* Sharp, 1882: 336 type species *Dytiscus unistriatus* Schrank, 1781
 = *Calliporus* Ádám, 1996: 20 type species *Hydroporus minutissimus* Germar, 1823
alienus Zimmermann, 1919a: 140 **E: AB CR MC MD RU (ST) A: IN KZ RU (WS) TM**
anatolicus anatolicus Wewalka, 1972b: 72 **A: TR**
anatolicus kadmos Wewalka, 1989a: 147 **A: IS**
anatolicus phoenix Wewalka, 1989a: 146 **A: IS**
calabricus Guignot, 1957b: 91 **E: BU CR GR IT MC SL A: CY IN IQ IS JO⁵ LE SY TR**
complicatus Sharp, 1904: 4 **N: EG AFR**
 = *brevistriga* Régimbart, 1906b: 245
 = *ghesquieri* Guignot, 1948b: 1
coxalis Sharp, 1882: 351 **E: FR PT SP N: AG MO TU**
 = *ibericus* Falkenström, 1939: 9
cretensis Fery, 1992b: 79 **E: GR (Crete)**
delicatulus Schaum, 1844: 198 (*Hydroporus*) **E: AL AU BH BU CR CZ FR GE GR IT MC ME PL RU (ST) SK SL SZ A: TR**
exornatus Reiche & Saulcy, 1855: 644 (*Hydroporus*) **E: CR GR ME A: LE SY TR**
goudotii Laporte, 1835: 105 (*Hydroporus*) **E: AL FR GR IT PT SP N: AG MO TU**
grossepunctatus Vorbringer, 1907: 418 **E: AU BE BY CZ DE EN FI FR GE HU IT LA LT NL NR PL RU (CT NT ST) SL SV SZ UK A: RU (ES WS)**
minutissimus Germar, 1823: 31 (*Hydroporus*) **E: AU FR GB GE IR IT LU PT SP SZ N: AG CI MO TU**
 = *circumflexus* Breit, 1908: 59
 = *interruptefasciatus* Breit, 1908: 59
 = *lepineyi* Kocher, 1957: 367
 = *trifasciatus* Wollaston, 1847: 453 (*Hydroporus*)
muelleri Zimmermann, 1927a: 34 **E: GR IT ME**
 = *tiragalloi* Sanfilippo, 1978: 129
nasutus Sharp, 1887: 170 **E: AB AR AU BH BU CR CZ HU MD RO RU (ST) SB SK UK A: IN IS KI KZ MG¹ RU (WS) TM TR**
ovoideus Régimbart, 1895: 81 **N: EG AFR**
pumilus Aubé, 1838b: 502 (*Hydroporus*) **E: BH CR FR IT PT SP N: AG**
 = *pumilus* Aubé, 1838a: 342 [HN] (*Hydroporus*)
saucius Desbrochers des Loges, 1871: 338 (*Hydroporus*) **E: FR (Corsica) IT (Montecristo, Sardinia)**
 = *baderi* Krausse, 1910: 146
 = *bigoti* Guignot, 1957b: 91
sharpi Régimbart, 1895: 77 **N: TU AFR**
 = *fictor* Omer-Cooper, 1959: 124

- = *granulum* Régimbart, 1895: 79
- = *nigeriensis* Omer-Cooper, 1974: 306
- = *sedilloti* Régimbart, 1895: 78
- = *sudanensis* Omer-Cooper, 1974: 306

unistriatus Goeze, 1777: 626 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IT LA LT LU MC ME NL NR PL RO RU (CT NT ST) SK SL SV SZ UK YU **A:** CH (HEB SHA) KZ MG RU (ES WS) TR

- = *bisulcatus* Curtis, 1840: 276 (*Hygrotus*)
- = *monostriatus* Geoffroy in Fourcroy, 1785: 69 (*Dyticus*)
- = *nanus* Gmelin, 1790: 1956 (*Dytiscus*)
- = *opacus* Guignot, 1932: 268
- = *subrufulus* Schneider, 1898: 50
- = *unistriatus* Schrank, 1781: 205 [HN] (*Dytiscus*)

genus *Clypeodytes* Régimbart, 1894: 230 type species *Hydroporus cribrosus* Schaum, 1864

subgenus *Clypeodytes* Régimbart, 1894: 230 type species *Hydroporus cribrosus* Schaum, 1864

bufo Sharp, 1890: 344 (*Bidessus*) **A:** CH (GUI HAI HUB) **ORR**

cribrosus Schaum, 1864a: 107 (*Hydroporus*) **N:** EG **AFR**

subgenus *Hypoclypeus* Guignot, 1950a: 97 [RN] type species *Bidessus gestroi* Régimbart, 1888

- = *Hypodytes* Guignot, 1936b: 20 [HN] type species *Bidessus gestroi* Régimbart, 1888

jaechi Wewalka & Biström, 1987: 49 **A:** NP

genus *Geodessus* Brancucci, 1979: 214 type species *Geodessus besucheti* Brancucci, 1979

besucheti Brancucci, 1979: 214 **A:** HP NP SD

genus *Glareadessus* Wewalka & Biström, 1998: 59 type species *Glareadessus stocki* Wewalka & Biström, 1998

franzi Wewalka & Biström, 1998: 62 **A:** IN

stocki Wewalka & Biström, 1998: 61 **A:** AE OM

genus *Hydroglyphus* Motschulsky, 1853: 5 type species *Dytiscus geminus* Fabricius, 1792

- = *Guignotus* Houlbert, 1934: 53 type species *Dytiscus geminus* Fabricius, 1792

amamiensis Satô, 1961a: 7 (*Guignotus*) **A:** CH (HUB TAI) JA

angularis Klug, 1834: t.34/1 (*Hydroporus*) **N:** AG EG MO TU **A:** AE IN IQ OM PA SA TR YE **AFR**

- = *klugii* Leprieur, 1880a: 36 (*Hydroporus*)
- = *klugii* Leprieur, 1880b: xxv [HN] (*Hydroporus*)

annamita Régimbart, 1889a: 153 (*Bidessus*) **A:** CH **ORR**

confusus Klug, 1834: t.34/4 (*Hydroporus*) **N:** EG TU **A:** IN KI OM SA SI SY TM TR YE **AFR**

coreanus Lee & Ahn, 2016: 290 **A:** SC

farquharensis Scott, 1912: 255 (*Bidessus*) **A:** OM⁶ **AFR**

flammulatus Sharp, 1882: 359 (*Bidessus*) **A:** CH (JIX SCH TAI XIZ) HP IN JA NP PA SC UP **ORR**

- = *antennatus* Régimbart, 1892a: 118 (*Bidessus*)

geminus Fabricius, 1792: 199 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT LA LS LT LU MC MD ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ TR UK **N:** AG CI EG LB MO TU **A:** AF BT CH (GUI GUX HEI HEN JIL LIA SCH YUN) CY HP IN IQ IS **JO**⁵ KA KI KZ LE MG NC NP PA RU (ES WS) SA SC SI SY TD TM TR UP UZ **ORR**

- = *corsicus* Schneider, 1903: 51 (*Bidessus*)
- = *inmaculatus* Báguena Corella, 1935: 85 (*Bidessus*)
- = *monaulacus* Drapiez, 1820: 270 (*Hydroporus*)
- = *nitens* Falkenström, 1939: 7 (*Bidessus*)
- = *obscurus* J.R. Sahlberg, 1903c: 16 (*Bidessus*)
- = *ocellatus* Báguena Corella, 1935: 85 (*Bidessus*)
- = *pectinatus* Báguena Corella, 1935: 85 (*Bidessus*)
- = *pusillus* Fabricius, 1781: 297 (*Dytiscus*) [HN]
- = *pygmeus* Olivier, 1795: 39 (*Dytiscus*) [HN]
- = *symbolum* Kolenati, 1845: 86 (*Hydroporus*)
- = *trifidus* Panzer, 1795b: 26/t.2 (*Dytiscus*)

gujaratensis Vazirani, 1973: 297 (*Guignotus*) **A:** IN OM **ORR**

hamulatus Gyllenhal, 1813: 691 (*Hyphydrus*) **E:** BY CT DE EN FI GE LA LT PL RU (NT) SV UK **A:** MG RU (ES)

- hormuzensis* Hájek & Brancucci, 2011: 134 **A**: AE IN OM
hummeli Falkenström, 1932b: 191 (*Bidessus*) **A**: CH (SCH)
inconstans Régimbart, 1892a: 119 (*Bidessus*) **A**: BT CH (TAI XIZ) JA NP SD **ORR**
 = *fulvescens* Zimmermann, 1923: 34 (*Bidessus*)
infirmus Boheman, 1848: 251 (*Hydroporus*) **A**: OM SA YE **AFR**
 = *capensis* Régimbart, 1894: 234 (*Bidessus*)
 = *capensis* Régimbart, 1895: 88 (*Bidessus*) [HN]
japonicus Sharp, 1873b: 54 (*Hydroporus*) **A**: CH (BEI FUJ GUA HEI HKG HUB JIA JIL JIX LIA ZHE) JA NC
 RU (FE) SC
 = *tangweii* Li, 1992: 36 (*Guignotus*)
 = *vernalis* Guignot, 1954c: 197 (*Guignotus*)
 = *yingkouensis* Li, 1992: 36 (*Guignotus*)
 = *yoshimurai* Kamiya, 1932: 4 (*Bidessus*)
kifunei Nakane, 1987: 172 (*Guignotus*) **A**: JA
licenti Feng, 1936: 3 (*Bidessus*) **A**: CH (BEI GAN GUA GUI GUX HEI HUN JIX SCH SHA TIA XIN ZHE)
major Sharp, 1882: 354 (*Bidessus*) **N**: AG EG LB TU **A**: IS OM SA SI YE **AFR**
 = *sellatus* Peyerimhoff, 1931: 20 (*Bidessus*)
orientalis Clark, 1863: 427 (*Hydroporus*) **A**: CH (FUJ GUI GUX HAI HKG HUB HUN XIZ YUN ZHE) **AUR**
ORR
pendjabensis Guignot, 1954a: 221 (*Guignotus*) **A**: NP PA UP **ORR**
pentagrammus Schaum, 1864a: 108 (*Hydroporus*) **N**: EG **AFR**
regimbarti Gschwendtner, 1936: 367 (*Bidessus*) **A**: CH (GUX GUI SCH SHA YUN) **ORR**
signatellus Klug, 1834: t.34/3 (*Hydroporus*) **E**: AB AR BH CR FR GG GR IT ME RU (ST) SP **N**: AG EG LB MO
 TU **A**: AE AF CY IN IQ IS JO KI KU KZ OM PA SA SI SY TD TM TR UZ YE **AFR**
 = *razzautii* Doderò, 1922: 46 (*Bidessus*)
 = *tetragrammus* Hochhuth, 1846: 223 (*Hydroporus*)
 = *thermalis* Germar, 1838: xx (*Hydroporus*)
sinuspersicus Hájek & Wewalka, 2009: 94 **A**: AE IN OM
socotraensis Wewalka, 2004: 466 **A**: YE (Socotra)
trassaerti Feng, 1936: 4 (*Bidessus*) **A**: CH (FUJ GUA GUI GUX HEB HEI HUB HUN JIA JIX SHA SCH TIA
 YUN ZHE) **MG**¹

genus *Leiodytes* Guignot, 1936b: 20 type species *Hydroporus evanescens* Boheman, 1848

- = *Leiodytes* Guignot, 1950a: 97 [HN] type species *Hydroporus evanescens* Boheman, 1848
frontalis Sharp, 1884: 440 (*Bidessus*) **A**: JA SC
gracilis Gschwendtner, 1933: 162 (*Clypeodytes*) **A**: CH (HUB)
indicus Régimbart, 1892a: 117 (*Bidessus*) **A**: UP **ORR**
kyushuensis Nakane, 1990a: 62 (*Clypeodytes*) **A**: JA
lanyuensis Wang, Satô & P.-S. Yang, 1998: 161 **A**: CH (TAI)
miyamotoi Nakane, 1990a: 63 (*Clypeodytes*) **A**: JA
nicobaricus Redtenbacher, 1868: 21 (*Hydroporus*) **A**: CH (MAC) JA **ORR**
orissaensis Vazirani, 1969a: 328 (*Clypeodytes*) **A**: PA **ORR**
perforatus Sharp, 1882: 363 (*Bidessus*) **A**: CH (GUA GUI GUX HAI HKG HUN JIX SCH YUN) **ORR**

genus *Limbodessus* Guignot, 1939: 52 type species *Bidessus neoguineensis* Régimbart, 1892 (= *Hydroporus compactus* Clark, 1862)

- compactus* Clark, 1862a: 421 (*Hydroporus*) **A**: JA **AUR ORR**
 = *neoguineensis* Régimbart, 1892b: 990 (*Bidessus*)
 = *tokarensis* Satô, 1972a: 53 (*Uvarus*)

genus *Peschetius* Guignot, 1942a: 21 type species *Hydroporus nodieri* Régimbart, 1895

- quadricostatus* Aubé, 1838b: 487 (*Hydroporus*) **A**: IN NP UP **ORR**

genus *Pseuduvarus* Biström, 1988: 10 type species *Hydroporus vitticollis* Boheman, 1848

- vitticollis* Boheman, 1848: 256 (*Hydroporus*) **N**: MO **A**: CH (TAI) NP PA **AFR ORR**
 = *caligosus* Guignot, 1946a: 257 (*Amarodytes*)

- = *gentilis* Sharp, 1890: 344 (*Bidessus*)
- = *monticola* Guignot, 1957a: 98 (*Uvarus*)
- = *octoguttatus* Régimbart, 1895: 94 (*Bidessus*)
- = *ornatipennis* Régimbart, 1900c: 372 (*Bidessus*)

genus *Sinodytes* Spangler, 1996: 243 type species *Sinodytes hubbardi* Spangler, 1996
hubbardi Spangler, 1996: 244 **A: CH (GUX)**

genus *Uvarus* Guignot, 1939: 53 type species *Hydroporus lacustris* Say, 1823
occultus Sharp, 1882: 363 (*Bidessus*) **A: SA**
peringueyi Régimbart, 1895: 84 (*Bidessus*) **A: YE AFR**
sanfilippoï Rocchi & Poggi, 2018: 2 **A: TR**

genus *Yola* Gozis, 1886: 8 type species *Dytiscus bicarinatus* Latreille, 1804
= *Yolula* Guignot, 1950a: 100 type species *Bidessus dohrni* Sharp, 1882
alluaudi Peschet, 1926: 299 **N: AG LB MO AFR**
bicarinata bicarinata Latreille, 1804: 179 (*Dytiscus*) **E: BE CZ FR IT NL PT SL SP SZ N: AG MO TU**
= *bicarinatus* Drapiez, 1819b: 290 [HN] (*Dytiscus*)
= *bipunctatus* Ragusa, 1887: 224 (*Bidessus*)
= *costatus* Gyllenhal in Schönherr, 1808: 31 (*Hyphydrus*)
= *crispatus* Germar, 1817: t.1 (*Hydroporus*)
= *cristatus* Lacordaire in Boisduval & Lacordaire, 1835: 335 (*Hydroporus*)
= *interrupta* Báguena Corella, 1935: 84
bicarinata obscurior Desbrochers des Loges, 1871: 337 (*Hydroporus*) **E: FR (Corsica) IT (Elba, Sardinia) N: TU**
bicristata Sharp, 1882: 347 (*Bidessus*) **A: SA YE**
buettikeri Brancucci, 1985: 230 **A: SA YE**
consanguinea Régimbart, 1892a:118 (*Bidessus*) **A: NP ORR**
darfurensis J. Balfour-Browne, 1947a: 136 **A: YE AFR**
= *decorata* Guignot, 1956b: 251
enigmatica Omer-Cooper, 1954: 212 **N: EG A: SA SI YE AFR**
nigrosignata Régimbart, 1895: 71 **N: AG AFR**
= *pescheti* Peyerimhoff, 1929: 168
porcata Klug, 1834: t.34/5 (*Hydroporus*) **N: EG A: OM⁸ SA AFR**
unguicularis Hájek & Reiter, 2019: 362 **A: OM**
wraniki Wewalka, 2004: 468 **A: YE (Socotra)**

genus *Yolina* Guignot, 1936b: 25 type species *Hydroporus elegantulus* Boheman, 1848
= *Yoloides* Guignot, 1960: 97 type species: *Bidessus costulifer* Régimbart, 1903
insignis Sharp, 1882: 348 (*Bidessus*) **N: EG A: OM SA YE AFR**

tribe Hydroporini Aubé, 1836
subtribe Deronectina Galewski, 1994

genus *Amurodytes* Fery & Petrov, 2013: 1823 type species *Amurodytes belovi* Fery & Petrov, 2013
belovi Fery & Petrov, 2013: 1824 **A: RU (FE)**

genus *Boreonectes* Angus, 2010: 124 type species *Dytiscus griseostriatus* De Geer, 1774
alpestris Dutton & Angus, 2007: 11 (*Stictotarsus*) **E: IT SZ**
emmerichi Falkenström, 1936a: 88 (*Deronectes*) **A: CH (GAN QIN SCH XIZ) SD**
griseostriatus griseostriatus De Geer, 1774: 403 (*Dytiscus*) **E: ?AR ?AU ?BH EN FI FR GE ?GG ?GR IT ?ME NR
PL RU (NT) ?SL SV SZ A: ?KA ?MG ?PA ?TR ?NAR***
= *maritimus* Helliesen, 1890: 20 (*Deronectes*)
= *nigrescens* Favre, 1890: 52 (*Hydroporus*)
= *obscurus* Della Beffa, 1931: 179 [HN] (*Hydroporus*)

* Split cytogenetically into several taxa by Dutton & Angus (2007). The occurrence of *B. griseostriatus* in countries marked with question mark has to be verified; however, especially populations from Balkan Peninsula and Asia belong most probably to other species.

= *palaestinus* Baudi di Selve, 1894: 3 (*Deronectes*)
 = *piochardi* Régimbart, 1878b: 350 (*Hydroporus*)
griseostriatus strandi Brinck, 1943a: 141 (*Deronectes*) **E:** NR RU (NT)
ibericus Dutton & Angus, 2007: 11 (*Stictotarsus*) **E:** FR IT PT SP **N:** MO
inexpectatus Dutton & Angus, 2007: 11 (*Stictotarsus*) **E:** FR
macedonicus Guéorguiev, 1959: 193 (*Potamonectes*) **E:** GR (Crete) MC
 = *creticus* Dutton & Angus, 2007: 12 (*Stictotarsus*)
multilineatus Falkenström, 1922a: 16 (*Potamodytes*) **E:** FA FI FR GB IR NR RU (NT) SV **A:** RU (ES FE WS)
riberae Dutton & Angus, 2007: 12 (*Stictotarsus*) **E:** BU **A:** TR

genus *Deronectes* Sharp, 1882: 390 type species *Hydroporus latus* Stephens, 1829

= *Bartheus* Houlbert, 1934: 64 type species *Hydroporus latus* Stephens, 1829
abnormicollis Semenov, 1900: 682 **A:** AF CH (XIN) KI KZ TD UZ
 = *microthorax* Semenov, 1900: 683
adanensis Hájek, Šťastný, Boukal & Fery, 2011: 465 **A:** TR
afghanicus Wewalka, 1971: 139 **A:** AF PA
algibensis Fery & Fresneda, 1988a: 337 **E:** SP
angelinii Fery & Brancucci, 1997: 228 **E:** IT
angulipennis Peyron, 1858: 398 (*Hydroporus*) **A:** TR
angusi Fery & Brancucci, 1990: 431 **E:** SP
aubei aubei Mulsant, 1843: 276 (*Hydroporus*) **E:** AU FR GE IT SZ
aubei sanfilippoi Fery & Brancucci, 1997: 234 **E:** FR SP
balkei Fery & Hosseinie, 1998: 252 **A:** IN
bameuli Fery & Hosseinie, 1998: 243 **A:** PA
bicostatus Schaum, 1864b: 111 (*Hydroporus*) **E:** PT SP
biltoni Fery & Hosseinie, 1998: 245 **A:** IN
brancuccii Fery & Hosseinie, 1998: 250 **A:** IN
brannanii Schaufuss, 1869: 9 (*Hydroporus*) **E:** SP (Islas Baleares)
costipennis costipennis Brancucci, 1983a: 138 **E:** PT SP
costipennis gignouxi Fery & Brancucci, 1989: 303 **E:** SP
 = *gignouxorum* Nilsson, 2007: 49 [UE]
danielssoni Fery & Hosseinie, 1998: 242 **A:** AF
delarouzei Jacquelin du Val, 1856: 34 (*Hydroporus*) **E:** FR SP
depressicollis Rosenhauer, 1856: 50 (*Hydroporus*) **E:** SP
doriae Sharp, 1882: 421 **E:** "Caucasus" **A:** AR IN TR
elburs Fery, Erman & Hosseinie, 2001:346 **A:** IN
elmii Fery & Hosseinie, 1998: 254 **A:** IN
ermani Hájek, Šťastný, Boukal & Fery, 2011: 468 **A:** TR
evelynae Fery & Hosseinie, 1998: 254 **A:** TR
fairmairei Leprieur, 1876a: 142 [RN] (*Hydroporus*) **E:** FR IT PT SP **N:** AG MO TU
 = *bombycinus* Leprieur, 1876a: 143 (*Hydroporus*)
 = *bombycinus* Leprieur, 1876b: cxxii [HN] (*Hydroporus*)
 = *fairmairei* Leprieur, 1876b: cxxi [HN] [RN] (*Hydroporus*)
 = *sublaevis* Rey, 1887: 2 (*Hydroporus*)
 = *vestitus* Fairmaire, 1859b: 27 [HN] (*Hydroporus*)
ferrugineus Fery & Brancucci, 1987: 70 **E:** PT SP
fosteri Aguilera & Ribera, 1996: 39 **E:** SP
hakkariensis Wewalka, 1989b: 96 **A:** TR
hebaueri Fery & Hosseinie, 1998: 256 **A:** TR
 = *hebauerorum* Nilsson, 2007: 49 [UE]
hendrichi Fery & Hosseinie, 1998: 253 **A:** IN
hispanicus Rosenhauer, 1856: 49 (*Hydroporus*) **E:** FR SP **N:** MO
 = *septensis* Lagar, 1968: 61
jaechi Wewalka, 1989b: 94 **A:** TR
kabilcevz Aykut, Yildirim, Tusun & Fery, 2019: 590 **A:** TR
kinzelbachi Fery & Hosseinie, 1998: 262 **A:** SY TR

- lareynii* Fairmaire, 1858: 455 (*Hydroporus*) **E:** FR (Corsica)
 = *coarcticolis* Reiche, 1862: 293 (*Hydroporus*)
- latus* Stephens, 1829: 192 (*Hydroporus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IT LA LT LU
 ME NL NR PL RU (CT NT) SK SL SV SZ UK
 = *castaneus* Heer, 1837: 54 (*Hydroporus*)
 = *latus* Curtis, 1831: 343 [HN] (*Hydroporus*)
 = *ovatus* Sturm, 1835: 40 (*Hydroporus*)
 = *pyrenaicus* Schaefer, 1930: 104 [HN] (*Hydroporus*)
- longipes* Sharp, 1882: 420 **A:** IN
- moestus inconspectus* Leprieur, 1876a: 143 (*Hydroporus*) **E:** AL BU CR FR GR IT MC ME PT SP SZ **N:** MO
 = *inconspectus* Leprieur, 1876b: cxxii [HN] (*Hydroporus*)
- moestus moestus* Fairmaire, 1858: 455 (*Hydroporus*) **E:** FR (Corsica) IT (Sardinia)
- nilssoni* Fery & Wewalka, 1992: 22 **A:** IN TM
- opatrinus* Germar, 1823: 31 [NP] (*Hydroporus*) **E:** FR PT SP SZ
 = *silphoides* Ponzá, 1805:82 [NO] (*Dytiscus*)
- palaestinensis* Fery & Hosseinie, 1999: 271 [RN] **A:** SY
 = *palaestinus* Fery & Hosseinie, 1998: 229 [HN]
- parvicollis* Schaum, 1864b: 112 (*Hydroporus*) **E:** AR BU GG GR MC RO YU **A:** IN TR
 = *planicollis* Sharp, 1882: 420
- perrinae* Fery & Brancucci, 1997: 260 **N:** AG TU
- persicus* Peschet, 1914: 227 **A:** IN
- peyerimhoffi* Régimbart, 1906a: 204 (*Hydroporus*) **N:** AG
- platynotus mazzoldii* Fery & Brancucci, 1997: 242 **E:** GR
- platynotus platynotus* Germar, 1834: pl. 3 (*Hydroporus*) **E:** AL AU BE BH BU CZ GE LU MC ME NL PL RO SB
 SK
 = *murinus* Sturm, 1835: 42 (*Hydroporus*)
 = *platynotus* Lacordaire in Boisduval & Lacordaire, 1835: 330 [HN] (*Hydroporus*)
- propedoriae** Aykut, Yildirim, Tusun & Fery, 2019: 592 **A:** TR
- riberai* Fery & Hosseinie, 1998: 255 **A:** IQ TR
- roberti* Fery & Hosseinie, 1998: 242 **A:** AF
- sahlbergi* Zimmermann, 1932: 106 **E:** GR TR **A:** TR
- schuberti* Wewalka, 1971: 138 **A:** TR
- semirufus* Germar, 1844: pl.3 (*Hydroporus*) **E:** FR IT
- syriacus* Wewalka, 1971: 141 **A:** TR
- taron* Aykut, Taşar & Fery, 2018: 404 **A:** TR
- tashk* Fery, Hasanshahi & Abbasipour, 2014: 1256 **A:** IN
- theryi* Peyerimhoff in Bedel, 1925: 356 (*Hydroporus*) **N:** MO
- toledo* Fery, Erman & Hosseinie, 2001: 342 **A:** TR
- vestitus* Gebler, 1848: 76 (*Hydroporus*) **A:** AF KZ RU (WS) TD UZ
- wewalkai* Fery & Fresneda, 1988b: 241 **E:** SP
- wittmeri* Wewalka, 1971: 130 **A:** TR
- witzgalli* Fery & Brancucci, 1997: 278 **A:** TR
- youngi* Fery & Hosseinie, 1998: 240 **A:** IN

genus Iberonectes Fery & Ribera, 2018: 28 type species *Deronectes bertrandi* Legros, 1956
bertrandi Legros, 1956: 134 (*Deronectes*) **E:** PT SP

genus Nebrioporus Régimbart, 1906b: 237 type species *Hydroporus kilimandjarensis* Régimbart, 1906
 = *Bisticus* Guignot, 1941: 59 type species *Hydroporus dubius* Aubé, 1838
 = *Potamodytes* Zimmermann, 1919a: 184 [HN] type species *Dytiscus elegans* Panzer, 1794
 = *Potamonectes* Zimmermann, 1921b: 87 [RN] type species *Dytiscus elegans* Panzer, 1794
 = *Rhabdonectes* Houlbert, 1934: 68 type species *Hydroporus carinatus* Aubé, 1836
 = *Zimmermannius* Guignot, 1941: 59 type species *Hydroporus canariensis* Bedel, 1881

acuminatellus Fairmaire, 1876: 49 (*Hydroporus*) **N:** AG

airumilus Kolenati, 1845: 85 (*Hydroporus*) **E:** AB AR GG PL RU (ST) UK **A:** AF CH (BEI GAN GUI HEB HEI
 HEN JIA LIA NMO SCH SHA SHN SHX XIN YUN) HP IN IS KA KI KZ MG PA RU (ES) TD TM TR UZ
 = *amurensis* Sharp, 1882: 427 (*Deronectes*)

- = *kashmirensis* Régimbart, 1899: 195 (*Hydroporus*)
 = *rybinskii* Kinel, 1936: 199 (*Deronectes*)
 = *sulphuricola* Zaitzev, 1951: 58 (*Deronectes*)
amicorum Toledo, 2009: 62 **E**: GR (Crete)
anchoralis Sharp, 1884: 442 (*Deronectes*) **A**: JA
assimilis Paykull, 1798: 236 (*Dytiscus*) **E**: AU BY CR CZ DE EN FI FR GB GE IR LA LT ME NR RU (CT NT) PL
 SV SZ **A**: **MG**¹ RU (ES WS)
 = *affinis* Sturm, 1835: 17 (*Hydroporus*)
 = *frater* Kunze, 1818: 62 (*Hyphydrus*)
 = *hyperboreus* Gyllenhal in C.R. Sahlberg, 1826: 175 (*Hyphydrus*)
baeticus Schaum, 1864b: 109 (*Hydroporus*) **E**: SP
 = *mariae* Millán & Rocchi, 1991: 83 (*Potamonectes*)
balli Vazirani, 1970a: 127 (*Potamonectes*) **A**: HP PA UP
banajai Brancucci, 1980b: 106 (*Potamonectes*) **A**: SA
browni Guignot, 1949b: 44 (*Potamonectes*) **A**: CH (GUI HUN SCH)
bucheti bucheti Régimbart in Sainte-Claire Deville, 1898: 89 (*Hydroporus*) **E**: FR IT
bucheti cazorlensis Lagar, Fresneda & Hernando, 1987: 93 (*Potamonectes*) **E**: SP
canaliculatus Lacordaire in Boisduval & Lacordaire, 1835: 328 (*Hydroporus*) **E**: AU BE CZ DE FR GB GE GR HU
 IT LU NL PL PT SK SP SV SZ
 = *pantherinus* Reclaire & Wiel, 1948: 222 (*Deronectes*)
canariensis Bedel, 1881: 265 [RN] (*Hydroporus*) **N**: CI
 = *gomerensis* Guignot, 1949a: 6 (*Potamonectes*)
 = *tesselatus* Aubé, 1838b: 516 [HN] (*Hydroporus*)
carinatus Aubé, 1838b: 485 (*Hydroporus*) **E**: PT SP
 = *carinatus* Aubé, 1838a: 238 [HN] (*Hydroporus*)
ceresyi Aubé, 1838b: 543 (*Hydroporus*) **E**: BU CR FR GR IT MA PT SP UK **N**: AG CI EG LB MO MR TU **A**: CY
 IN IQ IS SI SY TM TR
 = *ceresyi* Aubé, 1838a: 260 [HN] (*Hydroporus*)
 = *cerisyi* Guignot, 1947e: 144 [UE] (*Potamonectes*)
 = *lyellii* Wollaston, 1857: 26 (*Hydroporus*)
 = *salinus* Joly, 1840: 42 (*Hydroporus*)
 = *undecimlineellus* Fairmaire, 1877: 141 (*Hydroporus*)
clarkii Wollaston, 1862: 438 (*Hydroporus*) **E**: IT PT SP **N**: AG CI MO TU **A**: TR
 = *andalusiae* Clark, 1862c: 469 (*Hydroporus*)
 = *subtruncatus* Fairmaire, 1876: 49 (*Hydroporus*)
 = *unilineatus* Báguena Corella, 1935: 88 (*Hydroporus*)
croceus Angus, Fresneda & Fery, 1993: 298 **E**: SP
crotchi Preudhomme de Borre, 1871a: xiii (*Hydroporus*) **N**: EG **A**: IS SA SI
 = *moestus* Walker, 1871: 10 [HN] (*Hydroporus*)
 = *schweinfurthi* Zimmermann, 1921b: 87 (*Deronectes*)
 = *walkeri* Branden, 1885: 49 [RN] (*Deronectes*)
depressus Fabricius, 1775: 233 (*Dytiscus*) **E**: BY CZ DE EN FI GB GE HU IR LA LT NR PL RU (CT NT ST) SL
 SV UK **A**: **MG** RU (ES WS) **NAR**
 = *boristhenicus* Hochhuth, 1871: 233 (*Hydroporus*)
 = *intermedius* Franck, 1935: 239 (*Deronectes*)
 = *latescens* Falkenström, 1932a: 185 (*Deronectes*)
 = *neuhoffii* Cederhielm, 1798: 32 (*Dytiscus*)
dubius Aubé, 1838b: 517 (*Hydroporus*) **N**: MR
 = *vigilans* Wollaston, 1854: 86 (*Hydroporus*)
elegans Panzer, 1794: 24/t.5 (*Dytiscus*) **E**: AU BE BH CR CZ FR GB GE HU IT LS LU NL PT SK SL SP SZ
 = *brevis* Sturm, 1835: 9 [HN] (*Hydroporus*)
 = *marginicollis* Aubé, 1838a: 229 [HN] (*Hydroporus*)
 = *marginicollis* Aubé, 1838b: 507 (*Hydroporus*)
 = *pallidus* Heer, 1837: 54 (*Hydroporus*)
fabressei Régimbart, 1901b: 324 (*Hydroporus*) **E**: FR PT SP
fenestratus Germar, 1836: t.3 (*Hydroporus*) **E**: IT
 = *fenestratus* Aubé, 1838a: 233 (*Hydroporus*) [HN]
 = *fenestratus* Aubé, 1838b: 512 (*Hydroporus*) [HN]
 = *schaumei* Aubé, 1842: 229 (*Hydroporus*)
hostilis Sharp, 1884: 448 (*Deronectes*) **A**: CH (JIL LIA SCH TAI) JA NC RU (FE) SC

- indicus* Sharp, 1882: 431 (*Deronectes*) **A:** AF AP CH (XIZ) HP KA NP PA UP
 = *manii* Vazirani, 1970a: 124 (*Potamonectes*)
- insignis* Klug, 1834: t.33/10 (*Hydroporus*) **N:** EG **A:** SA SI YE
 = *princeps* Sharp, 1882: 428 (*Deronectes*)
 = *semiclusis* Walker, 1871: 10 (*Hydroporus*)
- kiliani* Peyerimhoff, 1929: 169 (*Hydroporus*) **N:** AG **AFR**
- laeviventris* Reiche & Saulcy, 1855: 642 (*Hydroporus*) **A:** CY LE SY TR
 = *scutellaris* Sharp, 1882: 426 (*Deronectes*)
- lanceolatus* Walker, 1871: 11 (*Hydroporus*) **N:** EG **A:** IN IQ IS JO KU SA SI SY TR
 = *arabicus* Sharp, 1882: 429 (*Deronectes*)
 = *islamiticus* Sharp, 1882: 430 (*Deronectes*)
- laticollis* Zimmermann, 1933: 163 (*Deronectes*) **A:** CH (SHN)
- luctuosus* Aubé, 1838b: 514 (*Hydroporus*) **E:** BH CR FR GR IT ME SL SP YU **A:** TR
 = *flavopunctatus* Pic, 1895: 10 (*Deronectes*)
 = *luctuosus* Aubé, 1838a: 235 [HN] (*Hydroporus*)
 = *lugubris* Ragusa, 1887: 227 [HN] (*Hydroporus*)
 = *sericeus* Costa, 1847b: 99 [HN] (*Hydroporus*)
- martinii* Fairmaire, 1858: 455 (*Hydroporus*) **E:** FR (Corsica)
- mascatensis* Régimbart, 1897: 206 (*Hydroporus*) **A:** AE AF IN OM PA
- melanogrammus* Régimbart, 1899: 199 (*Hydroporus*) **A:** BT CH (YUN) HP NP UP
 = *satie* Vazirani, 1980: 28 (*Potamonectes*)
- millingeni* J. Balfour-Browne, 1951: 188 (*Potamonectes*) **A:** YE
- nemethi* Guignot, 1950c: 153 (*Potamonectes*) **N:** MO
- nipponicus* Takizawa, 1933: 177 (*Deronectes*) **A:** JA
- ressli* Wewalka, 1974: 108 (*Potamonectes*) **A:** AF IN TD TM UZ
- sagartus* Toledo, 2009: 71 **A:** IN
- sansii* Aubé, 1838b: 509 (*Hydroporus*) **E:** FR IT SP
 = *sansii* Aubé, 1838a: 230 [HN] (*Hydroporus*)
- sardus* Gemminger & Harold, 1868: 440 [RN] (*Hydroporus*) **E:** GR IT
 = *affinis* Aubé, 1838a: 232 [HN] (*Hydroporus*)
 = *affinis* Aubé, 1838b: 511 [HN] (*Hydroporus*)
 = *genei* A. Villa & G.B. Villa, 1838: 62 [HN] (*Hydroporus*)
- schoedli* Fery, Fresneda & Millán, 1996: 324 **N:** AG TU
- seriatus* Sharp, 1882: 429 (*Deronectes*) **A:** SA YE
- sichuanensis* Hendrich & Mazzoldi, 1995: 4 **A:** CH (SCH)
- simplicipes* Sharp, 1884: 442 (*Deronectes*) **A:** JA RU (FE)
- stearinus stearinus* Kolenati, 1845: 84 (*Hydroporus*) **E:** AB AR **N:** EG **A:** AF IN IS LE SY TR
 = *rufino* J.R. Sahlberg, 1913: 43 (*Deronectes*)
 = *turca* Seidlitz, 1887: 55 (*Deronectes*)
 = *variegatus* Aubé, 1838a: 236 [HN] (*Hydroporus*)
 = *variegatus* Aubé, 1838b: 518 [HN] (*Hydroporus*)
- stearinus suavis* Sharp, 1882: 430 (*Deronectes*) **E:** AL BH BU CR GR MC ME SB **A:** TR
 = *infuscatus* J.R. Sahlberg, 1913: 42 (*Deronectes*)
- stepensis* Motschulsky, 1860c: 516 (*Hydroporus*) **E:** KZ RU (ST)
 = *scythus* Schaum, 1864b: 110 (*Hydroporus*)

genus *Nectomimus* Fery & Ribera, 2018: 34 type species *Oreodytes okulovi* Lafer, 1988
okulovi Lafer, 1988: 52 **A:** RU (ES FE)

genus *Nectoporus* Guignot, 1950b: 26 type species: *Hydroporus abbreviatus* Fall, 1923
angelinii Fery, 2015: 40 **E:** GR

sanmarkii alienus Sharp, 1873a: 261 (*Hydroporus*) **E:** PT SP

sanmarkii sanmarkii C.R. Sahlberg, 1826: 172 (*Hyphydrus*) **E:** AN AU BE BH BU BY CZ DE FI FR GB GE IC IR
 IT LU MC ME NL NR PL RO RU (CT NT) SB SK SL SP SV SZ UK **A:** CH (JIL) JA MG RU (FE WS) **NAR**
 = *fluviatilis* Stephens, 1828: 46 (*Hygrotus*)
 = *rivalis* Gyllenhal, 1827: 384 (*Hyphydrus*)
 = *stephensii* Stephens, 1835: 391 (*Hygrotus*)

Genus *Neonectes* J. Balfour-Browne, 1944b:189 type species: *Hydroporus natrix* Sharp, 1884

babai Satô, 1990: 102 **A:** CH (TAI)

jakovlevi Zaitzev, 1905d: 25 (*Hydroporus*) **A:** RU (ES)

= *nobilis* Poppius, 1905: 10 (*Hydroporus*)

natrix Sharp, 1884: 443 (*Hydroporus*) **A:** CH (JIL LIA) JA NC RU (FE)

genus *Oreodytes* Seidlitz, 1887: 57 type species *Hyphydrus borealis* Gyllenhal in C.R. Sahlberg, 1826 (= *Dytiscus alpinus* Paykull, 1798)

alpinus Paykull, 1798: 226 (*Dytiscus*) **E:** FI GB NR RU (CT NT) SV **A:** RU (FE WS)

= *bidentatus* Gyllenhal, 1808: 525 (*Hyphydrus*)

= *borealis* Gyllenhal in C.R. Sahlberg, 1826: 174 (*Hyphydrus*)

dauricus Motschulsky, 1860a: 100 (*Hydrocoptus*) **A:** RU (ES FE) **NAR**

= *leechi* Zimmerman, 1985: 110

= *recticollis* Fall, 1926: 140 (*Hydroporus*)

davisii davisii Curtis, 1831: 343 (*Hydroporus*) **E:** AL AR AU BH BU CR CZ FR GB GE GG GR IR IT ME PL RO RU (ST) SK SL SZ UK **A:** TR

= *montanus* Zimmermann, 1915: 218 [HN] (*Hydroporus*)

davisii rhianae R. Carr, 2001:183 **E:** SP

kanoi Kamiya, 1938: 23 (*Deronectes*) **A:** JA

meridionalis Binaghi & Sanfilippo, 1971: 216 **E:** IT

mongolicus Brinck, 1943b: 155 (*Deronectes*) **A:** MG

septentrionalis Gyllenhal in C.R. Sahlberg, 1826: 173 (*Hyphydrus*) **E:** AU CZ FI FR GB GE IR IT ME NR PL PT RU (NT) SL SP SV SZ **A:** MG RU (ES WS) TR

= *devillei* Régimbart, 1901b: 326 (*Hydroporus*)

= *fluviatilis* Sturm, 1835: 23 [HN] (*Hydroporus*)

= *helveticus* Régimbart, 1901b: 326 (*Hydroporus*)

shorti Shaverdo & Fery, 2006: 37 **A:** MG RU (ES)

genus *Scarodytes* Gozis, 1914: 110 type species *Dytiscus halensis* Fabricius, 1787

= *Rhiacodytes* Ádám, 1996: 19 type species *Dytiscus halensis* Fabricius, 1787

antoni Fery & Šťastný, 2007: 880 **E:** CR IT

costatus Aykut & Fery, 2017: 397 **A:** TR

fuscitarsis Aubé, 1838b: 538 (*Hydroporus*) **E:** IT (Sardinia)

= *fuscitarsis* Aubé, 1838a: 255 [HN] (*Hydroporus*)

halensis Fabricius, 1787: 192 (*Dytiscus*) **E:** AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IT LA LT LU MC MD ME NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK YU **N:** AG EG MO TU **A:** IN IS LE SI SY TR

= *amoenus* J.R. Sahlberg, 1908: 22 [HN] (*Hydroporus*)

= *areolatus* Duftschmid, 1805: 274 (*Dytiscus*)

= *areolatus* Gravenhorst, 1807: 105 [HN] (*Dytiscus*)

= *ibericus* Régimbart, 1901b: 326 (*Hydroporus*)

= *kaszonensis* Csiki, 1946: 631

= *nubilis* Gmelin, 1790: 1957 (*Dytiscus*)

= *reticulosus* Falkenström, 1939: 18

malickyi Wewalka, 1977: 139 **E:** GR **A:** TR

margaliti Wewalka, 1977: 142 **A:** IS SY

nigriventris Zimmermann, 1919a: 192 (*Deronectes*) **E:** FR (Corsica)

pederzanii Angelini, 1973: 51 **E:** GR IT

roberti Fery, 2011b: 384 **E:** GR

ruffoi Franciscolo, 1961: 159 **E:** IT

savinensis cercyrae Fery & Šťastný, 2007: 887 **E:** GR (Corfu)

savinensis savinensis Zimmermann, 1933: 189 (*Deronectes*) **E:** AL CR GR ME

genus *Stictotarsus* Zimmermann, 1919a: 184 type species *Dytiscus duodecimpustulatus* Fabricius, 1792

duodecimpustulatus Fabricius, 1792: 197 (*Dytiscus*) **E:** AU BE CZ DE FR GB GE IR IT LU NL NR PL PT SP SV SZ

= *duodecimpustulatus* Olivier, 1795: 31 (*Dytiscus*) [HN]

= *fluminum* Munster, 1932: 85

= *heeri* Jacquet, 1925: 41 (*Hydroporus*)

maghrebinus Mazzoldi & Toledo, 1998: 212 **N:** AG MO

procerus Aubé, 1838b: 505 (*Hydroporus*) **E:** FR (Corsica) IT (Sardinia) **N:** AG MO TU

= *duodecimmaculatus* Régimbart, 1877e: 185 (*Hydroporus*)

= *duodecimmaculatus* Régimbart, 1877f: cxxxiii [HN] (*Hydroporus*)

genus *Trichonectes* Guignot, 1941: 58 type species *Potamonectes otini* Guignot, 1941

otini Guignot, 1941: 57 (*Potamonectes*) **E:** SP **N:** MO

genus *Zaitzevhydrus* Fery & Ribera, 2018: 40 type species: *Hydroporus formaster* Zaitzev, 1908

formaster formaster Zaitzev, 1908d: 269 (*Hydroporus*) **A:** CH (GAN XIN) MG RU (ES WS)

formaster ulanulana C.-K. Yang, 1996: 142 (*Potamonectes*) **A:** CH (QIN XIZ)

= *jaechi* Toledo, 1998: 77

subtribe *Hydroporina* Aubé, 1836

genus *Hydrocolus* Roughley & Larson in Larson et al., 2000: 407 type species *Hydroporus paugus* Fall, 1923

sahlbergi Nilsson, 2001: 9 [RN] **E:** FI NR RU (NT) SV **A:** RU (ES)

= *picicornis* J.R. Sahlberg, 1874: xiii [HN] (*Hydroporus*)

= *picicornis* J.R. Sahlberg, 1875: 152 [HN] (*Hydroporus*)

genus *Hydroporus* Clairville, 1806: 182 type species *Dytiscus fuscus* Schrank, 1781 (= *Dytiscus planus* Fabricius, 1782)

= *Hydatoporus* Gistel, 1856: 355 type species *Dytiscus palustris* Linnaeus, 1760

= *Hydrocoptus* Motschulsky, 1853: 5 type species *Dytiscus tristis* Paykull, 1798

= *Hydroporidius* Guignot, 1949a: 9 type species *Hydroporus melanarius* Sturm, 1835

= *Hydroporinus* Guignot, 1945a: 22 type species *Hydroporus neglectus* Schaum, 1845

= *Hydrotarsus* Falkenström, 1938: 4 type species *Hydrotarsus lundbladi* Falkenström, 1938

= *Schizoporus* Ádám, 1996: 20 type species *Hydroporus angustatus* Sturm, 1835

= *Sternoporus* Falkenström, 1930: 24 type species *Hydroporus longicornis* Sharp, 1871

= *Suphrodytes* Gozis, 1914: 110 type species *Dytiscus dorsalis* Fabricius, 1787

acutangulus Thomson, 1856: 202 **E:** FI NR RU (NT) SV **A:** MG RU (ES FE WS)

= *aenescens* J.R. Sahlberg, 1880: 50

= *pectoralis* J.R. Sahlberg, 1880: 51 [HN]

= *punctatulus* J.R. Sahlberg, 1889: 221

= *sumakovi* Poppius, 1912: 107

= *zaitzevi* Jacobson, 1908: 425 [RN]

amguemensis Shaverdo, 2003:59 **A:** RU (FE)

ampliatius ampliatius Zaitzev, 1927: 13 **E:** RU (ST) **A:** AR IN

ampliatius colchicus Bilyashiwsky, 2004: 47 **E:** GG

analis Aubé, 1838b: 592 **E:** FR (Corsica) IT **N:** AG TU

= *analis* Aubé, 1838a: 294 [HN]

anatolicus anatolicus J. Balfour-Browne, 1963: 2 **A:** TR

anatolicus koksali Hájek & Fikáček, 2010: 1635 **A:** TR

angusi Nilsson, 1990b: 33 **A:** CH (JIL) JA MG RU (ES FE)

angustatus Sturm, 1835: 53 **E:** AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG HU IR IT LA LS LT LU

MC MD NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A:** IN KZ RU (ES WS) TR

= *acuminatus* Sturm, 1835: 74

apenninus Pederzani & Rocchi, 2005: 319 **E:** IT

artvinensis Fery & Erman, 2009: 9 **A:** TR

askalensis Wewalka, 1992: 56 **A:** TR

basinotatus Reiche, 1864: 234 **E:** SP **N:** MO

= *venator* Sharp, 1882: 465

bergmani Nilsson, 1995: 23 **A:** RU (FE)

bithynicus Hernando, Aguilera, Castro & Ribera, 2012: 38 **A:** TR

bodemeyeri bodemeyeri Ganglbauer, 1900: 139 **E:** GR **A:** TR

= *collarti* Guignot, 1949a: 7

- bodemeyeri cariaensis* Hájek & Fikáček, 2010:1642 **E:** GR (Rhodes) **A:** TR
bodemeyeri guignoti Gschwendtner, 1935c: 205 **E:** AL BU GR
 = *bulgaricus* Hlisenkovský, 1955b: 100
brancoi brancoi Rocchi, 1981: 150 **E:** PT SP
brancoi gredensis Fery, 1999: 234 **E:** PT SP
brancuccii Fery, 1987: 65 **E:** PT SP
brevis R.F. Sahlberg, 1834a: 3 **E:** BY DE EN FI GE LA NR PL RU (CT NT) SV **A:** RU (ES WS)
 = *brevis* R.F. Sahlberg, 1834b: 270 [HN]
breviusculus Poppius, 1905: 14 **A:** CH (JIL) RU (ES FE)
brucki Wehncke, 1875b: 234 **E:** GR **A:** CY LE TR
cagrankaya Fery & Erman, 2009: 3 **A:** TR
cantabricus Sharp, 1882: 457 **E:** SP
carli Wewalka, 1992: 52 **A:** YE
compunctus Wollaston, 1865: 65 **N:** CI
constantini Hernando & Fresneda, 1996: 155 **E:** SP
crinitisternus Shaverdo & Fery, 2001:34 **A:** KZ MG
cuprescens K.W. Miller & Fery, 1995: 405 **A:** CY
decepiens Sharp, 1878a: 113 **E:** PT SP
discretus discretus Fairmaire & Brisout in Fairmaire, 1859b: 28 [CN] **E:** AL AU BE BH BU BY CR CZ DE EN FI
 FR GB GE GG GR HU IR IT LA LS LT LU MC ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ UK
N: MO **A:** AF CH (XIN) CY IN KA NP PA RU (ES) TR
 = *alpestris* Falkenström, 1939: 15
 = *corsicus* Wehncke, 1872a: 163
 = *cyprius* Régimbart, 1878b: 352
 = *lundbladi* Falkenström, 1939: 12
 = *maurus* Sharp, 1882: 463
 = *neuter* Fairmaire & Laboulbène, 1855: 205 [SN]
 = *pescheti* Guignot, 1930: 191
 = *sublaevis* Falkenström, 1922b: 184 [HN]
discretus tatricus Kinel, 1949: 396 **E:** PL
distinguentus Desbrochers des Loges, 1871: 338 **E:** FR GR (Corfu) IT **N:** AG
 = *avunculus* Fairmaire, 1872: lxxii
 = *gridellii* Focarile, 1960: 68
dobrogeanus Ieniştea, 1962: 424 **E:** AU BH BU CZ GR HU IT ME RO SK UK **A:** CY TR
dorsalis Fabricius, 1787: 192 (*Dytiscus*) **E:** AU BE ?BH ?BU BY CR CZ DE EN FI FR GB GE ?HU IR IT LA ?LT
 ?LU ?MD NR PL RU (CT) SK ?SL SV SZ ?YU **A:** ?KI RU (WS)*
 = *dubius* Melsheimer, 1844: 29 [HN]
 = ? *fimbriatus* Schrank, 1781: 203 (*Dytiscus*)
 = *marginalis* Schilsky, 1889: 346
 = ? *punctatus* O.F. Müller, 1776: 73 [HN] (*Dytiscus*)
 = *quadricolor* Gmelin, 1790: 1956 (*Dytiscus*)
 = *ruffifrons* Fabricius, 1792: 198 [HN] (*Dytiscus*)
elongatulus Sturm, 1835: 52 **E:** AU BE BY CZ DE EN FI FR GB GE LA LT NL NR PL RU (CT NT) SK SV UK **A:**
 MG RU (ES WS)
 = *eugeniae* Zaitzev, 1909: 63
 = *lenensis* Poppius, 1905: 15
emergens Vorst & Fery, 2014: 146 **A:** TR
errans Sharp, 1882: 462 **N:** CI
erythrocephalus Linnaeus, 1758: 412 (*Dytiscus*) **E:** AB AU BE BH BU BY CR CZ DE EN FA FI FR GB GE GG
 HU IR IT LA LT LU MENL NR PL RO RU (CT NT ST) SK SL SV SZ UK **A:** IN KZ RU (ES WS) TR
 = *deplanatus* Gyllenhal in C.R. Sahlberg, 1826: 178 (*Hyphydrus*)
 = *derelectus* Clark, 1862c: 471
 = *faroensis* Mjöberg, 1917: 10
 = *sericeus* Eschscholtz, 1818: 459 (*Dytiscus*)
 = *subcostatus* Gerhardt, 1909: 2
erzurumensis Erman & Fery, 2000:172 **A:** TR

* Two species were currently recognised by Bergsten et al. (2012). The occurrence of *H. dorsalis* in countries marked with question mark has to be revised with the respect to that fact.

- esseri* Fery & Hendrich, 2011a: 39 **A**: TR
- ferrugineus* Stephens, 1829: 193 **E**: AU BE BU CR CZ FR GB GE HU IT LU ME PL RO SK SL SZ UK
 = *victor* Aubé, 1838a: 300 [HN]
 = *victor* Aubé, 1838b: 598
- feryi* Wewalka, 1992: 54 **N**: AG TU
- figuratus* Gyllenhal in C.R. Sahlberg, 1826: 175 (*Hyphydrus*) **E**: AU BE BY CR CZ DE FI FR GB GE IR NL NR
 PL RU (CT NT ST) SK SV UK **A**: RU (ES WS)
 = *eljasi* Wirén, 1968: 114
 = *maeklini* Zaitzev, 1910a: 29 [RN]
 = *sibiricus* Mäklin, 1881: 22 [HN]
 = *transversalis* Dalla Torre, 1877: 61
- foveolatus* Heer, 1840: 157 **E**: AU BH FR GE HU IT PL SP SZ
 = *apfelbecki* Ganglbauer, 1891: 475
 = *atropos* Mulsant & Godart, 1860: 179
 = *nivalis* Heer, 1840: 157
- fuscipennis* Schaum in Schaum & Kiesenwetter, 1867: 64 [RN] **E**: AU BY DE EN FI GE HU LA LT MC NR PL
 RU (CT NT ST) SB SK SV UK **A**: JA KZ MG RU (ES FE WS) TM **NAR**
 = *criniticoxis* Larson, 1975: 301
 = *flavipennis* Munster, 1932: 84
 = *piceus* Sturm, 1835: 66 [HN]
 = *puberulus* Mannerheim, 1853: 163 [HN]
- galloprovincialis* Manuel, 2013: 456 **E**: FR
- geniculatus* Thomson, 1856: 200 **E**: FI NR RU (NT) SV **A**: MG RU (ES WS) **NAR**
 = *opacus* Wehncke, 1872a: 163
 = *pilipes* J.R. Sahlberg, 1921: 3
 = *subseriatus* J.R. Sahlberg, 1910: 171
- georgicus* Bilyashiwsky, 2004:44 **E**: GG
- glabriusculus* Aubé, 1838b: 614 **E**: BY DE **EN**⁹ FI GB GE IR LA LT NL NR PL RU (NT) SV **A**: RU (ES WS)
 = *glabriusculus* Aubé, 1838a: 312 [HN]
- glasunovi dolini* Fery & Šťastný, 2010: 1012 **A**: KI KZ UZ
- glasunovi glasunovi* Zaitzev, 1905d: 26 **A**: AF CH (XIN) KI TD UZ
 = *macrocephalus* Gschwendtner, 1923: 100
- goldschmidti* Gschwendtner, 1923: 101 **A**: CH (XIN) KI UZ
 = *recidivus* Gschwendtner, 1923: 103
- golestanensis* Hájek, 2016: 497 **A**: IN
- gueorguievi* Wewalka, 1975a: 91 **E**: BU
- guernei* Régimbart in Alluaud, 1891: 202 **E**: AZ
- gyllenhalii* Schiødte, 1841: 434 **E**: AU BE BU BY CR CZ DE FI FR GB GE IR IT LU NL NR PL PT RU (NT) SK
 SP SV
- hajeki* Fery, 2009: 546 **A**: IN
- hebaueri* Hendrich, 1990: 244 **E**: AL BH BU GR HU ME SK TR
- hellenicus* Mazzoldi & Toledo, 1992: 183 **E**: GR
- holzschuhi* Fery, 2009: 540 **A**: TR
- humilis* Klug, 1834: t.33/11 **N**: EG **A**: IS SI
 = *sinaicus* Wewalka, 1984: 133
- hygrotoides* Fery, 2000: 1248 [RN] **A**: CH (JIX BEI)
 = *discedens* Sharp, 1882: 396 [HN] (*Coelambus*)
- ijimai* Nilsson & Nakane, 1993: 424 **A**: JA
- incognitus* Sharp, 1869: 84 **E**: AU BE BY CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL PT RO RU
 (CT NT ST) SK SL SP SV SZ UK **A**: KZ RU (ES WS)
 = *discedens* Régimbart, 1877c: 194
 = *discedens* Régimbart, 1877d: cxxxix [HN]
 = *elypticus* Petri, 1912: 44
 = *seidlitzii* Gerhardt, 1899a: 5
- incommodus* Fery, 2006: 24 **E**: AU SK
- ineptus* Sharp, 1882: 462 **A**: SY
- inscitus* Sharp, 1882: 463 **A**: IN IQ KU TR
- jacobsoni* Zaitzev, 1927: 17 **E**: GG RU (ST)

- jelineki* Fery, 2009: 535 **A**: IN TR
- joncus caucasicus* Zaitzev, 1927: 12 **E**: AR GG **A**: TR
- joncus jonicus* L. Miller, 1862: 276 **E**: AL BH BU CR GR IT MC ME SL
- jurjurenensis* Régimbart, 1895: 29 **N**: AG
= *djurdjurenensis* Bedel, 1925: 371 [UE]
- kabakovi* Fery & Petrov, 2006:88 **A**: MG RU (ES)
- kasyi* Wewalka, 1984: 132 **A**: CY SY TR
- kozlovskii* Zaitzev, 1927: 15 **E**: AR BU GG MC RO RU (ST) **A**: IN LE TR
- kraatzii* Schaum in Schaum & Kiesenwetter, 1867: 66 **E**: AU BH BU CZ EN FR GE IT PL SK SZ UK
= *hedwigae* Schenkling, 1917: 52 [UE]
= *hedwigi* Reitter, 1897: 45
= *kraatzii* Schaum in Kraatz, 1868: 384 [HN]
- kryshtali* Bilyashivsky, 1993: 15 **E**: UK
- kurdistanicus* Hájek & Fikáček, 2010:1646 **A**: TR
- lapponum* Gyllenhal, 1808: 532 (*Hyphydrus*) **E**: FI NR RU (NT) SV **A**: KZ RU (ES WS) **NAR**
= *kolstromi* J.R. Sahlberg, 1875: 145
= *labradorensis* Fall, 1923: 71
= *obtusipennis* J.R. Sahlberg, 1875: 146
- laticollis* Zimmermann, 1922: 20 **A**: RU (FE)
- lenkoranensis* Fery, 1999: 255 **E**: AB GG
- libanus* Régimbart, 1901a: 101 **A**: LE TR
- limbatus* Aubé, 1838b: 591 **E**: AZ FR IT PT SP **N**: AG LB MO TU
= *limbatus* Aubé, 1838a: 292 [HN]
- lluci* Fery, 1999: 244 **E**: SP (Islas Baleares)
- longicornis* Sharp, 1871: 205 [RN] **E**: AU BE BU BY CZ DE FI FR GB GE HU IR IT LA LT LU NR PL RU (CT NT) SV SZ UK **A**: RU (WS)
= *parallelus* Sharp, 1869: 84 [HN]
- longulus* Mulsant & Rey, 1861: 305 **E**: AU BE FR GB GE IR IT LU NL SP SZ
= *celatus* Clark, 1862c: 473
- lucasi* Reiche in Marseul, 1866: 19 [RN] [NP] **E**: BH FR IT GR PT SP **N**: AG CI LB MO TU
= *basiclarior* Gozis, 1914: 164 [RN]
= *bonnairii* Fairmaire, 1872: lxxii
= *confusus* Lucas, 1846: 96 [HN]
= *lucasi* Reiche in Reiche & Lallemand, 1872: 24 [RN] [HN]
= *nigriceps* Schaum, 1864b: 110 [HN]
= *perplexus* Schaum, 1847: 39 [RN] [NO]
- lundbergi* Fery & Erman, 2009: 8 **A**: TR
- lundbladi* Falkenström, 1938: 4 (*Hydrotarsus*) **N**: MR
- macedonicus* Fery & Pesic, 2006: 596 **E**: MC ME
- marginatus* Duftschmid, 1805: 269 (*Dytiscus*) **E**: AL AR AU BE BH BU CR CZ FR GB GE GG GR HU IT MC NL PL RU (ST) SB SK SL SP SZ TR UK **N**: AG MO **A**: IN IS KZ TR
= *bosnicus* Apfelbeck, 1909: 496
= *pallens* Zimmermann, 1915: 222 [HN]
- mariannae* Wewalka, 1974: 106 **A**: IS
- martensi* Brancucci, 1981: 180 **A**: KA
- melanarius* Sturm, 1835: 59 **E**: AU BE BH BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A**: KZ RU (WS)
= *montanus* Helliesen, 1890: 23
= *monticola* Sharp, 1869: 84
= *munsterii* Helliesen, 1890: 22
= *obscuricornis* J.R. Sahlberg, 1921: 3
= *ruficornis* Zetterstedt, 1838: 139
- memnonius* Nicolai, 1822: 33 **E**: AB AU BE BH BU BY CR CZ DE EN FA FI FR GB GE GR HU IR IT LA LS LT LU NL NR PL RU (CT NT ST) SK SL SP SV SZ UK **N**: AG EG MO TU **A**: TR
= *castaneus* Aubé, 1838a: 302 [HN]
= *castaneus* Aubé, 1838b: 600 [HN]
= *incertus* Aubé, 1838a: 306 [HN]
= *incertus* Aubé, 1838b: 607
= *insularis* Sharp, 1882: 457

- = *jugularis* Babington, 1832: 328
 = *niger* Sturm, 1835: 44 [HN]
 = *revelierei* Sharp, 1882: 458
 = *subelongatus* Stephens, 1835: 392
- morio* Aubé, 1838b: 610 **E:** AU BE BY CZ DE EN FI FR GB GE IR LA LT NL NR PL RU (CT NT) SK SV **A:** JA
MG RU (ES FE WS) NAR
 = *atriceps* Crotch, 1870: 96 [RN]
 = *caliginosus* LeConte, 1850: 215
 = *caminarius* Motschulsky, 1860a: 100
 = *lugubris* Motschulsky, 1845a: 353 [HN]
 = *melancholicus* Motschulsky, 1860a: 100 [RN]
 = *morio* Aubé, 1838a: 307 [HN]
 = *scaphiformis* Sharp, 1871: 205
 = *valliger* Hellén, 1929: 36
 = *watanabei* Takizawa, 1933: 174
- multiguttatus* Régimbart, 1878b: 351 **A:** IS JO SY
 = *ortali* Wewalka, 1984: 136
- nanpingensis* Toledo & Mazzoldi, 1996: 241 **A:** CH (GAN SCH)
- neclae* Erman & Fery, 2006: 41 **A:** TR
- necopinatus necopinatus* Fery, 1999: 248 **E:** PT SP
- necopinatus robertorum* Fery, 1999: 250 **E:** FR GB (Channel Isles)
- necopinatus roni* Fery, 1999: 253 **E:** GB
- neglectus* Schaum, 1845: 409 **E:** AU BE BY CZ DE EN FI FR GB GE HU IR LA LT LU NL NR PL RU (CT NT)
SK SV SZ UK A: RU (WS)
 = *incrassatus* Thomson, 1871: 366
- nevadensis* Sharp, 1882: 481 **E:** PT SP
- nigellus* Mannerheim, 1853: 163 **E:** AN AR AU BU DE FI FR GE GG IT LA NR PL RU (CT **ST**¹⁰) SP SV SZ **A:**
CH (QIN SCH) IN KI KZ MG RU (FE WS) TR NAR
 = *bunnei* Zaitzev, 1910a: 31
 = *mtiula* Zaitzev, 1927: 14
 = *obscuripes* Motschulsky, 1860a: 100
 = *pyrenaeus* Wehncke, 1872a: 163
 = *sieversii* J.R. Sahlberg, 1910: 173
 = *tungus* Zaitzev, 1910a: 32
- nigríta* Fabricius, 1792: 201 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FA FI FR GB GE HU IC IR IT LA LT
LU MC NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ UK A: KI KZ RU (ES WS)
 = *bisbiguttatus* J.R. Sahlberg, 1921: 1
 = *convexior* Seidlitz, 1887: 67
 = *glabellus* Thomson, 1867: 80
 = *melaenus* Nicolai, 1822: 34
 = *monilicornis* J.R. Sahlberg, 1875: 154
 = *obovatus* J.R. Sahlberg, 1880: 52
 = *subalpinus* Thomson, 1871: 365
 = *trivialis* Stephens, 1828: 59
- normandi alhambrae* Fery, 1999: 242 **E:** SP
- normandi ifnii* Fery, 1999: 241 **N:** MO
- normandi ifranensis* Fery, 1999: 239 **N:** MO
- normandi normandi* Régimbart, 1903b: 254 **E:** FR PT SP
- notabilis* LeConte, 1850: 216 **E:** FI NR RU (CT NT) SV **A:** MG RU (ES FE WS) **NAR**
 = *arcticus* Thomson, 1856: 197
 = *fennicus* Seidlitz, 1887: 66
 = *tomentosus* Poppius, 1905: 12
- notatus* Sturm, 1835: 62 **E:** BY CZ DE EN FI FR GE HU LA LT NL PL RU (CT NT) SV UK **A:** RU (ES WS)
 = *sacha* Zaitzev, 1910a: 30
- oasis* Wewalka, 1992: 53 **N:** EG
- obscurus* Sturm, 1835: 65 **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IR LA LT LU NL NR PL RU (CT NT
ST) SK SV SZ UK A: RU (WS) **NAR**
 = *hockingi* Larson, 1975: 296
- obsoletus* Aubé, 1838b: 597 **E:** CR DE FR GB GE GR IR IT NR PT SP SV **N:** AG LB MO MR TU **A:** SY TR
 = *obsoletus* Aubé, 1838a: 298 [HN]

paganettianus Scholz, 1923: 183 **E:** PT SP

palustris Linnaeus, 1760: 216 (*Dytiscus*) **E:** AB AN AR AU BE BH BU BY CR CZ DE EN FA FI FR GB GE GG GR HU IR IT LA LS LT LU MC ME NL NR PL RO RU (CT NT ST) SK SL SP SV SZ UK YU **A:** IN MG RU (ES WS) TR

= *apicalis* Schilsky, 1888: 183

= *buresi* Mařan, 1938: 95

= *cambriensis* Curtis, 1831: 343

= *crisatomarginatus* Goeze, 1777: 625 (*Dytiscus*)

= *fimbriatus* Gmelin, 1790: 1957 [HN] (*Dytiscus*)

= *fuscatorufus* Munster, 1927: 160

= *lituratus* Fabricius, 1781: 296 (*Dytiscus*)

= *proximus* Stephens, 1828: 55

= *sempustulatus* Fabricius, 1777: 239 (*Dytiscus*)

= *styriacus* Seidlitz, 1887: 70

= *tinctus* Clark, 1862b: 326

= *variegatus* Geoffroy in Fourcroy, 1785: 68 (*Dytiscus*)

pfefferi Wewalka, 1974: 107 [RN] **E:** GR

= *orientalis* Hlisnikovský, 1955a: 87 [HN]

pilosus Guignot, 1949a: 5 (*Hydrotarsus*) **N:** CI

planus Fabricius, 1782: 501 (*Dytiscus*) **E:** AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MC NL NR PL PT RO RU (CT NT ST) SK SL SP SV SZ TR UK YU **N:** AG MO **A:** IN IQ KI KZ LE RU (WS) TM TR

= *flavipes* Dalla Torre, 1879: 40

= *frisius* Verhoeff, 1891: 23

= *fuscatus* Stephens, 1828: 62

= *fuscus* Schrank, 1781: 203 (*Dytiscus*)

= *holosericeus* Marsham, 1802: 427 (*Dytiscus*)

= *humeralis* Marsham, 1802: 422 (*Dytiscus*)

= *lividus* Geoffroy in Fourcroy, 1785: 68 (*Dytiscus*)

= *nigricans* Schrank, 1781: 205 (*Dytiscus*)

= *nigriceps* Preller, 1862: 23

= *pallescens* Seidlitz, 1887: 72

= *sordidus* Herbst, 1784: 126 (*Dytiscus*)

polaris Fall, 1923: 92 **A:** RU (FE – Wrangel Island) **NAR**

= *subvirescens* Fall, 1923: 93

productus Fairmaire, 1880a: 248 **N:** AG TU

= *occultus* Sharp, 1882: 456

pseudopubescentis Zimmermann, 1919a: 166 **A:** RU (ES WS)

= *punctatissimus* Poppius, 1905: 14 [HN]

puberulus LeConte, 1850: 215 **E:** FI NR RU (NT) SV **NAR**

= *levanderi* J.R. Sahlberg, 1889: 221

pubescens Gyllenhal, 1808: 536 (*Hyphydrus*) **E:** AB AL AU BE BH BU CR CZ DE EN FA FI FR GB GE GG GR IR IT LA LT LU MC ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ TR UK **N:** AG LB MO TU **A:** CY IN IS JO LE SY TR

= *antidotus* Sharp, 1882: 462

= *caliginosus* Stephens, 1839: 69

= *estrellensis* Schaufuss, 1882a: 559

= *fulvipennis* Munster, 1932: 84

= *roseni* Zimmermann, 1919a: 175

= *scaphula* Sturm, 1835: 58

= *scopularis* Schiødte, 1841: 439

punctipennis J.R. Sahlberg, 1880: 50 **A:** RU (ES WS)

regularis Sharp, 1882: 482 **E:** FR (Corsica)

rifensis Manuel, 2014: 93 **N:** MO

rufifrons O.F. Müller, 1776: 73 (*Dytiscus*) **E:** AU BE BY CR CZ DE EN FI FR GB GE HU IT LA LT NL NR PL RO RU (CT NT ST) SK SL SV SZ UK **A:** RU (ES WS)

= *duftschmidti* Rye, 1872: 47 [RN]

= *intermedius* J.R. Sahlberg, 1880: 49

= *piceus* Stephens, 1828: 62

= *ruficeps* Nicolai, 1822: 33

= *rufifrons* Duftschmid, 1805: 270 [HN] (*Dytiscus*)

- sabaudus sabaudus* Fauvel, 1865: 276 **E:** AU BU CZ FR GE IT MC PL SK SL SP SZ UK
 = *alticola* Sharp, 1882: 468
 = *scholzi* W. Kolbe, 1899: 24
- sabaudus sierranevadensis* Shaverdo, 2004: 24 **E:** SP
- saghaliensis* Takizawa, 1933: 173 **A:** JA RU (FE)
- sanfilippoi* Ghidini, 1958: 13 **E:** IT
- sardomontanus* Pederzani, Rocchi & Schizzerotto, 2004: 129 **E:** IT (Sardinia)
- scalesianus* Stephens, 1828: 57 **E:** AU BE BY CZ DE EN FI FR GB GE HU IR LA LT NL NR PL RU (CT NT) SV
 UK **A:** RU (WS)
 = *pygmaeus* Sturm, 1835: 73 [HN]
- sejilashan* Jia, Zhao & Fery, 2012: 58 **A:** CH (XIZ)
- semenowi* Jakovlev, 1897: 41 **E:** FI NR RU (CT NT) SV
 = *afflatus* Scholz, 1917: 250
 = *longitarsis* J.R. Sahlberg, 1910: 168
- shaverdoae* Fery, 2009: 547 **E:** AR
- sibiricus* J.R. Sahlberg, 1880: 49 **A:** MG RU (ES FE WS) **NAR**
 = *boreus* Gordon, 1981: 106
 = *sibiricus* Sharp, 1882: 466 [HN]
- sivrikaya* Fery & Erman, 2009: 6 **A:** TR
- springeri* J. Müller, 1924: 72 **E:** IT SL
- striola* Gyllenhal in C.R. Sahlberg, 1826: 181 (*Hyphydrus*) **E:** AU BE BH BU **Chyba! Záložka není definována.**
 BY CZ DE EN FI FR GB GE HU IR IT LA LT LU NL NR PL RO RU (CT NT ST) SB SV UK **A:** KZ RU (ES
 WS) **NAR**
 = *ambiguus* Aubé, 1838a: 287 [HN]
 = *ambiguus* Aubé, 1838b: 586
 = *subtonsus* LeConte, 1855: 297
 = *vittula* Erichson, 1837: 178
- submuticus* Thomson, 1874: 537 **E:** FI NR RU (CT NT) SV **A:** CH (JIL) JA MG RU (ES FE WS)
 = *konoj* Nakane, 1963: 25
 = *penitus* Guignot, 1945a: 20
 = *rubripes* J.R. Sahlberg, 1875: 151
 = *rufipes* J.R. Sahlberg, 1874: xiii [HN]
- talyschensis* Bilyashivsky, 2004:45 **E:** AB
- tatiana* Fery & Petrov, 2006:83 **A:** RU (WS)
- teres* Sharp, 1882: 458 **A:** JO SY
- tessellatus* Drapiez, 1819c: 43 [NP] (*Dytiscus*) **E:** AB AL BE BH BU CR FR GB GG GR IR IT LA MA MC ME NL
 PT RU (ST) SP **N:** AG EG MO TU **A:** CY IN IQ IS JO LE SY TR
 = *chrysostomus* Gozis, 1914: 161
 = *habelmanni* Wehncke, 1876b: 76
 = *nigricollis* Desbrochers des Loges, 1871: 339
 = *nigricollis* Fairmaire, 1872: lxxii [HN]
 = *pueli* Barthe, 1916: 245
 = *xanthopus* Stephens, 1835: 393
- thracicus* Guéorguiev, 1966: 71 **E:** AR BU GG GR RU (ST) **A:** TR
- tibetanus* Zaitzev, 1953: 169 **A:** CH (SCH XIZ)
- tokui* Satô, 1985a: 51 **A:** JA
- toledo* Fery & Erman, 2009: 8 **A:** TR
- toubkal* Fery & Hájek, 2013: 602 **N:** MO
- transgrediens* Gschwendtner, 1923: 109 **E:** AB AR GG RU (ST) UK **A:** IN KI TM TR
 = *ponticus* Zaitzev, 1927: 16
- tristis* Paykull, 1798: 232 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT KZ LA LS LT
 LU MC NL NR PL RU (CT NT) SB SK SL SV SZ UK **A:** JA RU (ES FE WS) **NAR**
 = *ampliceps* J.R. Sahlberg, 1921: 2
 = *ruficapillus* Mannerheim, 1852: 304
 = *varians* LeConte, 1850: 215
- tuvaensis* Pederzani, 2001:234 **A:** RU (ES)
- uenoi* Nakane, 1963: 25 **A:** CH (HEI JIL QIN) JA MG RU (ES FE)
- umbrosus* Gyllenhal, 1808: 538 (*Hyphydrus*) **E:** AU BE BY CZ DE EN FI FR GB GE HU IR LA LT LU NL NR PL

RU (CT NT ST) SK SV SZ UK **A:** KZ RU (ES FE WS)
 = *minutus* Stephens, 1828: 59
vagepictus Fairmaire & Laboulbène, 1855: 208 **E:** FR PT SP
vesperinus Fery & Hendrich, 1988: 145 **E:** PT SP
yakutiae Nilsson, 1990b: 34 **A:** RU (FE)
zimmermanni J. Müller, 1926: 288 **E:** BH CR ME SL
 = *bicolor* J. Müller, 1933: 202
 = *zimmermanni* J. Müller, 1928: 260 [HN]

subtribe Siettitiina Smrž, 1982

genus *Etruscodytes* Mazza, Cianferoni & Rocchi, 2013: 235 type species *Etruscodytes nethuns* Mazza, Cianferoni & Rocchi, 2013
nethuns Mazza, Cianferoni & Rocchi, 2013: 236 **E:** IT

genus *Graptodytes* Seidlitz, 1887: 57 type species *Dytiscus granularis* Linnaeus, 1767
aequalis Zimmermann, 1918: 69 [NP] (*Hydroporus*) **E:** PT SP **N:** MO
 = *octolineatus* Schaufuss, 1882a: 559 [NO] (*Hydroporus*)
atlantis Théry, 1933: 129 (*Hydroporus*) **N:** MO
aurasius Jeannel, 1907: 18 (*Hydroporus*) **N:** AG TU
bilineatus Sturm, 1835: 68 (*Hydroporus*) **E:** AL AU BE BH BU BY CR CZ DE FI FR GB GE GG GR HU IR IT LA
 LT LU MC NL PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** KZ RU (ES WS) TR
 = *hopffgarteni* Schilsky, 1892: 193 (*Hydroporus*)
 = *narentinus* Zimmermann, 1915: 220 (*Hydroporus*)
 = *nigrirarsis* Sharp, 1882: 453 (*Hydroporus*)
 = *pervasus* Gozis, 1914: 120 (*Hydroporus*)
bremondi Guignot, 1934: 217 **N:** MO
bussleri Fery, 1994: 399 **A:** IS SY
castilianus Fery, 1995: 40 **E:** SP
delectus Wollaston, 1864: 76 (*Hydroporus*) **N:** CI
eremitus Ribera & Faille, 2010: 6 **N:** MO
exsanguis Bedel, 1925: 364 (*Hydroporus*) **E:** FR (Corsica) IT (Sardinia) **N:** AG TU¹¹
flavipes Olivier, 1795: 38 [NP] (*Dytiscus*) **E:** BE BH BU CR FR GB GE GR IT LU ME NL PT SL SP SZ TR **N:** AG
 MO TU **A:** TR
 = *cebennicus* Guignot, 1932: 410
 = *concinus* Stephens, 1835: 392 (*Hydroporus*)
 = *manducus* Schaufuss, 1882a: 559 (*Hydroporus*)
 = *marmoratus* Stephens, 1835: 438 (*Hydroporus*)
 = *pallipes* Sturm, 1826: 155 (*Hydroporus*) [RN]
 = *portalegrensis* Schaufuss, 1882a: 559 (*Hydroporus*)
fractus Sharp, 1882: 454 (*Hydroporus*) **E:** BU FR GR IT PT SP **N:** AG TU
 = *fallaciosus* Guignot, 1932: 402¹¹
 = ? *gracilis* Wehncke, 1872a: 136 (*Hydroporus*)
granularis Linnaeus, 1767: 667 (*Dytiscus*) **E:** AU BE BH BU BY CR CZ DE EN FI FR GB GE GR HU IR IT LA
 LS LT LU NL NR PL RO RU (CT NT ST) SK SL SV SZ UK
 = *funestus* Schilsky, 1888: 183 (*Hydroporus*)
 = *istrus* J. Müller, 1926: 290
 = *pseudopictus* Zaitzev, 1928: 12
 = *rhodanensis* Schaefer, 1952: 35
 = *suturalis* P.W.J. Müller, 1821: 225 (*Hyphydrus*)
 = *unilineatus* Schrank, 1781: 204 (*Dytiscus*)
ignotus Mulsant & Rey, 1861: 307 (*Hydroporus*) **E:** CR FR GR IT PT SP **N:** AG MO TU
 = *bihamatus* Chevrolat, 1861: 149 (*Hydroporus*)
 = *ypsilon* Reiche in Grenier, 1863: 127 (*Hydroporus*)
kuchtae Breit, 1908: 59 (*Hydroporus*) **E:** SP (Balearic Islands)
laeticulus Sharp, 1882: 453 (*Hydroporus*) **N:** AG MO TU
pictus Fabricius, 1787: 194 (*Dytiscus*) **E:** AU BE BH BU BY CR DE EN FI FR GB GE HU IR IT LA LS LT LU
 MC ME NL NR RO RU (CT NT ST) SK SL SZ UK YU

= *arcuatus* Panzer, 1795a: 75 (*Dytiscus*)
 = *cruciatus* Schilsky, 1890: 182 (*Hydroporus*)
 = *flexuosus* Marsham, 1802: 425 (*Dytiscus*)
 = *fortiterpunctatus* Guignot, 1932: 396
pietrii Normand, 1933: 297 **N**: AG TU
sedilloti phrygius Guignot, 1942a: 18 **E**: GR MC TR **A**: TR
 = *pseudophrygius* Guéorguiev, 1965a: 494
sedilloti sedilloti Régimbart, 1878b: 352 (*Hydroporus*) **A**: CY IS SY
siculus Fery, 1995: 41 **E**: IT (Sicily)
snizeki Hendrich, 1993: 392 **A**: UZ
varius Aubé, 1838b: 637 (*Hydroporus*) **E**: AU BU FR GE GR IT MA PT SP YU **N**: MO
 = *pauper* Schneider, 1903: 51 (*Hydroporus*)
 = *varius* Aubé, 1838a: 334 [HN] (*Hydroporus*)
veterator behningi Zaitzev, 1927: 11 **A**: TR
veterator veterator Zimmermann, 1918: 67 [NP] (*Hydroporus*) **E**: BU CR GR IT MC ME
 = *montenegrinus* Schaufuss, 1882a: 559 [NO] (*Hydroporus*)

genus Iberoporus Castro & Delgado, 2001:34 type species *Iberoporus cermenius* Castro & Delgado, 2001

agnus Foster, 1992: 249 (*Rhithrodytes*) **E**: PT

argaensis Bilton & Fery, 1996: 919 (*Rhithrodytes*) **E**: PT

cermenius Castro & Delgado, 2001:35 **E**: SP

pluto Ribera & Reboleira, 2019: 26 **E**: PT

genus Metaporus Guignot, 1945b: 6 type species *Hydroporus meridionalis* Aubé, 1838

meridionalis Aubé, 1838b: 629 (*Hydroporus*) **E**: FR IT PT SP **N**: AG MO TU

= *lusitanicus* Scholz, 1916: 172 (*Hydroporus*)

= *meridionalis* Aubé, 1838a: 327 [HN] (*Hydroporus*)

= *scriptus* Régimbart, 1895: 24 (*Hydroporus*)

orientalis Toledo & Hosseinie, 2003: 59 **A**: IN

genus Porhydrus Guignot, 1945b: 6 type species *Dytiscus lineatus* Fabricius, 1775

genei Aubé, 1838b: 631 (*Hydroporus*) **E**: BH CR FR GR IT **N**: AG MO

= *genei* Aubé, 1838a: 328 [HN] (*Hydroporus*)

lineatus Fabricius, 1775: 234 (*Dytiscus*) **E**: AB AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR

IT LA LT LU MC MD ME NL NR PL RO RU (CT NT ST) SK SL SV SZ TR UK YU **A**: IN RU (WS)

= *ovalis* Marsham, 1802: 425 [HN] (*Dytiscus*)

= *parvulus* Herbst, 1784: 127 [HN] (*Dytiscus*)

= *pygmaeus* Fabricius, 1792: 200 (*Dytiscus*)

= *quadrilineatus* Drapiez, 1819d: 198 [HN] (*Dytiscus*)

= *thoreii* Clark, 1862a: 409 (*Hydroporus*)

= *velox* O.F. Müller, 1776: 73 (*Dytiscus*)

obliquesignatus Bielz, 1852: 16 (*Hydroporus*) **E**: AU BH BU BY CR HU IT RO RU (ST) SB SK SL UK **A**: KZ RU (WS)

vicinus Aubé, 1838b: 627 (*Hydroporus*) **E**: PT **N**: MO

genus Rhithrodytes Bameul, 1989: 482 type species *Dytiscus crux* Fabricius, 1792

bimaculatus Dufour, 1852: 319 (*Hydroporus*) **E**: FR SP

= *jucundus* Perris, 1869: 7 (*Hydroporus*)

crux Fabricius, 1792: 199 (*Dytiscus*) **E**: FR IT SZ

= *fasciatus* Aubé, 1838a: 347 [HN] (*Hydroporus*)

= *fasciatus* Aubé, 1838b: 640 [HN] (*Hydroporus*)

= *fasciatus* Clark, 1855: 4858 [HN] (*Hydroporus*)

dorsoplagiatus Fairmaire, 1880a: 247 (*Hydroporus*) **N**: AG

minimus Fery, 2016: 433 **N**: AG

numidicus Bedel, 1889: 286 (*Hydroporus*) **N**: AG TU

sexguttatus Aubé, 1838b: 632 (*Hydroporus*) **E**: FR (Corsica) IT (Elba, Monte Christo, Sardinia)

= *sexguttatus* Aubé, 1838a: 330 [HN] (*Hydroporus*)

genus *Siettitia* Abeille de Perrin, 1904: 226 type species *Siettitia balsetensis* Abeille de Perrin, 1904
avenionensis Guignot, 1925: 23 **E: FR**
balsetensis Abeille de Perrin, 1904: 227 **E: FR**

genus *Stictonectes* Brinck, 1943c: 139 [RN] type species *Dytiscus lepidus* Olivier, 1795
 = *Stictonotus* Zimmermann, 1930: 94 [HN] type species *Dytiscus lepidus* Olivier, 1795
abellani Millán, Picazo & Fery in Millán, Picazo, Fery, Moreno & Sánchez-Fernández, 2013: 534 **E: PT SP**
azruensis Théry, 1933: 130 (*Hydroporus*) **N: MO**
canariensis Machado, 1987: 42 **N: CI** (Gran Canaria)
epipleuricus Seidlitz, 1887: 59 (*Hydroporus*) **E: FR PT SP**
escheri Aubé, 1838b: 646 (*Hydroporus*) **E: IT PT SP N: AG MO TU**
 = *bicruciatius* Germar, 1838: 20 (*Hydroporus*)
 = *escheri* Aubé, 1838a: 354 [HN] (*Hydroporus*)
 = *gallicus* Seidlitz, 1887: 60 (*Hydroporus*)
 = *leprieurii* Reiche, 1864: 235 (*Hydroporus*)
formosus Aubé, 1838b: 644 (*Hydroporus*) **E: PT SP N: AG MO TU**
 = *formosus* Aubé, 1838a: 353 [HN] (*Hydroporus*)
lepidus Olivier, 1795: 32 (*Dytiscus*) **E: FR GB GE IR IT PT SL SP SZ N: MO**
 = *bifoveolatus* Zimmermann, 1918: 61 (*Hydroporus*)
 = *fauconneti* Pic, 1930: 13 (*Deronectes*)
 = *scitulus* Stephens, 1828: 49 (*Hygrotus*)
occidentalis Fresneda & Fery, 1990: 73 **E: PT SP**
optatus Seidlitz, 1887: 60 (*Hydroporus*) **E: FR IT PT SP N: AG MO TU**
 = *densatus* Peyerimhoff, 1931: 23
rebecca Bilton, 2012: 44 **E: PT SP**
rufulus Aubé, 1838b: 641 (*Hydroporus*) **E: FR** (Corsica) **IT** (Sardinia)
 = *ramburi* Reiche, 1862: 293 (*Hydroporus*)
 = *rufulus* Aubé, 1838a: 349 [HN] (*Hydroporus*)
samai Schizzerotto, 1988: 539 **N: AG TU**

subtribe unknown

genus *Tassilodytes* Fery & Bouzid, 2016: 467 type species *Graptodytes parisii* Gridelli, 1939
parisii Gridelli, 1939: 408 (*Graptodytes*) **N: AG**

tribe Hydrovatini Sharp, 1880

genus *Hydrovatus* Motschulsky, 1853: 4 type species *Hyphydrus cuspidatus* Kunze, 1818
 = *Hydatonychus* H.J. Kolbe, 1883: 402 type species *Hydatonychus crassicornis* H.J. Kolbe, 1883
 = *Oxynoptilus* Schaum in Schaum & Kiesenwetter, 1867: 28 type species *Hyphydrus cuspidatus* Kunze, 1818
 = *Pseudhydrovatus* Peschet, 1924: 140 type species *Pseudhydrovatus antennatus* Peschet, 1924
 = *Vathydrus* Guignot, 1954c: 197 type species *Hydrovatus sordidus* Sharp, 1882 (= *Hydrovatus acuminatus* Motschulsky, 1860)

acuminatus Motschulsky, 1860d: 42 **N: EG LB A: CH** (FUJ GUA GUX HAI HKG HUB HUN JIA JIX SHA TAI XIZ YUN) **IN IQ IS JA NP OM PA SA SC SY TR UP YE** (Socotra) **AFR AUR ORR**
 = *affinis* Régimbart, 1895: 108
 = *badius* Clark, 1863: 424 (*Hydroporus*)
 = *consanguineus* Régimbart, 1880: 212
 = *ferrugineus* Zimmermann, 1919a: 127 [RN]
 = *ferrugineus* Zimmermann, 1920b: 33 [RN] [HN]
 = *furvus* Guignot, 1950b: 25
 = *humilis* Sharp, 1882: 327
 = *malaccae* Clark, 1863: 425 (*Hydroporus*)
 = *obscurus* Motschulsky, 1860d: 43
 = *obscurus* Régimbart, 1895: 108 [HN]
 = *sordidus* Sharp, 1882: 327
aristidis Leprieur, 1879a: 106 **N: EG A: IS SA AFR**
 = *aristidis* Leprieur, 1879b: lxxxii [HN]
bonvouloiri Sharp, 1882: 335 **A: AF CH** (FUJ TAI YUN) **JA PA ORR**

- = *loochooensis* Kamiya, 1938: 10
castaneus Motschulsky, 1855a: 82 **A: CH (XIZ) ORR**
clypealis Sharp, 1876: 61 **E: BE CR FR GB IR IT PT SB SP N: AG EG MO TU**
compactus Sharp, 1882: 333 **N: EG AFR**
confertus Sharp, 1882: 329 **A: BT CH (FUJ GUX HAI HUN SHG YUN) NP PA UP ORR**
cuspidatus Kunze, 1818: 68 (*Hyphydrus*) **E: AB AL AR AU BE BU CR CZ DE FR GE GG GR HU IT LU MC MD NL PL PT RO RU (CT ST) SB SK SL SP SV SZ UK N: AG EG LB MO TU A: CY IN IQ IS JO⁵ KI LE SI SY TM TR UZ AFR**
 = *maculatus* Sharp, 1882: 322 [HN]
 = *maculosus* Zimmermann, 1919a: 126 [RN]
 = *maculosus* Zimmermann, 1920b: 34 [RN] [HN]
 = *simplex* Sharp, 1882: 322
deserticola joyceae Nilsson, 2001: 10 [RN] **N: EG AFR**
 = *badius* Omer-Cooper, 1931: 760 [HN]
irakensis Abdul-Karim & Ali, 1986: 280 **A: IQ**
japonicus Takizawa, 1933: 166 **A: JA**
longicornis Sharp, 1882: 323 **N: EG AFR**
 = *berdoa* Bruneau de Miré & Legros, 1963: 850
meridionalis Abdul-Karim & Ali, 1986: 281 **A: IQ**
obtusus Motschulsky, 1855a: 82 **A: CH (FUJ HAI HUB ZHE) ORR**
 = *acutus* Sharp, 1882: 330
picipennis Motschulsky, 1860d: 40 **A: CH (XIZ) ORR**
pinguis Régimbart, 1892a: 114 **A: CH (YUN) NP ORR**
pumilus Sharp, 1882: 331 **A: JA ORR**
remotus Biström & Watanabe, 2017: 6 **A: CH (TAI)¹² JA (Ryukyus)**
rufoniger rufoniger Clark, 1863: 423 (*Hyphydrus*) **A: CH (MAC) "China" ORR**
 = *atricolor* Régimbart, 1880: 212
seminarius Motschulsky, 1860d: 42 **A: BT CH (JIX TAI) JA NP PA ORR**
 = *fuscus* Sharp, 1882: 326
 = *matsuii* Nakane, 1990b: 198
 = *tinctus* Sharp, 1882: 328
stridulus Biström, 1997: 529 **A: CH (TAI)¹² JA ORR**
subrotundatus Motschulsky, 1860d: 41 **A: CH (FUJ GUX HUN YUN) NP ORR**
 = *carbonarius* Clark, 1863: 423 (*Hydroporus*)
 = *elevatus* Sharp, 1882: 328
 = *ferrugatus* Régimbart, 1877a: lxxix [HN]
 = *ferrugatus* Régimbart, 1877h: 122
 = *fuscobrunneus* Clark, 1863: 424 (*Hydroporus*)
 = *javanus* Csiki, 1938: 126
 = *orientalis* Sharp, 1882: 805
subtilis Sharp, 1882: 329 **A: CH (MAC TAI XIZ) JA SC ORR**
 = *adachii* Kamiya, 1932: 4
villiersi Guignot, 1955a: 860 **N: EG A: IS SI AFR**
 = *albertianus* Guignot, 1959c: 165
 = *brownneanus* Guignot, 1959b: 140
 = *uncus* Guignot, 1959c: 164
yagii Kitayama, M. Mori & Matsui, 1993: 1 **A: JA**

tribe Hygrotini Portevin, 1929

- genus *Clemnius* Villastrigo, Ribera, Manuel, Millán & Fery, 2017: 503** type species *Hyphydrus decoratus* Gyllenhal, 1810
subgenus *Clemnius* Villastrigo, Ribera, Manuel, Millán & Fery, 2017: 503 type species *Hyphydrus decoratus* Gyllenhal, 1810
decoratus Gyllenhal, 1810: xvi (*Hyphydrus*) **E: AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LS LT LU NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK A: KZ RU (ES WS)**
 = *unicolor* Schilsky, 1888: 183 (*Hygrotus*)

genus *Hygrotus* Stephens, 1828: 38 type species *Dytiscus inaequalis* Fabricius, 1777

subgenus *Coelambus* Thomson, 1860: 13 type species *Dytiscus confluens* Fabricius, 1787

ahmeti Hájek, Fery & Erman, 2005: 262 **A:** TR

caspius Wehncke, 1875b: 234 (*Hydroporus*) **E:** KZ RU (CT ST) **A:** CH (GAN HEB NMO QIN SHA XIN) KZ MG RU (ES WS) TM

= *reitteri* Zaitzev, 1908d: 268 (*Coelambus*)

= *trilineatus* Feng, 1936: 6 (*Coelambus*)

confluens Fabricius, 1787: 193 (*Dytiscus*) **E:** AB AR AU AZ BE BH BU BY CR CZ DE EN FR GB GE GG GR HU IR IT LS LU MA MC MD ME NL NR PL PT RU (CT ST) SK SL SP SV SZ UK YU **N:** AG CI EG LB MO MR TU **A:** AE AF CY HP IN IQ IS JO KA KZ KU **MG** PA RU (ES) SA SI SY TM TR UZ YE **AFR**

enneagrammus Ahrens, 1833: 645 (*Hydroporus*) **E:** AB BU GE GG KZ PL RO RU (ST) UK **A:** AF CH (XIN) IN KI KU KZ MG PA RU (WS) SY TD TM TR UZ

= *blandus* Germar, 1834: t.4 (*Hydroporus*)

= *puncticeps* Seidlitz, 1887: 43 (*Coelambus*)

= *tauricus* Motschulsky, 1860b: 303 (*Hydroporus*)

flaviventris Motschulsky, 1860b: 303 (*Hydroporus*) **E:** AB AR GE GG PL RU (ST) **A:** CH (QIN XIN) KA KI KZ MG PA RU (WS)

nigrolineatus Steven in Schönherr, 1808: 33 (*Hyphydrus*) **E:** AU BE BY CZ DE FI FR GB GE NL PL RU (ST) SV UK **A:** KZ MG RU (WS)

= *lautus* Schaum, 1843: 187 (*Hydroporus*)

pallidulus Aubé, 1850: 300 (*Hydroporus*) **E:** AB AU BU FR GG GR HU IT RO SP UK **N:** AG EG LB MO TU **A:** IN SI SY TM TR

= *fulviventris* Costa, 1883: 85 (*Hydroporus*)

pectoralis Motschulsky, 1860b: 303 (*Hydroporus*) **A:** KZ RU (ES WS)

subgenus *Hygrotus* Stephens, 1828: 38 type species *Dytiscus inaequalis* Fabricius, 1777

= *Dryephorus* Guignot, 1950c: 150 type species *Coelambus nodieri* Régimbart, 1895

= *Heroceras* Guignot, 1950c: 150 type species *Herophydrus descarpentriensi* Peschet, 1923

= *Herophydrus* Sharp, 1880: cxlviii type species: *Hydroporus hyphydroides* Perris, 1864 (= *Hyphydrus guineensis* Aubé, 1838)

aequalis Falkenström, 1932b: 192 **A:** CH (SCH)

= *aequalis* Falkenström, 1933: 11 [HN]

cleopatrae Peyron, 1858: 398 (*Hydroporus*) **A:** IS TR

= *galileae* Wewalka, 1984: 131

= *gouini* Guignot, 1953b: 115

guineensis Aubé, 1838b: 455 (*Hyphydrus*) **E:** FR IT MA **N:** AG EG LB **A:** IS SA YE **AFR**

= *barbarus* Schaum in White, 1847: 34 [RN] (*Hydroporus*)

= *ferrugineus* Lucas, 1846: 98 [HN] (*Hydroporus*)

= *hyphydroides* Perris, 1864: 277 (*Hydroporus*)

= *inflatus* Reiche in Reiche & Lallemand, 1872: 24 [RN] (*Hydroporus*)

= *mutatus* Gemminger & Harold, 1868: 437 [RN] (*Hydroporus*)

= *ruficeps* Boheman, 1848: 253 [HN] (*Hydroporus*)

= *turgidus* Erichson, 1843: 220 (*Hyphydrus*)

= *umbrosus* Zimmermann, 1926: 29

inaequalis Fabricius, 1777: 239 (*Dytiscus*) **E:** AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC MD ME NL NR PL PT RO RU (CT NT ST) SB SK SL SP SV SZ UK **N:** AG MO **A:** CH (HEI JIL LIA NMO SHA) IN IS JA KI KZ LE MG RU (ES FE WS) SY TR

= *dalmatinus* Zimmermann, 1915: 218

= *hokkaidensis* Satô, 1972a: 54

= *minor* Costa, 1847b: 97 (*Hydroporus*)

= *parvulus* Fabricius, 1792: 201 [HN] (*Dytiscus*)

= *uhagonii* Seidlitz, 1887: 39

musicus Klug, 1834: t.33/12 (*Hydroporus*) **E:** AB AR BU CR GG GR IT MA RU (ST) SP UK **N:** AG CI EG LB MO TU **A:** AE AF CH (XIN) IN IQ IS JO KI KU KZ NP PA SA SI SY TD TM TR UP UZ YE **ORR**

= *alei* Abdul-Karim & Ali, 1986: 276

= *fractilinea* Solsky, 1874: 134 (*Hydroporus*)

= *interruptus* Sharp, 1882: 398 (*Coelambus*)

quinquelineatus Zetterstedt, 1828: 234 (*Hyphydrus*) **E:** AU BY DE **EN**⁹ FI FR GB GE IR NR RU (CT NT ST) SV SZ **A:** CH (NMO) KZ MG RU (ES FE WS) TD

= *conjunctus* Munster, 1930: 339

= *disjunctus* Munster, 1932: 83
rufus Clark, 1863: 423 (*Hyphydrus*) **A:** CH (FUJ GUA GUX HAI HUB TAI) JA
 = *rotundatus* Gschwendtner, 1931b: 21 (*Hyphoporus*)
vazirani Nilsson, 1999b: 19 [RN] **A:** KA
 = *kashmirensis* Vazirani, 1970a: 118 [HN] (*Hydroporus*)
versicolor Schaller, 1783: 313 (*Dytiscus*) **E:** AB AU BE BH BU BY CR CZ DE EN FI FR GB GE HU IR IT LA LT
 LU NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A:** RU (WS)
 = *affinis* Stephens, 1828: 48
 = *collaris* Panzer, 1795a: 79 (*Dytiscus*)
 = *confluens* Munster, 1932: 83 [HN]
 = *recurvus* Marsham, 1802: 424 (*Dytiscus*)
 = *reticulatus* Fabricius, 1792: 200 (*Dytiscus*)
 = *semilineatus* Zimmermann, 1915: 218

subgenus *Hyphoporus* Sharp, 1882: 389 type species *Hydroporus solieri* Aubé, 1838

anitae Vazirani, 1969b: 221 **A:** PA UP
aper Sharp, 1882: 390 **A:** IN PA UP **ORR**
bertrandi Vazirani, 1969b: 218 **A:** PA
dehraduni Vazirani, 1969b: 211 **A:** UP
elevatus Sharp, 1882: 390 **A:** **HPChyba! Záložka není definována.** PA UP **ORR**
kempi Gschwendtner, 1936: 368 **A:** CH (YUN) **ORR**
nilghiricus Régimbart, 1903c: 331 **A:** PA **ORR**
pacistanus Guignot, 1959a: 10 **A:** AF PA
severini Régimbart, 1892a: 115 **A:** AF PA UP **ORR**
solieri Aubé, 1838b: 554 (*Hydroporus*) **N:** EG **A:** IN KU SA SI
 = *innesi* Reitter, 1909: 31
 = *letourneuxi* Pic, 1896: 141
 = *posticalis* J.R. Sahlberg, 1913: 41

subgenus *Leptolambus* Villastrigo, Ribera, Manuel, Millán & Fery, 2017: 522 type species *Dytiscus*

impressopunctatus Schaller, 1783
armeniacus Zaitzev, 1927: 5 (*Coelambus*) **E:** AR GG **A:** TR
chinensis Sharp, 1882: 398 (*Coelambus*) **A:** CH (BEI HEB HEI JIL JIX LIA NMO SCH SHA TAI XIN ZHE) JA
 MG NC RU (FE) SC
 = *vittatus* Sharp, 1884: 441 (*Coelambus*)
corpulentus Schaum, 1864b: 109 (*Hydroporus*) **E:** RU (ST) UK **A:** KI KZ UZ
 = *leonhardi* Scholz, 1916: 168 (*Coelambus*)
curvilobus Fery, Sadeghi & Hosseinie, 2005: 31 **A:** IN
fresnedai Fery, 1992c: 347 (*Coelambus*) **E:** SP
impressopunctatus Schaller, 1783: 313 (*Dytiscus*) **E:** AB AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG
 HU IR IT LA LS LT LU MC MD NL NR PL RO RU (CT NT ST) SB SK SL SP SV SZ UK **A:** AF CH (GAN
 HEB HEI LIA NMO QIN SCH SHA XIN) IN JA KA KI KZ MG RU (ES FE WS) TM TR UZ **NAR**
 = *alternans* Gravenhorst, 1807: 104 (*Dytiscus*)
 = *decemlineatus* Mannerheim, 1853: 161 (*Hydroporus*)
 = *flavicans* Gmelin, 1790: 1957 (*Dytiscus*)
 = *hiurai* Satô, 1972a: 54 (*Coelambus*)
 = *lineatus* O.F. Müller, 1776: 74 [HN] (*Dytiscus*)
 = *lineellus* Gyllenhal, 1808: 529 (*Hyphydrus*)
 = *opacus* Falkenström, 1932b: 192 (*Coelambus*)
 = *ovalis* Thunberg, 1784: 19 [HN] (*Dytiscus*)
 = *picipes* Fabricius, 1787: 192 (*Dytiscus*)
 = *punctatus* Marsham, 1802: 426 [HN] (*Dytiscus*)
 = *roborovskii* Zaitzev, 1953: 135 (*Coelambus*)
 = *similis* Kirby, 1837: 38 (*Hydroporus*)
inscriptus Sharp, 1882: 404 (*Coelambus*) **N:** EG **A:** AE IN IQ KU OM SA SY TM UZ
 = *uzbekorum* Zaitzev, 1953: 140 (*Coelambus*)
lagari Fery, 1992a: 115 (*Coelambus*) **E:** IT PT SP **N:** AG MO TU
lernaesus Schaum, 1857: 153 (*Hydroporus*) **E:** BU GG GR MC RO **N:** EG **A:** AF IS KI SY TR UZ

- marklini* Gyllenhal, 1813: 689 (*Hyphydrus*) **E:** AR BY DE EN FI FR GG LA NR PL RU (CT NT ST) SP SV UK **A:** CH (GAN QIN XIZ) KZ MG RU (ES FE WS) TR UZ **NAR**
 = *astur* Sharp, 1882: 468 (*Hydroporus*)
 = *awajewi* Jakovlev, 1899: 508 (*Coelambus*)
 = *canadensis* Fall, 1919: 11 (*Coelambus*)
 = *lutzi* Reitter, 1908: 215 (*Hydroporus*)
 = *mistellus* Marseul, 1882: 98 (*Hydroporus*)
 = *mixtus* Fischer von Waldheim, 1829: 27 (*Hydroporus*)
 = *pallens* Aubé, 1838a: 358 [HN] (*Hydroporus*)
 = *pallens* Aubé, 1838b: 559 (*Hydroporus*)
 = *steppensis* Branden, 1885: 63 [RN] [HN] (*Hydroporus*)
 = *virgo* Fall, 1919: 12 (*Coelambus*)
- novemlineatus novemlineatus* Stephens, 1829: 192 (*Hydroporus*) **E:** BE BU DE EN FI GB GE IR LT NL NR RU (NT) SV **A:** RU (FE WS)
 = *parallellus* Aubé, 1838a: 268 [HN] (*Hydroporus*)
 = *parallellus* Aubé, 1838b: 553 [HN] (*Hydroporus*)
 = *schoenherri* Aubé, 1838a: 267 [HN] (*Hydroporus*)
 = *schoenherri* Aubé, 1838b: 551 (*Hydroporus*)
- orthogrammus* Sharp, 1882: 405 (*Coelambus*) **A:** IN IQ KU SA
- parallelogrammus* Ahrens, 1812: 11 (*Dytiscus*) **E:** AB AL AU BE BH BU BY CR CZ DE EN FR GB GE GR HU IR IT LA LT LU MD NL NR PL RO RU (CT ST) SB SK SL SP SV SZ UK **A:** AF CH (BEI) ES IQ KI KZ MG RU (ES WS) TM TR UZ
 = *consobrinus* Kunze, 1818: 61 (*Hyphydrus*)
 = *distinctus* Feng, 1936: 7 (*Coelambus*)
 = *kaszabi* Guéorguiev, 1970: 253 (*Coelambus*)
 = *punctum* Gebler, 1829: 67 (*Hydroporus*)
- polonicus polonicus* Aubé, 1842: 230 (*Hydroporus*) **E:** AB BY FI LA LT PL RU (CT NT ST) UK **A:** KZ RU (WS)
- polonicus sahlbergi* Sharp, 1882: 402 [RN] (*Coelambus*) **A:** RU (ES)
 = *unguicularis* J.R. Sahlberg, 1880: 47 [HN] (*Coelambus*)
- saginitus* Schaum, 1857: 154 (*Hydroporus*) **E:** BU CR GR IT KZ MC MD RU (ST) UK **N:** EG **A:** CY IN IS KZ LE SY TM TR
 = *elevatus* Sharp, 1882: 403 (*Coelambus*)
 = *mulstantis* Peyron, 1858: 400 (*Hydroporus*)
- sanfilippoi* Fery, 1992a: 116 (*Coelambus*) **E:** IT (Sardinia)
- semenowi* Jakovlev, 1899: 504 (*Coelambus*) **A:** CH (GAN)
- stefanschoedli* Fery, Sadeghi & Hosseinie, 2005: 34 **A:** IN
- unguicularis* Crotch, 1874: 73 (*Hydroporus*) **E:** RU (NT) **A:** CH (NMO) MG RU (ES FE WS) **NAR**
 = *mongolicus* Jakovlev, 1899: 506 (*Coelambus*)
- urgensis* Jakovlev, 1899: 507 (*Coelambus*) **A:** CH (GAN) KZ MG RU (ES) UZ
- zigtangco* Fery, 2003: 156 **A:** CH (GAN SCH XIZ) PA

tribe Hyphydrini Gistel, 1848

genus *Agnoshydrus* Biström, Nilsson & Wewalka, 1997: 72 type species *Hydrovatus laccophiloides* Régimbart, 1888

taiwanus Wewalka & Wang, 2007:4 **A:** CH (TAI)

genus *Allopachria* Zimmermann, 1924: 194 type species *Allopachria quadripustulata* Zimmermann, 1924

= *Nipponhydrus* Guignot, 1954c: 196 type species *Hyphydrus flavomaculatus* Kamiya, 1938

bianae Wewalka, 2010: 31 **A:** CH (GUA)

bimaculata Satô, 1972a: 51 (*Microdytes*) **A:** JA (Ryukyus)

dieterlei Wewalka, 2000:117 **A:** CH (HUN)

= *dieterlorum* Nilsson, 2007: 49 [UE]

dudgeoni Wewalka, 2000:117 **A:** CH (GUX HKG JIX)

elongata Bian & Ji, 2012: 29 **A:** CH (GUX)

ernsti Wewalka, 2000: 117 **A:** CH (GUX) **ORR**

flavomaculata Kamiya, 1838: 12 (*Hyphydrus*) **A:** CH (GUX) JA

friedrichi Wewalka, 2000:113 **A:** CH (HUN)

froehlich Wewalka, 2000: 105 **A**: CH (HKG)
grandis Bian & Ji, 2010: 61 **A**: CH (JIX)
guangdongensis Wewalka, 2010: 30 **A**: CH (GUA)
hajeki Wewalka, 2010: 32 **A**: CH (YUN)
hautmanni Wewalka, 2000: 108 **A**: CH (ANH)
 = *hautmannorum* Nilsson, 2007: 49 [UE]
jaechi Wewalka, 2000: 124 **A**: CH (HAI)
jendeki Wewalka, 2000: 116 **A**: CH (YUN)
jilanzhui Wewalka, 2000: 109 **A**: CH (GUX HUN)
komareki Wewalka, 2010: 33 **A**: CH (GUA GUX)
liselotteae Wewalka, 2000: 113 **A**: CH (GUX)
longyanensis Ji, Guo & Bian, 2014: 194 **A**: CH (FUJ)
manfredi Wewalka, 2010: 34 **A**: CH (GUA)
miaowangi Wewalka, 2010: 29 **A**: CH (JIX ZHE)
quadrimaculata Satô, 1981: 70 (*Nipponhydrus*) **A**: NP
schillhammeri Wewalka, 2000: 108 **A**: CH (HUN)
schoenmanni Wewalka, 2000: 113 **A**: CH (ANH ZHE)
scholzi Wewalka, 2000: 116 **A**: CH (YUN)
 = *scholzorum* Nilsson, 2007: 49 [UE]
taiwana Satô, 1990: 101 (*Microdytes*) **A**: CH (TAI)
wangi Wewalka & Nilsson in Nilsson & Wewalka, 1994: 991 **A**: CH (TAI)
weinbergeri Wewalka, 2000: 112 **A**: CH (FUJ)
 = *weinbergerorum* Nilsson, 2007: 49 [UE]
wuzhifengensis Bian & Ji, 2010: 60 **A**: CH (JIX)
yanfengi Bian & Ji, 2012: 31 **A**: CH (GUX)
yiae Bian, Guo & Ji, 2013: 85 **A**: CH (CHQ)

genus *Dimitshydrus* Uéno, 1996: 36 type species *Dimitshydrus typhlops* Uéno, 1996
typhlops Uéno, 1996: 42 **A**: JA

genus *Hyphydrus* Illiger, 1802: 299 type species *Dytiscus gibbus* Fabricius, 1777 (= *Dytiscus ovatus* Linnaeus, 1760)

= *Actobaena* Gistel, 1856: 355 type species *Hyphydrus fabricii* Cristofori, 1832 (= *Dytiscus ovatus* Linnaeus, 1760)
 = *Allophydrus* Zimmermann, 1930: 65 type species *Hyphydrus major* Sharp, 1882 (= *Hyphydrus grandis* Laporte, 1835)
 = *Apriophorus* Guignot, 1936b: 12 type species *Hyphydrus lyratus* Swartz, 1808
 = *Aulacodytes* Guignot, 1936b: 12 type species *Hyphydrus impressus* Klug, 1832
 = *Pachytes* Montrouzier, 1860: 244 type species *Pachytes elegans* Montrouzier, 1860
anatolicus Guignot, 1957b: 91 **E**: BH CR GR HU IT MC ME RU (ST) SB SK UK **A**: TR
 = *carrarai* Sanfilippo, 1963: 77
aubei Ganglbauer, 1891: 448 [RN] **E**: AU BH BU CR CZ FR GB GR IT MA ME PT SL SP SZ **N**: AG LB MO TU
A: TR
 = *variegatus* Aubé, 1838a: 372 [HN]
 = *variegatus* Aubé, 1838b: 466 [HN]
birmanicus Régimbart, 1888: 614 **A**: BT CH (YUN) **ORR**
cycloides Régimbart, 1889b: 56 **N**: EG **AFR**
 = *circularis* Régimbart, 1895: 53
 = *lamottei* Legros, 1958: 212
 = *malawiensis* Omer-Cooper, 1971: 279
 = *nigeriensis* Omer-Cooper, 1971: 282
 = *pelates* Guignot, 1953a: 1
detectus Falkenström, 1936a: 87 **A**: CH (FUJ GUI HEI HUB JIA JIX LIA SCH SHN ZHE) “Manchuria”
 = *chinensis* Hlisenkovský, 1955a: 85
 = *pieli* Guignot, 1936c: 133
 = *reductus* Hlisenkovský, 1955: 86
dioscoridis Hájek & Reiter, 2014: 74 **A**: YE (Socotra)
dongba Šťastný, 2000: 298 **A**: CH (YUN)
excoffieri Régimbart, 1899: 210 **A**: CH (GAN HUB YUN) **ORR**

- falkenstromi* Gschwendtner, 1939: 25 **A**: CH (BEI FUJ HEI JIA JIL LIA NMO SHN TIA) RU (FE) SC
 = *brincki* Guignot, 1946b: 72
- fangensis* Biström & Satô, 1988: 47 **A**: CH (HAI) **ORR**
- grandis* Laporte, 1835: 107 **N**: EG SI **AFR**
 = *major* Sharp, 1882: 375
- gschwendtneri* Guignot, 1942a: 17 [RN] **A**: AF HP PA SD
 = *indicus* Gschwendtner, 1936: 367 [HN]
 = *lindemanna* Guignot, 1959a: 8
 = *nalinie* Vazirani, 1969a: 311 [RN]
- holmeni* Biström, 1983: 107 **A**: BT NP
- japonicus japonicus* Sharp, 1873b: 54 **A**: JA RU (FE) SC
 = *frontalis* Sharp, 1882: 381
 = *paramoetus* Guignot, 1954d: 40
- japonicus vagus* Brinck, 1943d: 127 **A**: CH (GUI GUX HEB HUN SHG LIA SCH SHA TAI YUN) NC
- laeviventris laeviventris* Sharp, 1882: 381 **A**: JA
- laeviventris tsugaru* Nakane, 1993: 2 **A**: JA
- lyratus flavicans* Régimbart, 1892a: 115 **A**: PA UP **ORR**
- lyratus lyratus* Swartz in Schönherr, 1808: 29 **A**: CH (FUJ GUA GUI GUX HAI HKG HUB MAC TAI XIZ YUN)
JA AUR ORR
 = *bisulcatus* Clark, 1863: 422
 = *fossulipennis* W.J. MacLeay, 1871: 122 (*Hydroporus*)
 = *nigronotatus* Clark, 1863: 421
- maculatus* Babington, 1842: 12 **N**: AG CI EG LB **AFR**
 = *africanus* Sharp, 1882: 376
 = *crassus* Wollaston, 1868: 33
- orientalis* Clark, 1863: 419 **A**: CH (BEI FUJ GAN GUA GUI GUX HAI HEB HKG HUB JIA JIX SCH SHG SHN TAI YUN XIN XIZ ZHE) JA **ORR**
 = *eximius* Clark, 1863: 421
- ovatus* Linnaeus, 1760: 547 (*Dytiscus*) **E**: AL AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LS LT LU MC ME NL NR PL RO RU (CT NT ST) SB SK SL SV SZ UK **A**: IN KZ RU (ES WS) TR
 = *fabricii* Cristofori, 1832: 14
 = *ferrugineus* Linnaeus, 1767: 666 (*Dytiscus*)
 = *gibbus* Fabricius, 1777: 238 (*Dytiscus*)
 = *grossus* O.F. Müller, 1776: 72 (*Dytiscus*)
 = *ovalis* Illiger, 1798: 271 [HN] (*Dytiscus*)
 = *sphaericus* De Geer, 1774: 402 (*Dytiscus*)
 = *variegatus* Stephens, 1828: 45
- pictus* Klug, 1834: t.33/9 **N**: EG LB **A**: AE IN IS **JO**⁵ OM SA SI YE **AFR**
 = *lugubris* Preudhomme de Borre, 1871b: x
- pulchellus* Clark, 1863: 420 **A**: CH (FUJ GUA GUX HAI HUN JIX LIA TAI) JA **ORR**
 = *jeanneli* Guignot, 1935a: 269
 = *orbicularis* Régimbart, 1899: 212
 = *wui* Gschwendtner, 1933: 161
- renardi* Severin, 1890: cxci **A**: BT HP NP SD UP **ORR**
- sanctus* Sharp, 1882: 380 **A**: IS JO SY TR
- sumatrae* Régimbart, 1880: 211 **A**: CH (YUN) **ORR**
 = *assamensis* Vazirani, 1969a: 309
- genus *Microdytes* J.Balfour-Browne, 1946: 106** type species *Microdytes belli* J.Balfour-Browne, 1946
- bistroemi* Wewalka, 1997: 20 **A**: CH (JIX)
- championi* J. Balfour-Browne, 1946: 107 **A**: NP SD UP
- elgae* Hendrich, Balke & Wewalka in Hendrich & Balke, 1995: 42 **A**: AP BT **ORR**
- hainanensis* Wewalka, 1997: 25 **A**: CH (HAI)
- heineri* Wewalka, 2011: 23 **A**: CH (YUN) **ORR**
- huangyongensis* Bian, Zhang & Ji, 2015: 469 **A**: CH (ZHE)
- lotteae* Wewalka, 1998: 64 **A**: CH (FUJ)
- maculatus* Motschulsky, 1860d: 42 (*Hydrovatus*) **A**: CH (YUN) **ORR**
- nilssoni* Wewalka, 1997: 30 **A**: CH (ANH GUX HUB HUN)

satoi Wewalka, 1997: 33 **A:** CH (GUI GUX)
schoenmanni Wewalka, 1997: 34 **A:** CH (YUN) NP SD **ORR**
shepardi Wewalka, 1997: 37 **A:** CH (YUN) **ORR**
shunichii Satô, 1995: 313 **A:** CH (HKG YUN) **ORR**
= *holzmanni* Wewalka & Wang, 1998: 66
= *holzmannorum* Nilsson, 2007: 51 [UE]
sinensis Wewalka, 1997: 38 **A:** CH (ANH HUN JIX)
tomokunii Satô, 1981: 68 **A:** NP
trontelji Wewalka, Ribera & Balke, 2007:61 **A:** CH (HAI)
uenoi Satô, 1972a: 49 **A:** CH (ANH FUJ GUI HUN SCH TAI ZHE) JA
wewalkai Bian & Ji, 2009: 37 **A:** CH (HAI)

tribe Laccornini Wolfe & Roughley, 1990

genus Laccornis Gozis, 1914: 111 type species *Hydroporus oblongus* Stephens, 1835
= *Agaporus* Zimmermann, 1919a: 147 type species *Hydroporus oblongus* Stephens, 1835
kocae Ganglbauer, 1904: 352 (*Hydroporus*) **E:** AU CR HU RU (ST) SK UK
= *breviusculus* Gschwendtner, 1935c: 206
oblongus Stephens, 1835: 437 (*Hydroporus*) **E:** AU BE BY CZ DE EN FI FR GB GE HU IR LA LT NL NR PL RU
(CT NT ST) SK SV **A:** **MG**¹ RU (ES WS) **NAR**
= *bohemani* Thomson, 1856: 198 (*Hydroporus*)
= *nitidus* Sturm, 1835: 38 (*Hydroporus*)

tribe Methlini Branden, 1885

genus Methles Sharp, 1882: 317 type species *Methles punctipennis* Sharp, 1882 (= *Hydroporus cribratellus* Fairmaire, 1880)
cribratellus Fairmaire, 1880a: 248 (*Hydroporus*) **E:** IT PT SP **N:** AG EG **A:** SA **AFR**
= *punctipennis* Sharp, 1882: 490
= *umbrosus* Gschwendtner, 1930: 210
rectus Sharp, 1882: 490 **A:** IN IQ
spinus Sharp, 1882: 489 **N:** EG **A:** CY IS **JO**⁵ SI SY TR **AFR**

tribe Pachydrini Biström, Nilsson & Wewalka, 1997

genus Heterhydrus Fairmaire, 1869: 186 type species *Heterhydrus agaboides* Fairmaire, 1869
senegalensis Laporte, 1835: 106 (*Hyphydrus*) **N:** EG SI **AFR**

tribe Vatellini Sharp, 1880

genus Derovatellus Sharp, 1882: 282 type species *Vatellus lentus* Wehncke, 1876
bisignatus Ahlwarth, 1921: 442 **N:** EG **AFR**
= *nyasaensis* Omer-Cooper, 1958: 250

incertae sedis (Hydroporinae)

genus Morimotoa Uéno, 1957: 260 type species *Morimotoa phreatica* Uéno, 1957
gigantea Uéno, 1996: 33 **A:** JA
morimotoi Uéno, 1996: 29 **A:** JA
phreatica miurai Uéno, 1957: 273 **A:** JA
phreatica phreatica Uéno, 1957: 268 **A:** JA

subfamily **Laccophilinae** Gistel, 1848

tribe Agabetini Branden, 1885

genus *Agabetes* Crotch, 1873: 398 type species *Colymbetes acuductus* Harris, 1828
svetlanae Nilsson, 1989: 36 **A: IN**

tribe Laccophilini Gistel, 1848

genus *Japanolaccophilus* Satô, 1972a: 57 type species *Neptosternus niponensis* Kamiya, 1939
niponensis Kamiya, 1939: 32 (*Neptosternus*) **A: JA**

genus *Laccophilus* Leach, 1815: 84 type species *Dytiscus minutus* Linnaeus, 1758
anticatus anticatus Sharp, 1890: 341 **A: UP ORR**

= *wewalki* Vazirani, 1975a: 487
= *wewalkai* Nilsson, 1999b: 20 [UE]

biguttatus Kirby, 1837: 69 **E: FI NR RU (NT) SV A: CH (HEB NMO) MG RU (ES WS) NAR**

= *apicicornis* Reitter, 1899: 198
= *fengi* Guignot, 1942b: 86 [RN]
= *inconspicuus* Fall, 1917: 164
= *pallidulus* Zimmermann, 1930: 50
= *strohmi* Thomson, 1874: 535
= *uniformis* Feng, 1936: 1 [HN]

chinensis Boheman, 1858: 21 **A: BT CH (ANH FUJ GUA GUI HAI HKG HUN JIX SCH TAI XIZ YUN) HP JA NP PA SD UP ORR**

continentalis Gschwendtner, 1935b: 16 **A: YE (Socotra) AFR**

= *perplexus* Omer-Cooper, 1970b: 288

demoflysi Normand, 1938: 343 **N: TU**

difficilis Sharp, 1873b: 53 **A: CH (BEI FUJ GUA GUI HAI HEI HUB HUN JIA JIL JIX LIA SCH SHG SHN SHX ZHE YUN) JA NC RU (FE) SC**

dikinohaseus Kamite, Hikida & Satô, 2005:624 **A: JA**

ellipticus Régimbart, 1889a: 152 **A: CH (FUJ GUA HAI XIZ) ORR**

flexuosus Aubé, 1838b: 430 **A: CH (FUJ GUA GUI HAI HKG HUB JIA TAI) HP IN JA NP PA SD UP ORR**

= *chloroticus* Régimbart, 1887: 267
= *cognatus* Sharp, 1882: 316
= *formosanus* Takizawa, 1932: 22
= *solutus* Sharp, 1882: 315

hyalinus De Geer, 1774: 406 (*Dytiscus*) **E: AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MA MC MD ME NL NR PL PT RO RU (NT ST) SK SL SP SV SZ UK YU N: AG CI EG LB MO TU A: CY IN IQ IS JO⁵ KI LE RU (ES WS) SY TM TR UZ**

= *cyprioticus* Mouchamps, 1956: 3
= *hyalinus* Marsham, 1802: 420 (*Dytiscus*)
= *inflatus* Wollaston, 1864: 79
= *interruptus* Panzer, 1795a: 80 (*Dytiscus*)
= *kusteri* Marseul, 1866: 19 [RN]
= *marmoratus* Geoffroy in Fourcroy, 1785: 70 (*Dytiscus*)
= *marmoreus* Olivier, 1795: 20 (*Dytiscus*)
= *pictus* Küster, 1851: 9 [HN]
= *testaceus* Aubé, 1837: 214

indicus Gschwendtner, 1936: 366 **A: PA ORR**

= *sindensis* Vazirani, 1969a: 247

inefficiens Walker, 1859: 51 (*Hydroporus*) **A: IN HP NP PA UP ORR**

= *basalis* Motschulsky, 1860d: 45

inobservatus Biström, Nilsson & Bergsten, 2015: 63 **A: YE AFR**

kempi holmeni Brancucci, 1983b: 276 **A: CH (YUN) ORR**

kempi kempi Gschwendtner, 1936: 366 **A: SD**

kobensis Sharp, 1873b: 53 **A: CH (FUJ GUX HUN SHN TAI) JA SC**

komareki Hájek & Brancucci, 2015: 320 **A: CH (GUA GUX)**

lewisioides Brancucci, 1983b: 272 **A: CH (HEB JIA NMO SHG) RU (FE) SC**

lewisius Sharp, 1873b: 52 **A: CH (ANH BEI FUJ HEB HUN JIA JIL JIX SCH SHG SHN ZHE) JA**

maindroni maindroni Régimbart, 1897: 207 **A: AE OM**

maindroni persicus Brancucci, 1983b: 286 **A: IN PA**

- mateui* Omer-Cooper, 1970b: 285 **N: AG**
- medialis* Sharp, 1882: 309 **A: BT CH (GUA YUN) SD ORR**
 = *birmanicus* Régimbart, 1891: 538
 = *cingulifer* Guignot, 1956d: 60
 = *lucasseni* Régimbart, 1893: 106
- minutus* Linnaeus, 1758: 412 (*Dytiscus*) **E: AB AL AR AU BE BH BU BY CR CZ DE EN FI FR GB GE GG GR HU IR IT LA LT LU MA MC MD ME NL NR PL PT RO RU (NT ST) SK SL SP SV SZ UK YU N: AG LB MO TU A: AF CH (XIN YUN) CY IN IQ IS JO KA KI KZ MG PA RU (ES WS) SY TD TM TR UZ ORR**
 = *cimicoides* O.F. Müller, 1776: 72 (*Dytiscus*)
 = *gibbus* Gmelin, 1790: 1957 (*Dytiscus*)
 = *gilvus* O.F. Müller, 1776: 72 (*Dytiscus*)
 = *melanophthalmos* Geoffroy in Fourcroy, 1785: 68 (*Dytiscus*)
 = *obscurus* Panzer, 1795a: 77 (*Dytiscus*)
 = *striatus* Depoli, 1930: 141
 = *variolosus* Herbst, 1784: 128 (*Dytiscus*)
 = *virescens* Brahm, 1790: 27 [HN] (*Dytiscus*)
- nakajimai* Kamite, Hikida & Satô, 2005:622 **A: JA (Ryukyus)**
- pallescens* Régimbart, 1903a: 14 **A: YE (Socotra) AFR**
- parvulus obtusus* Sharp, 1882: 311 **A: CH (FUJ GUA GUX HAI HUB HUN SCH XIZ YUN) ORR**
 = *derasus* Sharp, 1882: 311
 = *dispersus* Sharp, 1882: 312
- parvulus parvulus* Aubé, 1838b: 429 **A: AP BT HP NP PA UP ORR**
 = *orientalis* Aubé, 1838b: 431
 = *proteus* Régimbart, 1877g: 110
 = *proteus* Régimbart, 1877a: lxxix [HN]
 = *undulifer* Motschulsky, 1860d: 44
- pictipennis* Sharp, 1882: 305 **A: OM SA YE AFR**
 = *discretus* Sharp, 1882: 305
 = *wehnckei* Sharp, 1882: 306
- poecilus* Klug, 1834: pl. 33/8 **E: AB AL AR AU BE BH BU CR CZ EN FR GB GE GG GR HU IT LA LS LT LU MC ME NL NR PL RO RU (ST) SK SL SP SV SZ UK YU N: AG EG MO A: AF CH (XIN) CY IN IQ IS KI KU KZ LE SA SI SY TD TM TR UZ**
 = *laticornis* Pic, 1896: 140
 = *parumpunctatus* Schneider, 1903: 51
 = *ponticus* Sharp, 1882: 311
 = *variegatus* Germar & Kaulfuss, 1816: t. 6 [HN] (*Dytiscus*)
- pulicarius* Sharp, 1882: 313 **A: CH (HKG) JA ORR**
 = *chibi* Satô, 1972a: 56
 = *mjobergi* Zimmermann, 1927b: 4
 = *planitarsis* Régimbart, 1891: 539
- punctatissimus* Brancucci, 1983b: 368 **A: NP PA UP ORR**
- restrictus* Sharp, 1882: 315 **N: EG AFR**
 = *evanescens* Régimbart, 1895: 134
- sharpi* Régimbart, 1889a: 151 **A: CH (ANH BEI FUJ GUA GUI GUX HAI HEB HKG HUB HUN JIA JIL JIX LIA SCH SHX TAI YUN ZHE) HP IN JA NP PA SA SC SD UP YE AUR ORR**
 = *samosir* Csiki, 1938: 125
 = *similis* Régimbart, 1889a: 150
- siamensis siamensis* Sharp, 1882: 306 **A: CH (YUN) ORR**
 = *assimilis* Régimbart, 1883: 226
- siamensis taiwanensis* Brancucci, 1983b: 302 **A: CH (FUJ GUA GUX HAI JIX TAI YUN)**
- sordidus* Sharp, 1882: 302 **N: EG LB A: IN SA SI YE**
- sublineatus* Sharp, 1882: 305 **A: SA YE**
- tonkinensis* Brancucci, 1983b: 258 **A: CH (HAI) ORR**
- transversalis lituratus* Sharp, 1882: 313 **A: CH (FUJ GUA HAI HKG YUN) ORR**
- uniformis* Motschulsky, 1860d: 46 **A: CH (FUJ GUA HUB) UP ORR**
 = *rufulus* Régimbart, 1888: 611
 = *weyersi* Régimbart, 1900a: 147
- vagelineatus* Zimmermann, 1922: 19 **A: CH (ANH FUJ HUB JIA JIX YUN ZHE) JA RU (FE) SC**
- wittmeri* Brancucci, 1983b: 260 **A: CH (YUN) ORR**

yoshitomii Watanabe & Kamite, 2018: 418 **A: JA**

genus *Laccoporus* J. Balfour-Browne, 1938: 103 type species *Laccoporus viator* J. Balfour-Browne, 1938 (= *Laccophilus nigrutilus* Gschwendtner, 1936)

nigrutilus Gschwendtner, 1936: 367 (*Laccophilus*) **A: CH (XIZ)**

= *viator* J. Balfour-Browne, 1938: 104

genus *Neptosternus* Sharp, 1882: 286 type species *Neptosternus ornatus* Sharp, 1882

circumductus Régimbart, 1899: 268 **A: IN UP ORR**

coomani Peschet, 1923: 175 **A: CH (GUA GUX HAI HKG) ORR**

haibini Peng, Ji, Bian & Hájek, 2018: 582 **A: CH (GUA)**

hydaticoides Régimbart, 1877g: 110 (*Laccophilus*) **A: CH (GUX HAI HKG TAI) ORR**

= *hydaticoides* Régimbart, 1877a: lxxix (*Laccophilus*) [HN]

= *tenasserimus* Guignot, 1956e: 452

= *yanbini* Bian & Ji, 2009: 36

maculatus Hendrich & Balke, 1997: 62 **A: CH (GUA) ORR**

ornatus Sharp, 1882: 317 **N: AG AFR**

= *meridianus* Omer-Cooper, 1970a: 66

= *nigeriensis* Omer-Cooper, 1970a: 67

= *rotroui* Pic, 1924: 21 (*Laccophilus*)

= *tridens* Sharp, 1882: 218

= *tropicus* Guignot, 1954b: 6

pocsi Satô, 1972b: 149 **A: CH (YUN) ORR**

punctatus Zhao, Hájek, Jia & Pang, 2012: 206 **A: CH (GUA)**

strnadi Hendrich & Balke, 1997: 64 **A: CH (YUN) ORR**

taiwanensis Hendrich & Balke, 1997: 65 **A: CH (TAI)**

wewalkai Balke, Hendrich & C.M. Yang, 1997: 372 **A: CH (GUX) ORR**

genus *Philodytes* J. Balfour-Browne, 1939b: 479 type species *Laccophilus umbrinus* Motschulsky, 1855

umbrinus Motschulsky, 1855a: 83 (*Laccophilus*) **N: AG EG A: SI AFR**

= *luridus* Schaum, 1864a: 107 (*Laccophilus*)

-
- ¹ Prokin A.A., Chuluunbaatar G., Angus R.B., Jäch M.A., Petrov P.N., Ryndevich S.K., Byambanyam E., Sazhnev A.S., Hájek J. & Shaverdo H. 2019: New records of water beetles (Coleoptera: Gyrinidae, Haliplidae, Noteridae, Dytiscidae, Helophoridae, Hydrophilidae, Hydraenidae) and shore beetles (Coleoptera: Heteroceridae) of Mongolia. *Aquatic Insects*: <https://doi.org/10.1080/01650424.2019.1651870>
- ² Toledo M.E. & Carlin A. 2019: Primo ritrovamento in Italia di *Ilybius wasastjerna* (Sahlberg, 1824) (Insecta: Coleoptera: Dytiscidae: Agabinae). *Gredleriana* 19: 201-207.
- ³ Hájek J. & Zhang T. 2019: *Platambus binliui* sp. nov. from Sichuan, with new records of species of the *P. sawadai* group from China (Coleoptera: Dytiscidae: Agabinae). *Zootaxa* 4612(4): 533-543.
- ⁴ Alarie Y., Michat M.C., Jia F. & Hájek J. 2019: *Hydrotrupes chinensis* Nilsson, 2003 (Coleoptera: Dytiscidae): new records, (re)description of adult and larva, and notes on its biology, *Aquatic Insects* 40(3): 236-256.
- ⁵ Hájek J., Reiter A. & Wewalka G. 2019: Predaceous diving beetles (Coleoptera: Dytiscidae) of Jordan. *Aquatic Insects* 40(3): 270-289.
- ⁶ Ribera I., Hernando C. & Cieslak A. 2019: Aquatic Coleoptera of North Oman, with description of new species of Hydraenidae and Hydrophilidae. *Acta Entomologica Musei Nationalis Pragae* 59(1): 253-272.
- ⁷ Hájek J. 2017: Potápník *Eretes sticticus* (Linnaeus, 1767) dorazil do České republiky (Coleoptera: Dytiscidae). Diving beetles *Eretes sticticus* (Linnaeus, 1767) arrived to the Czech Republic (Coleoptera: Dytiscidae). *Klapalekiana* 53: 279-282.
- ⁸ Hájek J. & Reiter A. 2019: Diving beetles of the genus *Yola* from Oman, with description of a new species (Coleoptera: Dytiscidae). *Zoology in the Middle East* 65(4): 361-366.
- ⁹ Roosileht U. 2015: Estonian additions to Silfverberg's „Enumeratio renovata Coleopterorum Fennoscandiae, Daniae et Baltiae“ Coleoptera Catalog. *Sahlbergia* 21.2: 6-39.
- ¹⁰ Prokin A.A. & Sazhnev A.S. 2019: New records of beetles from families Haliplidae, Dytiscidae, Hydraenidae, Helophoridae, Hydrophilidae, Scirtidae and Chrysomelidae (Coleoptera) from the North Caucasus. *Caucasian Entomological Bulletin* 15(1): 49-53.
- ¹¹ Queney P. & Manuel M. 2019: *Graptodytes exsanguis* (Bedel, 1925) n. stat., a newly recognised species of diving beetle from North Africa, Corsica and Sardinia, with notes on other taxa of the *varius/ignotus* complex (Coleoptera: Dytiscidae). *Annales de la Société entomologique de France (Nouvelle Série)* 55(6): 509-527.
- ¹² Watanabe K., Liu H.-C., Mitamura T. & Yoshii S. 2018: New distributional records of dytiscid beetles (Coleoptera, Dytiscidae) from Taiwan. *Elytra, New Series* 8(2): 429-430.